

## Table of Contents

|   |    |
|---|----|
| Table 1: Concentration of adiponectin (Plasma ng/mL) BY AGE AND GENDER .....        | 1  |
| Table 2: Random spot urine albumin (mg/dL) BY AGE AND GENDER .....                  | 2  |
| Table 3: Concentration of Aldosterone (Plasma ng/dL) BY AGE AND GENDER.....         | 3  |
| Table 4: Body Mass Index (kg/m) BY AGE AND GENDER.....                              | 4  |
| Table 5: 24-hour urine creatinine (g/24hr) BY AGE AND GENDER .....                  | 5  |
| Table 6: Random spot urine creatinine (mg/dL) BY AGE AND GENDER .....               | 6  |
| Table 7: Concentration of cystatin C (Serum mg/L) BY AGE AND GENDER .....           | 7  |
| Table 8: Everyday Discrimination Score BY AGE AND GENDER.....                       | 8  |
| Table 9: Dark-green Vegetables (servings) BY AGE AND GENDER.....                    | 9  |
| Table 10: Diastolic Blood Pressure (mmHg) BY AGE AND GENDER .....                   | 10 |
| Table 11: Total Depressive Symptoms Score BY AGE AND GENDER .....                   | 11 |
| Table 12: Duration on dialysis (years) BY AGE AND GENDER.....                       | 12 |
| Table 13: eGFR CKD-Epi BY AGE AND GENDER.....                                       | 13 |
| Table 14: Endothelin-1 (Plasma pg/mL) BY AGE AND GENDER.....                        | 14 |
| Table 15: Fasting Insulin (Plasma IU/mL) BY AGE AND GENDER .....                    | 15 |
| Table 16: Fasting Plasma Glucose Level (mg/dL) BY AGE AND GENDER.....               | 16 |
| Table 17: NGSP Hemoglobin A1c (%) BY AGE AND GENDER .....                           | 17 |
| Table 18: Fasting HDL Cholesterol Level (mg/dL) BY AGE AND GENDER .....             | 18 |
| Table 19: Height (cm) BY AGE AND GENDER.....  | 19 |
| Table 20: HOMA-B BY AGE AND GENDER.....   | 20 |
| Table 21: HOMA-IR BY AGE AND GENDER.....  | 21 |
| Table 22: High Sensitivity C-Reactive Protein (Plasma mg/dL) BY AGE AND GENDER..... | 22 |
| Table 23: Fasting LDL Cholesterol Level (mg/dL) BY AGE AND GENDER .....             | 23 |
| Table 24: Concentration of Leptin (Plasma ng/mL) BY AGE AND GENDER .....            | 24 |
| Table 25: Left Ventricular Mass (g) from Echo BY AGE AND GENDER .....               | 25 |
| Table 26: Neck Circumference (cm) BY AGE AND GENDER.....                            | 26 |
| Table 27: Renin Activity RIA (Plasma ng/mL/hr) BY AGE AND GENDER .....              | 27 |
| Table 28: Relative Wall Thickness BY AGE AND GENDER .....                           | 28 |
| Table 29: Systolic Blood Pressure (mmHg) BY AGE AND GENDER.....                     | 29 |
| Table 30: Concentration of Cortisol Levels (Plasma ug/dL) BY AGE AND GENDER .....   | 30 |
| Table 31: Fasting Total Cholesterol (mg/dL) BY AGE AND GENDER .....                 | 31 |
| Table 32: Fasting Triglyceride Level (mg/dL) BY AGE AND GENDER .....                | 32 |
| Table 33: Waist Circumference (cm) BY AGE AND GENDER.....                           | 33 |
| Table 34: Weekly Stress Inventory (WSI) impact score BY AGE AND GENDER .....        | 34 |
| Table 35: Weight (kg) BY AGE AND GENDER.....  | 35 |
| Table 36: Alcohol History (Y/N) BY AGE AND GENDER .....                             | 36 |
| Table 37: Physician-Diagnosed Asthma BY AGE AND GENDER.....                         | 37 |
| Table 38: AHA BMI Categorization BY AGE AND GENDER .....                            | 38 |
| Table 39: Self-Reported history of Carotid Angioplasty BY AGE AND GENDER.....       | 39 |
| Table 40: Conduction Defect BY AGE AND GENDER.....                                  | 40 |
| Table 41: Diabetes Status (ADA 2010) BY AGE AND GENDER .....                        | 41 |
| Table 42: Self-reported dialysis BY AGE AND GENDER.....                             | 42 |
| Table 43: Diuretic Medication Status (Y/N) BY AGE AND GENDER .....                  | 43 |
| Table 44: Education Attainment Categorization BY AGE AND GENDER .....               | 44 |
| Table 45: History of Smoking BY AGE AND GENDER .....                                | 45 |

Table 46: Family Income Classification BY AGE AND GENDER ..... 46

Table 46: Family Income Classification BY AGE AND GENDER ..... 47

Table 47: Self-Reported HRT Medication Status (Y/N) BY AGE AND GENDER ..... 48

Table 48: Hypertension Status BY AGE AND GENDER ..... 49

Table 49: Indicator for Ideal Health via BMI Status BY AGE AND GENDER ..... 50

Table 50: Indicator for Ideal Health via Glucose Status BY AGE AND GENDER ..... 51

Table 51: Menopause Status BY AGE AND GENDER ..... 52

Table 52: Self-Reported History of MI BY AGE AND GENDER ..... 53

Table 53: Occupational Status BY AGE AND GENDER ..... 54

Table 53: Occupational Status BY AGE AND GENDER ..... 55

Table 54: AHA Physical Activity Categorization BY AGE AND GENDER ..... 56

Table 55: History of Paralysis BY AGE AND GENDER..... 57

Table 56: Public or Private Insurance BY AGE AND GENDER..... 58

Table 57: Participant Sex BY AGE AND GENDER ..... 59

Table 58: History of Stroke BY AGE AND GENDER..... 60

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 1:<br/>Concentration of<br/>adiponectin (Plasma<br/>ng/mL) BY AGE AND<br/>GENDER</b> |                     | <b>Concentration of adiponectin (Plasma<br/>ng/mL)</b> |             |            |            |
|---|---------------------|--|-------------|------------|------------|
|   |                     | <b>N</b>   | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 143  | 5583.69     | 495.40     | 20948.10   |
|   | <b>35-44</b>        | 600  | 5192.16     | 630.32     | 24064.00   |
|   | <b>45-54</b>        | 780  | 5695.16     | 363.35     | 40349.52   |
|   | <b>55-64</b>        | 904  | 6278.39     | 351.91     | 62861.51   |
|   | <b>65-74</b>        | 611  | 6790.32     | 516.65     | 52663.60   |
|   | <b>75-84</b>        | 184  | 8283.21     | 1389.29    | 53366.76   |
|   | <b>85 and older</b> | 10   | 13706.57    | 1978.48    | 31073.30   |
|   | <b>Total</b>        | 3232   | 6139.14     | 351.91     | 62861.51   |
| <b>Male</b>   | <b>AGE</b>          |  |             |            |            |
|   | <b>Under 35</b>     | 100  | 3684.62     | 429.31     | 13302.24   |
|   | <b>35-44</b>        | 386  | 3397.46     | 490.48     | 14883.16   |
|   | <b>45-54</b>        | 487  | 3539.40     | 533.87     | 32811.00   |
|   | <b>55-64</b>        | 477  | 4301.83     | 582.29     | 22303.70   |
|   | <b>65-74</b>        | 327  | 5278.08     | 370.98     | 39697.18   |
|   | <b>75-84</b>        | 93   | 5815.00     | 525.51     | 27759.00   |
|   | <b>85 and older</b> | 4  | 13198.20    | 9344.66    | 19799.71   |
|   | <b>Total</b>        | 1874   | 4148.91     | 370.98     | 39697.18   |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |  |             |            |            |
|   | <b>Under 35</b>     | 243  | 4802.18     | 429.31     | 20948.10   |
|   | <b>35-44</b>        | 986  | 4489.57     | 490.48     | 24064.00   |
|   | <b>45-54</b>        | 1267   | 4866.54     | 363.35     | 40349.52   |
|   | <b>55-64</b>        | 1381   | 5595.68     | 351.91     | 62861.51   |
|   | <b>65-74</b>        | 938  | 6263.13     | 370.98     | 52663.60   |
|   | <b>75-84</b>        | 277  | 7454.53     | 525.51     | 53366.76   |
|   | <b>85 and older</b> | 14   | 13561.32    | 1978.48    | 31073.30   |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 2: Random spot urine albumin (mg/dL) BY AGE AND GENDER</b> |                     | <b>Random spot urine albumin (mg/dL)</b> |             |            |            |
|---|---------------------|--|-------------|------------|------------|
|   |                     | <b>N</b>                                 | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 97                                       | 5.93        | 0.23       | 169.00     |
|   | <b>35-44</b>        | 364                                      | 2.47        | 0.20       | 93.00      |
|   | <b>45-54</b>        | 421                                      | 3.15        | 0.20       | 131.00     |
|   | <b>55-64</b>        | 356                                      | 5.50        | 0.20       | 495.00     |
|   | <b>65-74</b>        | 225                                      | 10.57       | 0.20       | 705.00     |
|   | <b>75-84</b>        | 75                                       | 9.71        | 0.22       | 141.00     |
|   | <b>85 and older</b> | 5  | 5.90        | 0.70       | 23.90      |
|   | <b>Total</b>        | 1543                                     | 5.12        | 0.20       | 705.00     |
| <b>Male</b>   | <b>AGE</b>          |  |             |            |            |
|   | <b>Under 35</b>     | 78                                       | 1.93        | 0.20       | 29.60      |
|   | <b>35-44</b>        | 264                                      | 7.51        | 0.20       | 636.00     |
|   | <b>45-54</b>        | 290                                      | 4.43        | 0.20       | 376.00     |
|   | <b>55-64</b>        | 217                                      | 6.83        | 0.20       | 242.00     |
|   | <b>65-74</b>        | 119                                      | 7.75        | 0.20       | 235.00     |
|   | <b>75-84</b>        | 41                                       | 10.91       | 0.20       | 134.00     |
|   | <b>85 and older</b> | 2  | 59.59       | 1.18       | 118.00     |
|   | <b>Total</b>        | 1011                                     | 6.32        | 0.20       | 636.00     |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |  |             |            |            |
|   | <b>Under 35</b>     | 175                                      | 4.15        | 0.20       | 169.00     |
|   | <b>35-44</b>        | 628                                      | 4.59        | 0.20       | 636.00     |
|   | <b>45-54</b>        | 711                                      | 3.67        | 0.20       | 376.00     |
|   | <b>55-64</b>        | 573                                      | 6.00        | 0.20       | 495.00     |
|   | <b>65-74</b>        | 344                                      | 9.60        | 0.20       | 705.00     |
|   | <b>75-84</b>        | 116                                      | 10.13       | 0.20       | 141.00     |
|   | <b>85 and older</b> | 7  | 21.24       | 0.70       | 118.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 3:<br/>Concentration of<br/>Aldosterone (Plasma<br/>ng/dL) BY AGE AND<br/>GENDER</b> |                     | <b>Concentration of<br/>Aldosterone (Plasma ng/dL)</b> |             |            |            |
|---|---------------------|--|-------------|------------|------------|
|   |                     | <b>N</b>   | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 144  | 5.17        | 1.90       | 26.70      |
|   | <b>35-44</b>        | 600  | 5.13        | 1.90       | 39.90      |
|   | <b>45-54</b>        | 787  | 5.86        | 1.90       | 166.00     |
|   | <b>55-64</b>        | 917  | 6.07        | 1.90       | 110.30     |
|   | <b>65-74</b>        | 638  | 5.92        | 1.90       | 61.10      |
|   | <b>75-84</b>        | 188  | 5.52        | 1.90       | 37.50      |
|   | <b>85 and older</b> | 10   | 4.74        | 1.90       | 9.40       |
|   | <b>Total</b>        | 3284   | 5.74        | 1.90       | 166.00     |
| <b>Male</b>   | <b>AGE</b>          |  |             |            |            |
|   | <b>Under 35</b>     | 100  | 5.96        | 1.90       | 19.20      |
|   | <b>35-44</b>        | 386  | 5.82        | 1.90       | 24.20      |
|   | <b>45-54</b>        | 488  | 6.10        | 1.90       | 67.80      |
|   | <b>55-64</b>        | 490  | 5.91        | 1.90       | 37.70      |
|   | <b>65-74</b>        | 344  | 5.72        | 1.90       | 28.40      |
|   | <b>75-84</b>        | 96   | 5.91        | 1.90       | 40.10      |
|   | <b>85 and older</b> | 5  | 4.14        | 1.90       | 6.70       |
|   | <b>Total</b>        | 1909   | 5.90        | 1.90       | 67.80      |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |  |             |            |            |
|   | <b>Under 35</b>     | 244  | 5.49        | 1.90       | 26.70      |
|   | <b>35-44</b>        | 986  | 5.40        | 1.90       | 39.90      |
|   | <b>45-54</b>        | 1275   | 5.95        | 1.90       | 166.00     |
|   | <b>55-64</b>        | 1407   | 6.01        | 1.90       | 110.30     |
|   | <b>65-74</b>        | 982  | 5.85        | 1.90       | 61.10      |
|   | <b>75-84</b>        | 284  | 5.65        | 1.90       | 40.10      |
|   | <b>85 and older</b> | 15   | 4.54        | 1.90       | 9.40       |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 4: Body Mass Index (kg/m) BY AGE AND GENDER</b> |                     | <b>Body Mass Index (kg/m)</b> |             |            |            |
|--|---------------------|-------------------------------|-------------|------------|------------|
|  |                     | <b>N</b>                      | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |                               |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 147                           | 34.26       | 17.96      | 75.05      |
|  | <b>35-44</b>        | 613                           | 33.24       | 16.76      | 91.80      |
|  | <b>45-54</b>        | 811                           | 33.42       | 14.69      | 75.05      |
|  | <b>55-64</b>        | 936                           | 32.92       | 15.91      | 71.48      |
|  | <b>65-74</b>        | 651                           | 32.03       | 16.02      | 62.08      |
|  | <b>75-84</b>        | 194                           | 30.64       | 18.77      | 60.45      |
|  | <b>85 and older</b> | 10                            | 27.09       | 19.43      | 40.16      |
|  | <b>Total</b>        | 3362                          | 32.84       | 14.69      | 91.80      |
| <b>Male</b>  | <b>AGE</b>          |                               |             |            |            |
|  | <b>Under 35</b>     | 103                           | 30.62       | 18.56      | 57.17      |
|  | <b>35-44</b>        | 392                           | 30.89       | 16.42      | 65.05      |
|  | <b>45-54</b>        | 494                           | 30.00       | 17.19      | 63.70      |
|  | <b>55-64</b>        | 494                           | 29.60       | 18.14      | 66.09      |
|  | <b>65-74</b>        | 344                           | 29.20       | 14.63      | 54.40      |
|  | <b>75-84</b>        | 98                            | 28.30       | 16.85      | 42.43      |
|  | <b>85 and older</b> | 5                             | 22.15       | 20.14      | 26.31      |
|  | <b>Total</b>        | 1930                          | 29.86       | 14.63      | 66.09      |
| <b>TOTAL COHORT</b>                                      | <b>AGE</b>          |                               |             |            |            |
|  | <b>Under 35</b>     | 250                           | 32.76       | 17.96      | 75.05      |
|  | <b>35-44</b>        | 1005                          | 32.33       | 16.42      | 91.80      |
|  | <b>45-54</b>        | 1305                          | 32.13       | 14.69      | 75.05      |
|  | <b>55-64</b>        | 1430                          | 31.77       | 15.91      | 71.48      |
|  | <b>65-74</b>        | 995                           | 31.05       | 14.63      | 62.08      |
|  | <b>75-84</b>        | 292                           | 29.85       | 16.85      | 60.45      |
|  | <b>85 and older</b> | 15                            | 25.44       | 19.43      | 40.16      |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 5: 24-hour urine creatinine (g/24hr) BY AGE AND GENDER</b> |                     | <b>24-hour urine creatinine (g/24hr)</b> |             |            |            |
|---|---------------------|--|-------------|------------|------------|
|   |                     | <b>N</b>                                 | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 5  | 1.52        | 1.20       | 1.90       |
|   | <b>35-44</b>        | 84                                       | 1.44        | 0.20       | 3.00       |
|   | <b>45-54</b>        | 154                                      | 1.32        | 0.50       | 2.10       |
|   | <b>55-64</b>        | 234                                      | 1.26        | 0.40       | 2.30       |
|   | <b>65-74</b>        | 179                                      | 1.16        | 0.50       | 2.10       |
|   | <b>75-84</b>        | 43                                       | 1.00        | 0.50       | 1.50       |
|   | <b>85 and older</b> | 0  | .           | .          | .          |
|   | <b>Total</b>        | 699                                      | 1.25        | 0.20       | 3.00       |
| <b>Male</b>   | <b>AGE</b>          |  |             |            |            |
|   | <b>Under 35</b>     | 8  | 2.49        | 1.80       | 3.20       |
|   | <b>35-44</b>        | 44                                       | 2.10        | 0.40       | 4.40       |
|   | <b>45-54</b>        | 74                                       | 1.99        | 0.60       | 3.60       |
|   | <b>55-64</b>        | 98                                       | 1.79        | 0.20       | 2.80       |
|   | <b>65-74</b>        | 80                                       | 1.69        | 0.30       | 3.20       |
|   | <b>75-84</b>        | 25                                       | 1.50        | 0.80       | 2.10       |
|   | <b>85 and older</b> | 0  | .           | .          | .          |
|   | <b>Total</b>        | 329                                      | 1.85        | 0.20       | 4.40       |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |  |             |            |            |
|   | <b>Under 35</b>     | 13                                       | 2.12        | 1.20       | 3.20       |
|   | <b>35-44</b>        | 128                                      | 1.66        | 0.20       | 4.40       |
|   | <b>45-54</b>        | 228                                      | 1.54        | 0.50       | 3.60       |
|   | <b>55-64</b>        | 332                                      | 1.42        | 0.20       | 2.80       |
|   | <b>65-74</b>        | 259                                      | 1.32        | 0.30       | 3.20       |
|   | <b>75-84</b>        | 68                                       | 1.18        | 0.50       | 2.10       |
|   | <b>85 and older</b> | 0  | .           | .          | .          |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 6: Random spot urine creatinine (mg/dL) BY AGE AND GENDER</b> |                     | <b>Random spot urine creatinine (mg/dL)</b> |             |            |            |
|--|---------------------|---|-------------|------------|------------|
|  |                     | <b>N</b>                                    | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |   |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 97  | 171.99      | 43.00      | 378.00     |
|  | <b>35-44</b>        | 364   | 154.66      | 18.00      | 431.00     |
|  | <b>45-54</b>        | 421   | 137.97      | 18.00      | 389.00     |
|  | <b>55-64</b>        | 356   | 126.14      | 18.00      | 375.00     |
|  | <b>65-74</b>        | 225   | 118.07      | 16.00      | 342.00     |
|  | <b>75-84</b>        | 75  | 102.04      | 15.00      | 284.00     |
|  | <b>85 and older</b> | 5   | 144.00      | 59.00      | 241.00     |
|  | <b>Total</b>        | 1543  | 136.69      | 15.00      | 431.00     |
| <b>Male</b>  | <b>AGE</b>          |   |             |            |            |
|  | <b>Under 35</b>     | 78  | 207.24      | 43.00      | 558.00     |
|  | <b>35-44</b>        | 264   | 191.09      | 18.00      | 604.00     |
|  | <b>45-54</b>        | 290   | 174.25      | 21.00      | 448.00     |
|  | <b>55-64</b>        | 217   | 166.39      | 26.00      | 422.00     |
|  | <b>65-74</b>        | 119   | 141.18      | 29.00      | 391.00     |
|  | <b>75-84</b>        | 41  | 142.51      | 23.00      | 409.00     |
|  | <b>85 and older</b> | 2   | 75.50       | 73.00      | 78.00      |
|  | <b>Total</b>        | 1011  | 174.13      | 18.00      | 604.00     |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |   |             |            |            |
|  | <b>Under 35</b>     | 175   | 187.70      | 43.00      | 558.00     |
|  | <b>35-44</b>        | 628   | 169.97      | 18.00      | 604.00     |
|  | <b>45-54</b>        | 711   | 152.77      | 18.00      | 448.00     |
|  | <b>55-64</b>        | 573   | 141.38      | 18.00      | 422.00     |
|  | <b>65-74</b>        | 344   | 126.07      | 16.00      | 391.00     |
|  | <b>75-84</b>        | 116   | 116.34      | 15.00      | 409.00     |
|  | <b>85 and older</b> | 7   | 124.43      | 59.00      | 241.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| Table 7:<br>Concentration of<br>cystatin C (Serum<br>mg/L) BY AGE AND<br>GENDER |                     | Concentration of cystatin C<br>(Serum mg/L) |      |      |       |
|---|---------------------|---|------|------|-------|
|   |                     | N   | Mean | Min  | Max   |
| <b>Gender</b>   | <b>AGE</b>          |   |      |      |       |
| <b>Female</b>   | <b>Under 35</b>     | 145   | 0.66 | 0.42 | 6.39  |
|   | <b>35-44</b>        | 595   | 0.64 | 0.33 | 4.01  |
|   | <b>45-54</b>        | 775   | 0.72 | 0.26 | 10.80 |
|   | <b>55-64</b>        | 911   | 0.78 | 0.41 | 7.94  |
|   | <b>65-74</b>        | 629   | 0.85 | 0.47 | 6.00  |
|   | <b>75-84</b>        | 187   | 0.94 | 0.53 | 2.93  |
|   | <b>85 and older</b> | 10  | 1.05 | 0.69 | 1.75  |
|   | <b>Total</b>        | 3252  | 0.76 | 0.26 | 10.80 |
| <b>Male</b>   | <b>AGE</b>          |   |      |      |       |
|   | <b>Under 35</b>     | 101   | 0.67 | 0.47 | 0.88  |
|   | <b>35-44</b>        | 386   | 0.68 | 0.44 | 1.48  |
|   | <b>45-54</b>        | 486   | 0.73 | 0.26 | 6.60  |
|   | <b>55-64</b>        | 490   | 0.76 | 0.48 | 4.34  |
|   | <b>65-74</b>        | 342   | 0.92 | 0.55 | 7.48  |
|   | <b>75-84</b>        | 93  | 0.97 | 0.50 | 3.05  |
|   | <b>85 and older</b> | 4   | 1.37 | 0.79 | 2.43  |
|   | <b>Total</b>        | 1902  | 0.77 | 0.26 | 7.48  |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |      |      |       |
|   | <b>Under 35</b>     | 246   | 0.67 | 0.42 | 6.39  |
|   | <b>35-44</b>        | 981   | 0.65 | 0.33 | 4.01  |
|   | <b>45-54</b>        | 1261  | 0.72 | 0.26 | 10.80 |
|   | <b>55-64</b>        | 1401  | 0.77 | 0.41 | 7.94  |
|   | <b>65-74</b>        | 971   | 0.88 | 0.47 | 7.48  |
|   | <b>75-84</b>        | 280   | 0.95 | 0.50 | 3.05  |
|   | <b>85 and older</b> | 14  | 1.14 | 0.69 | 2.43  |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 8: Everyday Discrimination Score BY AGE AND GENDER</b> |                     | <b>everyday experiences: score</b> |             |            |            |
|---|---------------------|------------------------------------|-------------|------------|------------|
|   |                     | <b>N</b>                           | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |                                    |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 142                                | 2.26        | 1.00       | 4.89       |
|   | <b>35-44</b>        | 604                                | 2.33        | 1.00       | 6.22       |
|   | <b>45-54</b>        | 796                                | 2.18        | 1.00       | 7.00       |
|   | <b>55-64</b>        | 913                                | 1.96        | 1.00       | 6.11       |
|   | <b>65-74</b>        | 634                                | 1.72        | 1.00       | 6.67       |
|   | <b>75-84</b>        | 191                                | 1.70        | 1.00       | 6.78       |
|   | <b>85 and older</b> | 10                                 | 1.54        | 1.00       | 3.11       |
|   | <b>Total</b>        | 3290                               | 2.03        | 1.00       | 7.00       |
| <b>Male</b>   | <b>AGE</b>          |                                    |             |            |            |
|   | <b>Under 35</b>     | 101                                | 2.54        | 1.00       | 5.44       |
|   | <b>35-44</b>        | 384                                | 2.37        | 1.00       | 6.56       |
|   | <b>45-54</b>        | 486                                | 2.39        | 1.00       | 6.78       |
|   | <b>55-64</b>        | 487                                | 2.11        | 1.00       | 6.89       |
|   | <b>65-74</b>        | 337                                | 1.76        | 1.00       | 5.89       |
|   | <b>75-84</b>        | 94                                 | 1.54        | 1.00       | 4.11       |
|   | <b>85 and older</b> | 5                                  | 1.22        | 1.00       | 2.11       |
|   | <b>Total</b>        | 1894                               | 2.16        | 1.00       | 6.89       |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |                                    |             |            |            |
|   | <b>Under 35</b>     | 243                                | 2.37        | 1.00       | 5.44       |
|   | <b>35-44</b>        | 988                                | 2.34        | 1.00       | 6.56       |
|   | <b>45-54</b>        | 1282                               | 2.26        | 1.00       | 7.00       |
|   | <b>55-64</b>        | 1400                               | 2.01        | 1.00       | 6.89       |
|   | <b>65-74</b>        | 971                                | 1.73        | 1.00       | 6.67       |
|   | <b>75-84</b>        | 285                                | 1.65        | 1.00       | 6.78       |
|   | <b>85 and older</b> | 15                                 | 1.44        | 1.00       | 3.11       |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 9: Dark-green Vegetables (servings) BY AGE AND GENDER</b> |                     | <b>Dark-green Vegetables</b> |             |            |            |
|--|---------------------|------------------------------|-------------|------------|------------|
|  |                     | <b>N</b>                     | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |                              |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 140                          | 0.76        | 0.02       | 5.15       |
|  | <b>35-44</b>        | 592                          | 0.73        | 0.01       | 8.33       |
|  | <b>45-54</b>        | 781                          | 0.84        | 0.00       | 5.60       |
|  | <b>55-64</b>        | 891                          | 0.82        | 0.00       | 8.30       |
|  | <b>65-74</b>        | 617                          | 0.67        | 0.00       | 4.62       |
|  | <b>75-84</b>        | 180                          | 0.79        | 0.00       | 4.18       |
|  | <b>85 and older</b> | 10                           | 0.55        | 0.15       | 1.28       |
|  | <b>Total</b>        | 3211                         | 0.77        | 0.00       | 8.33       |
| <b>Male</b>  | <b>AGE</b>          |                              |             |            |            |
|  | <b>Under 35</b>     | 101                          | 0.75        | 0.04       | 4.45       |
|  | <b>35-44</b>        | 379                          | 0.72        | 0.00       | 4.22       |
|  | <b>45-54</b>        | 477                          | 0.82        | 0.01       | 6.78       |
|  | <b>55-64</b>        | 474                          | 0.70        | 0.00       | 6.06       |
|  | <b>65-74</b>        | 325                          | 0.70        | 0.00       | 4.34       |
|  | <b>75-84</b>        | 94                           | 0.82        | 0.01       | 4.20       |
|  | <b>85 and older</b> | 4                            | 0.65        | 0.08       | 1.01       |
|  | <b>Total</b>        | 1854                         | 0.74        | 0.00       | 6.78       |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |                              |             |            |            |
|  | <b>Under 35</b>     | 241                          | 0.75        | 0.02       | 5.15       |
|  | <b>35-44</b>        | 971                          | 0.73        | 0.00       | 8.33       |
|  | <b>45-54</b>        | 1258                         | 0.83        | 0.00       | 6.78       |
|  | <b>55-64</b>        | 1365                         | 0.78        | 0.00       | 8.30       |
|  | <b>65-74</b>        | 942                          | 0.68        | 0.00       | 4.62       |
|  | <b>75-84</b>        | 274                          | 0.80        | 0.00       | 4.20       |
|  | <b>85 and older</b> | 14                           | 0.58        | 0.08       | 1.28       |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 10: Diastolic Blood Pressure (mmHg) BY AGE AND GENDER</b> |                     | <b>Diastolic Blood Pressure (mmHg)</b> |             |            |            |
|--|---------------------|--|-------------|------------|------------|
|  |                     | <b>N</b>                               | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 151                                    | 72.30       | 50.14      | 90.82      |
|  | <b>35-44</b>        | 611                                    | 74.93       | 47.65      | 110.74     |
|  | <b>45-54</b>        | 810                                    | 76.35       | 49.31      | 106.59     |
|  | <b>55-64</b>        | 930                                    | 75.09       | 48.48      | 106.59     |
|  | <b>65-74</b>        | 648                                    | 72.16       | 36.03      | 99.95      |
|  | <b>75-84</b>        | 195                                    | 71.13       | 47.65      | 103.27     |
|  | <b>85 and older</b> | 10                                     | 76.62       | 61.77      | 100.78     |
|  | <b>Total</b>        | 3355                                   | 74.44       | 36.03      | 110.74     |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 104                                    | 74.57       | 57.62      | 96.63      |
|  | <b>35-44</b>        | 391                                    | 79.36       | 51.80      | 112.40     |
|  | <b>45-54</b>        | 494                                    | 80.39       | 55.13      | 107.42     |
|  | <b>55-64</b>        | 493                                    | 77.98       | 51.80      | 110.74     |
|  | <b>65-74</b>        | 346                                    | 74.87       | 45.16      | 117.38     |
|  | <b>75-84</b>        | 97                                     | 73.33       | 57.62      | 103.27     |
|  | <b>85 and older</b> | 5                                      | 74.88       | 67.58      | 81.69      |
|  | <b>Total</b>        | 1930                                   | 77.89       | 45.16      | 117.38     |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 255                                    | 73.23       | 50.14      | 96.63      |
|  | <b>35-44</b>        | 1002                                   | 76.65       | 47.65      | 112.40     |
|  | <b>45-54</b>        | 1304                                   | 77.88       | 49.31      | 107.42     |
|  | <b>55-64</b>        | 1423                                   | 76.09       | 48.48      | 110.74     |
|  | <b>65-74</b>        | 994                                    | 73.10       | 36.03      | 117.38     |
|  | <b>75-84</b>        | 292                                    | 71.86       | 47.65      | 103.27     |
|  | <b>85 and older</b> | 15                                     | 76.04       | 61.77      | 100.78     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 11: Total Depressive Symptoms Score BY AGE AND GENDER</b> |                     | <b>Total Depressive Symptoms Score</b> |             |            |            |
|--|---------------------|--|-------------|------------|------------|
|  |                     | <b>N</b>                               | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 106                                    | 14.29       | 0.00       | 41.00      |
|  | <b>35-44</b>        | 445                                    | 12.41       | 0.00       | 46.00      |
|  | <b>45-54</b>        | 568                                    | 11.71       | 0.00       | 44.00      |
|  | <b>55-64</b>        | 618                                    | 10.80       | 0.00       | 48.00      |
|  | <b>65-74</b>        | 395                                    | 10.98       | 0.00       | 37.00      |
|  | <b>75-84</b>        | 94                                     | 11.35       | 0.00       | 34.00      |
|  | <b>85 and older</b> | 2                                      | 24.50       | 12.00      | 37.00      |
|  | <b>Total</b>        | 2228                                   | 11.59       | 0.00       | 48.00      |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 70                                     | 10.60       | 0.00       | 29.00      |
|  | <b>35-44</b>        | 270                                    | 10.16       | 0.00       | 42.00      |
|  | <b>45-54</b>        | 312                                    | 9.96        | 0.00       | 47.00      |
|  | <b>55-64</b>        | 299                                    | 9.27        | 0.00       | 36.00      |
|  | <b>65-74</b>        | 182                                    | 9.15        | 0.00       | 40.00      |
|  | <b>75-84</b>        | 48                                     | 11.71       | 0.00       | 38.00      |
|  | <b>85 and older</b> | 3                                      | 12.00       | 9.00       | 14.00      |
|  | <b>Total</b>        | 1184                                   | 9.82        | 0.00       | 47.00      |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 176                                    | 12.82       | 0.00       | 41.00      |
|  | <b>35-44</b>        | 715                                    | 11.56       | 0.00       | 46.00      |
|  | <b>45-54</b>        | 880                                    | 11.09       | 0.00       | 47.00      |
|  | <b>55-64</b>        | 917                                    | 10.30       | 0.00       | 48.00      |
|  | <b>65-74</b>        | 577                                    | 10.40       | 0.00       | 40.00      |
|  | <b>75-84</b>        | 142                                    | 11.47       | 0.00       | 38.00      |
|  | <b>85 and older</b> | 5                                      | 17.00       | 9.00       | 37.00      |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 12: Duration on dialysis (years) BY AGE AND GENDER</b> |                     | <b>Duration on dialysis (years)</b> |             |            |            |
|---|---------------------|-------------------------------------|-------------|------------|------------|
|   |                     | <b>N</b>                            | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |                                     |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 1                                   | 1.00        | 1.00       | 1.00       |
|   | <b>35-44</b>        | 0                                   | .           | .          | .          |
|   | <b>45-54</b>        | 3                                   | 10.67       | 4.00       | 24.00      |
|   | <b>55-64</b>        | 5                                   | 3.00        | 0.00       | 9.00       |
|   | <b>65-74</b>        | 3                                   | 0.67        | 0.00       | 1.00       |
|   | <b>75-84</b>        | 0                                   | .           | .          | .          |
|   | <b>85 and older</b> | 0                                   | .           | .          | .          |
|   | <b>Total</b>        | 12                                  | 4.17        | 0.00       | 24.00      |
| <b>Male</b>   | <b>AGE</b>          |                                     |             |            |            |
|   | <b>Under 35</b>     | 2                                   | 16.50       | 6.00       | 27.00      |
|   | <b>35-44</b>        | 1                                   | 1.00        | 1.00       | 1.00       |
|   | <b>45-54</b>        | 3                                   | 1.67        | 0.00       | 4.00       |
|   | <b>55-64</b>        | 3                                   | 7.67        | 1.00       | 18.00      |
|   | <b>65-74</b>        | 2                                   | 4.00        | 3.00       | 5.00       |
|   | <b>75-84</b>        | 0                                   | .           | .          | .          |
|   | <b>85 and older</b> | 0                                   | .           | .          | .          |
|   | <b>Total</b>        | 11                                  | 6.36        | 0.00       | 27.00      |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |                                     |             |            |            |
|   | <b>Under 35</b>     | 3                                   | 11.33       | 1.00       | 27.00      |
|   | <b>35-44</b>        | 1                                   | 1.00        | 1.00       | 1.00       |
|   | <b>45-54</b>        | 6                                   | 6.17        | 0.00       | 24.00      |
|   | <b>55-64</b>        | 8                                   | 4.75        | 0.00       | 18.00      |
|   | <b>65-74</b>        | 5                                   | 2.00        | 0.00       | 5.00       |
|   | <b>75-84</b>        | 0                                   | .           | .          | .          |
|   | <b>85 and older</b> | 0                                   | .           | .          | .          |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 13: eGFR<br/>CKD-Epi BY AGE<br/>AND GENDER</b> |                     | <b>eGFR CKD-Epi</b> |             |            |            |
|---|---------------------|---------------------|-------------|------------|------------|
|   |                     | <b>N</b>            | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |                     |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 145                 | 120.89      | 5.96       | 153.46     |
|   | <b>35-44</b>        | 603                 | 111.03      | 6.56       | 149.26     |
|   | <b>45-54</b>        | 793                 | 100.30      | 4.29       | 130.80     |
|   | <b>55-64</b>        | 920                 | 90.47       | 4.14       | 129.63     |
|   | <b>65-74</b>        | 643                 | 81.03       | 5.89       | 120.38     |
|   | <b>75-84</b>        | 189                 | 71.25       | 8.04       | 104.77     |
|   | <b>85 and older</b> | 10                  | 58.74       | 35.14      | 84.11      |
|   | <b>Total</b>        | 3303                | 94.88       | 4.14       | 153.46     |
| <b>Male</b>   | <b>AGE</b>          |                     |             |            |            |
|   | <b>Under 35</b>     | 100                 | 113.81      | 70.22      | 147.30     |
|   | <b>35-44</b>        | 387                 | 104.46      | 41.06      | 152.35     |
|   | <b>45-54</b>        | 488                 | 97.07       | 6.04       | 147.29     |
|   | <b>55-64</b>        | 491                 | 89.17       | 23.65      | 132.02     |
|   | <b>65-74</b>        | 342                 | 78.95       | 4.40       | 111.64     |
|   | <b>75-84</b>        | 94                  | 73.32       | 14.60      | 103.63     |
|   | <b>85 and older</b> | 5                   | 57.28       | 25.60      | 82.62      |
|   | <b>Total</b>        | 1907                | 92.89       | 4.40       | 152.35     |
| <b>TOTAL COHORT</b>                                     | <b>AGE</b>          |                     |             |            |            |
|   | <b>Under 35</b>     | 245                 | 118.00      | 5.96       | 153.46     |
|   | <b>35-44</b>        | 990                 | 108.46      | 6.56       | 152.35     |
|   | <b>45-54</b>        | 1281                | 99.07       | 4.29       | 147.29     |
|   | <b>55-64</b>        | 1411                | 90.02       | 4.14       | 132.02     |
|   | <b>65-74</b>        | 985                 | 80.31       | 4.40       | 120.38     |
|   | <b>75-84</b>        | 283                 | 71.94       | 8.04       | 104.77     |
|   | <b>85 and older</b> | 15                  | 58.25       | 25.60      | 84.11      |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 14:<br/>Endothelin-1 (Plasma<br/>pg/mL) BY AGE AND<br/>GENDER</b> |                     | <b>Endothelin-1 (Plasma<br/>pg/mL)</b> |             |            |            |
|--|---------------------|--|-------------|------------|------------|
|  |                     | <b>N</b>                               | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 144                                    | 1.13        | 0.50       | 2.90       |
|  | <b>35-44</b>        | 602                                    | 1.19        | 0.20       | 3.40       |
|  | <b>45-54</b>        | 789                                    | 1.30        | 0.20       | 6.20       |
|  | <b>55-64</b>        | 916                                    | 1.37        | 0.20       | 9.30       |
|  | <b>65-74</b>        | 640                                    | 1.46        | 0.10       | 8.50       |
|  | <b>75-84</b>        | 189                                    | 1.53        | 0.30       | 6.40       |
|  | <b>85 and older</b> | 10                                     | 1.69        | 0.90       | 2.30       |
|  | <b>Total</b>        | 3290                                   | 1.34        | 0.10       | 9.30       |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 100                                    | 1.31        | 0.40       | 5.80       |
|  | <b>35-44</b>        | 386                                    | 1.31        | 0.30       | 5.10       |
|  | <b>45-54</b>        | 488                                    | 1.35        | 0.20       | 5.70       |
|  | <b>55-64</b>        | 491                                    | 1.44        | 0.30       | 9.60       |
|  | <b>65-74</b>        | 344                                    | 1.48        | 0.40       | 5.30       |
|  | <b>75-84</b>        | 96                                     | 1.58        | 0.70       | 4.00       |
|  | <b>85 and older</b> | 5                                      | 2.28        | 1.40       | 4.10       |
|  | <b>Total</b>        | 1910                                   | 1.40        | 0.20       | 9.60       |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 244                                    | 1.20        | 0.40       | 5.80       |
|  | <b>35-44</b>        | 988                                    | 1.23        | 0.20       | 5.10       |
|  | <b>45-54</b>        | 1277                                   | 1.32        | 0.20       | 6.20       |
|  | <b>55-64</b>        | 1407                                   | 1.40        | 0.20       | 9.60       |
|  | <b>65-74</b>        | 984                                    | 1.47        | 0.10       | 8.50       |
|  | <b>75-84</b>        | 285                                    | 1.55        | 0.30       | 6.40       |
|  | <b>85 and older</b> | 15                                     | 1.89        | 0.90       | 4.10       |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 15: Fasting Insulin (Plasma IU/mL) BY AGE AND GENDER</b> |                     | <b>Fasting Insulin (Plasma IU/mL)</b> |             |            |            |
|---|---------------------|---------------------------------------|-------------|------------|------------|
|   |                     | <b>N</b>                              | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |                                       |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 143                                   | 17.52       | 5.00       | 53.00      |
|   | <b>35-44</b>        | 575                                   | 17.16       | 1.00       | 151.00     |
|   | <b>45-54</b>        | 744                                   | 18.46       | 1.00       | 144.00     |
|   | <b>55-64</b>        | 850                                   | 20.42       | 3.00       | 384.00     |
|   | <b>65-74</b>        | 583                                   | 19.80       | 1.00       | 155.00     |
|   | <b>75-84</b>        | 167                                   | 18.76       | 1.00       | 341.00     |
|   | <b>85 and older</b> | 10                                    | 13.40       | 7.00       | 24.00      |
|   | <b>Total</b>        |                                       | 3072        | 18.97      | 1.00       |
| <b>Male</b>   | <b>AGE</b>          |                                       |             |            |            |
|   | <b>Under 35</b>     | 97                                    | 16.09       | 4.00       | 49.00      |
|   | <b>35-44</b>        | 360                                   | 18.11       | 1.00       | 416.00     |
|   | <b>45-54</b>        | 450                                   | 15.89       | 1.00       | 59.00      |
|   | <b>55-64</b>        | 455                                   | 18.15       | 1.00       | 981.00     |
|   | <b>65-74</b>        | 299                                   | 15.31       | 1.00       | 92.00      |
|   | <b>75-84</b>        | 85                                    | 18.11       | 1.00       | 90.00      |
|   | <b>85 and older</b> | 5                                     | 9.80        | 7.00       | 12.00      |
|   | <b>Total</b>        |                                       | 1751        | 16.93      | 1.00       |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |                                       |             |            |            |
|   | <b>Under 35</b>     | 240                                   | 16.94       | 4.00       | 53.00      |
|   | <b>35-44</b>        | 935                                   | 17.53       | 1.00       | 416.00     |
|   | <b>45-54</b>        | 1194                                  | 17.49       | 1.00       | 144.00     |
|   | <b>55-64</b>        | 1305                                  | 19.63       | 1.00       | 981.00     |
|   | <b>65-74</b>        | 882                                   | 18.28       | 1.00       | 155.00     |
|   | <b>75-84</b>        | 252                                   | 18.54       | 1.00       | 341.00     |
|   | <b>85 and older</b> | 15                                    | 12.20       | 7.00       | 24.00      |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 16: Fasting Plasma Glucose Level (mg/dL) BY AGE AND GENDER</b> |                     | <b>Fasting Plasma Glucose Level (mg/dL)</b> |             |            |            |
|---|---------------------|---|-------------|------------|------------|
|   |                     | <b>N</b>                                    | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 143   | 85.33       | 70.00      | 165.00     |
|   | <b>35-44</b>        | 576   | 90.42       | 70.00      | 366.00     |
|   | <b>45-54</b>        | 749   | 97.64       | 36.00      | 455.00     |
|   | <b>55-64</b>        | 853   | 105.68      | 50.00      | 432.00     |
|   | <b>65-74</b>        | 585   | 105.24      | 61.00      | 333.00     |
|   | <b>75-84</b>        | 167   | 102.20      | 74.00      | 316.00     |
|   | <b>85 and older</b> | 10  | 97.60       | 81.00      | 116.00     |
|   | <b>Total</b>        | 3083  | 99.63       | 36.00      | 455.00     |
| <b>Male</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 97  | 94.09       | 67.00      | 365.00     |
|   | <b>35-44</b>        | 361   | 95.39       | 62.00      | 348.00     |
|   | <b>45-54</b>        | 450   | 98.32       | 73.00      | 271.00     |
|   | <b>55-64</b>        | 455   | 107.29      | 62.00      | 503.00     |
|   | <b>65-74</b>        | 296   | 102.58      | 57.00      | 295.00     |
|   | <b>75-84</b>        | 83  | 103.61      | 52.00      | 312.00     |
|   | <b>85 and older</b> | 5   | 93.40       | 89.00      | 101.00     |
|   | <b>Total</b>        | 1747  | 100.78      | 52.00      | 503.00     |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 240   | 88.87       | 67.00      | 365.00     |
|   | <b>35-44</b>        | 937   | 92.34       | 62.00      | 366.00     |
|   | <b>45-54</b>        | 1199  | 97.89       | 36.00      | 455.00     |
|   | <b>55-64</b>        | 1308  | 106.24      | 50.00      | 503.00     |
|   | <b>65-74</b>        | 881   | 104.35      | 57.00      | 333.00     |
|   | <b>75-84</b>        | 250   | 102.67      | 52.00      | 316.00     |
|   | <b>85 and older</b> | 15  | 96.20       | 81.00      | 116.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| Table 17: NGSP Hemoglobin A1c (%) BY AGE AND GENDER |                     | NGSP Hemoglobin A1c (%) |      |      |       |
|---|---------------------|-------------------------|------|------|-------|
|   |                     | N                       | Mean | Min  | Max   |
| <b>Gender</b>                                       | <b>AGE</b>          |                         |      |      |       |
| <b>Female</b>                                       | <b>Under 35</b>     | 142                     | 5.24 | 4.30 | 7.10  |
|   | <b>35-44</b>        | 591                     | 5.57 | 3.90 | 15.70 |
|   | <b>45-54</b>        | 771                     | 5.94 | 4.00 | 17.40 |
|   | <b>55-64</b>        | 900                     | 6.24 | 3.60 | 16.10 |
|   | <b>65-74</b>        | 615                     | 6.18 | 4.00 | 14.10 |
|   | <b>75-84</b>        | 187                     | 6.15 | 4.20 | 11.40 |
|   | <b>85 and older</b> | 10                      | 5.95 | 5.10 | 8.10  |
|   | <b>Total</b>        | 3216                    | 5.98 | 3.60 | 17.40 |
| <b>Male</b>   | <b>AGE</b>          |                         |      |      |       |
|   | <b>Under 35</b>     | 100                     | 5.58 | 4.10 | 15.00 |
|   | <b>35-44</b>        | 381                     | 5.70 | 4.00 | 13.40 |
|   | <b>45-54</b>        | 480                     | 5.86 | 3.60 | 13.10 |
|   | <b>55-64</b>        | 486                     | 6.21 | 3.90 | 14.90 |
|   | <b>65-74</b>        | 337                     | 6.16 | 3.70 | 13.80 |
|   | <b>75-84</b>        | 92                      | 6.12 | 3.70 | 10.10 |
|   | <b>85 and older</b> | 4                       | 5.53 | 5.00 | 6.30  |
|   | <b>Total</b>        | 1880                    | 5.97 | 3.60 | 15.00 |
| <b>TOTAL COHORT</b>                                 | <b>AGE</b>          |                         |      |      |       |
|   | <b>Under 35</b>     | 242                     | 5.38 | 4.10 | 15.00 |
|   | <b>35-44</b>        | 972                     | 5.62 | 3.90 | 15.70 |
|   | <b>45-54</b>        | 1251                    | 5.91 | 3.60 | 17.40 |
|   | <b>55-64</b>        | 1386                    | 6.23 | 3.60 | 16.10 |
|   | <b>65-74</b>        | 952                     | 6.17 | 3.70 | 14.10 |
|   | <b>75-84</b>        | 279                     | 6.14 | 3.70 | 11.40 |
|   | <b>85 and older</b> | 14                      | 5.83 | 5.00 | 8.10  |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 18: Fasting HDL Cholesterol Level (mg/dL) BY AGE AND GENDER</b> |                     | <b>Fasting HDL Cholesterol Level (mg/dL)</b> |             |            |            |
|--|---------------------|--|-------------|------------|------------|
|  |                     | <b>N</b>                                     | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 143  | 50.85       | 18.00      | 86.00      |
|  | <b>35-44</b>        | 574  | 52.94       | 19.00      | 127.00     |
|  | <b>45-54</b>        | 744  | 54.37       | 26.00      | 120.00     |
|  | <b>55-64</b>        | 848  | 55.97       | 20.00      | 124.00     |
|  | <b>65-74</b>        | 581  | 57.16       | 23.00      | 143.00     |
|  | <b>75-84</b>        | 167  | 57.59       | 26.00      | 102.00     |
|  | <b>85 and older</b> | 10   | 60.60       | 35.00      | 88.00      |
|  | <b>Total</b>        | 3067   | 55.10       | 18.00      | 143.00     |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 97   | 43.22       | 21.00      | 73.00      |
|  | <b>35-44</b>        | 360  | 45.04       | 17.00      | 91.00      |
|  | <b>45-54</b>        | 448  | 44.23       | 21.00      | 100.00     |
|  | <b>55-64</b>        | 456  | 46.67       | 16.00      | 118.00     |
|  | <b>65-74</b>        | 297  | 48.46       | 25.00      | 139.00     |
|  | <b>75-84</b>        | 84   | 48.05       | 27.00      | 94.00      |
|  | <b>85 and older</b> | 5  | 60.20       | 51.00      | 69.00      |
|  | <b>Total</b>        | 1747   | 45.93       | 16.00      | 139.00     |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 240  | 47.77       | 18.00      | 86.00      |
|  | <b>35-44</b>        | 934  | 49.89       | 17.00      | 127.00     |
|  | <b>45-54</b>        | 1192   | 50.56       | 21.00      | 120.00     |
|  | <b>55-64</b>        | 1304   | 52.72       | 16.00      | 124.00     |
|  | <b>65-74</b>        | 878  | 54.22       | 23.00      | 143.00     |
|  | <b>75-84</b>        | 251  | 54.39       | 26.00      | 102.00     |
|  | <b>85 and older</b> | 15   | 60.47       | 35.00      | 88.00      |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 19: Height (cm)<br/>BY AGE AND<br/>GENDER</b> |                     | <b>Height (cm)</b> |             |            |            |
|--|---------------------|--------------------|-------------|------------|------------|
|  |                     | <b>N</b>           | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |                    |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 147                | 164.51      | 149.00     | 183.00     |
|  | <b>35-44</b>        | 613                | 164.52      | 142.00     | 188.00     |
|  | <b>45-54</b>        | 812                | 164.76      | 144.00     | 183.00     |
|  | <b>55-64</b>        | 936                | 164.02      | 146.00     | 188.00     |
|  | <b>65-74</b>        | 652                | 163.13      | 146.00     | 185.00     |
|  | <b>75-84</b>        | 194                | 161.21      | 145.00     | 179.00     |
|  | <b>85 and older</b> | 10                 | 162.10      | 154.00     | 171.00     |
|  | <b>Total</b>        | 3364               | 163.97      | 142.00     | 188.00     |
| <b>Male</b>  | <b>AGE</b>          |                    |             |            |            |
|  | <b>Under 35</b>     | 103                | 179.27      | 160.00     | 194.00     |
|  | <b>35-44</b>        | 392                | 177.97      | 158.00     | 194.00     |
|  | <b>45-54</b>        | 494                | 178.64      | 137.00     | 200.00     |
|  | <b>55-64</b>        | 494                | 177.25      | 157.00     | 199.00     |
|  | <b>65-74</b>        | 344                | 176.07      | 154.00     | 195.00     |
|  | <b>75-84</b>        | 98                 | 173.83      | 159.00     | 194.00     |
|  | <b>85 and older</b> | 5                  | 172.80      | 163.00     | 188.00     |
|  | <b>Total</b>        | 1930               | 177.46      | 137.00     | 200.00     |
| <b>TOTAL COHORT</b>                                    | <b>AGE</b>          |                    |             |            |            |
|  | <b>Under 35</b>     | 250                | 170.59      | 149.00     | 194.00     |
|  | <b>35-44</b>        | 1005               | 169.77      | 142.00     | 194.00     |
|  | <b>45-54</b>        | 1306               | 170.01      | 137.00     | 200.00     |
|  | <b>55-64</b>        | 1430               | 168.59      | 146.00     | 199.00     |
|  | <b>65-74</b>        | 996                | 167.60      | 146.00     | 195.00     |
|  | <b>75-84</b>        | 292                | 165.45      | 145.00     | 194.00     |
|  | <b>85 and older</b> | 15                 | 165.67      | 154.00     | 188.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 20: HOMA-B<br/>BY AGE AND<br/>GENDER</b> |                     | <b>HOMA-B</b> |             |            |            |
|---|---------------------|---------------|-------------|------------|------------|
|   |                     | <b>N</b>      | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>                                     | <b>AGE</b>          |               |             |            |            |
| <b>Female</b>                                     | <b>Under 35</b>     | 137           | 321.90      | 104.74     | 1405.57    |
|   | <b>35-44</b>        | 536           | 273.48      | 26.52      | 1129.57    |
|   | <b>45-54</b>        | 618           | 236.00      | 17.53      | 1229.43    |
|   | <b>55-64</b>        | 623           | 218.60      | 33.12      | 1345.49    |
|   | <b>65-74</b>        | 416           | 205.73      | 15.98      | 1989.27    |
|   | <b>75-84</b>        | 120           | 191.51      | 14.11      | 740.19     |
|   | <b>85 and older</b> | 9             | 163.34      | 97.29      | 266.63     |
|   | <b>Total</b>        | 2459          | 236.99      | 14.11      | 1989.27    |
| <b>Male</b>                                       | <b>AGE</b>          |               |             |            |            |
|   | <b>Under 35</b>     | 90            | 249.89      | 83.60      | 892.60     |
|   | <b>35-44</b>        | 328           | 211.87      | -4137.14   | 1884.52    |
|   | <b>45-54</b>        | 395           | 204.56      | 13.58      | 658.18     |
|   | <b>55-64</b>        | 342           | 178.22      | 13.09      | 951.74     |
|   | <b>65-74</b>        | 219           | 161.75      | -741.10    | 1023.46    |
|   | <b>75-84</b>        | 63            | 168.75      | 11.09      | 778.49     |
|   | <b>85 and older</b> | 5             | 117.85      | 98.79      | 134.30     |
|   | <b>Total</b>        | 1442          | 194.44      | -4137.14   | 1884.52    |
| <b>TOTAL COHORT</b>                               | <b>AGE</b>          |               |             |            |            |
|   | <b>Under 35</b>     | 227           | 293.35      | 83.60      | 1405.57    |
|   | <b>35-44</b>        | 864           | 250.09      | -4137.14   | 1884.52    |
|   | <b>45-54</b>        | 1013          | 223.74      | 13.58      | 1229.43    |
|   | <b>55-64</b>        | 965           | 204.29      | 13.09      | 1345.49    |
|   | <b>65-74</b>        | 635           | 190.56      | -741.10    | 1989.27    |
|   | <b>75-84</b>        | 183           | 183.67      | 11.09      | 778.49     |
|   | <b>85 and older</b> | 14            | 147.09      | 97.29      | 266.63     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 21: HOMA-IR<br/>BY AGE AND<br/>GENDER</b> |                     | <b>HOMA-IR</b> |             |            |            |
|--|---------------------|----------------|-------------|------------|------------|
|  |                     | <b>N</b>       | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>                                      | <b>AGE</b>          |                |             |            |            |
| <b>Female</b>                                      | <b>Under 35</b>     | 137            | 3.54        | 0.86       | 12.03      |
|  | <b>35-44</b>        | 536            | 3.53        | 0.19       | 25.01      |
|  | <b>45-54</b>        | 618            | 3.50        | 0.21       | 20.51      |
|  | <b>55-64</b>        | 623            | 3.92        | 0.59       | 26.49      |
|  | <b>65-74</b>        | 416            | 3.88        | 0.21       | 22.82      |
|  | <b>75-84</b>        | 120            | 3.17        | 0.22       | 7.54       |
|  | <b>85 and older</b> | 9              | 3.37        | 1.46       | 5.95       |
|  | <b>Total</b>        | 2459           | 3.66        | 0.19       | 26.49      |
| <b>Male</b>  | <b>AGE</b>          |                |             |            |            |
|  | <b>Under 35</b>     | 90             | 3.44        | 0.79       | 10.95      |
|  | <b>35-44</b>        | 328            | 3.53        | 0.18       | 48.61      |
|  | <b>45-54</b>        | 395            | 3.45        | 0.20       | 16.21      |
|  | <b>55-64</b>        | 342            | 3.39        | 0.18       | 12.31      |
|  | <b>65-74</b>        | 219            | 3.03        | 0.22       | 18.30      |
|  | <b>75-84</b>        | 63             | 2.92        | 0.21       | 8.18       |
|  | <b>85 and older</b> | 5              | 2.26        | 1.53       | 2.98       |
|  | <b>Total</b>        | 1442           | 3.36        | 0.18       | 48.61      |
| <b>TOTAL COHORT</b>                                | <b>AGE</b>          |                |             |            |            |
|  | <b>Under 35</b>     | 227            | 3.50        | 0.79       | 12.03      |
|  | <b>35-44</b>        | 864            | 3.53        | 0.18       | 48.61      |
|  | <b>45-54</b>        | 1013           | 3.48        | 0.20       | 20.51      |
|  | <b>55-64</b>        | 965            | 3.73        | 0.18       | 26.49      |
|  | <b>65-74</b>        | 635            | 3.58        | 0.21       | 22.82      |
|  | <b>75-84</b>        | 183            | 3.08        | 0.21       | 8.18       |
|  | <b>85 and older</b> | 14             | 2.98        | 1.46       | 5.95       |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 22: High Sensitivity C-Reactive Protein (Plasma mg/dL) BY AGE AND GENDER</b> |                     | <b>High Sensitivity C-Reactive Protein (Plasma mg/dL)</b> |             |            |            |
|---|---------------------|---|-------------|------------|------------|
|   |                     | <b>N</b>  | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 144   | 0.51        | 0.01       | 3.80       |
|   | <b>35-44</b>        | 602   | 0.60        | 0.00       | 10.00      |
|   | <b>45-54</b>        | 789   | 0.63        | 0.00       | 7.13       |
|   | <b>55-64</b>        | 917   | 0.61        | 0.00       | 9.95       |
|   | <b>65-74</b>        | 640   | 0.59        | 0.01       | 10.71      |
|   | <b>75-84</b>        | 189   | 0.53        | 0.01       | 7.39       |
|   | <b>85 and older</b> | 10  | 0.45        | 0.01       | 1.49       |
|   | <b>Total</b>        | 3291  | 0.60        | 0.00       | 10.71      |
| <b>Male</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 100   | 0.26        | 0.01       | 3.97       |
|   | <b>35-44</b>        | 386   | 0.31        | 0.01       | 6.45       |
|   | <b>45-54</b>        | 488   | 0.31        | 0.01       | 5.16       |
|   | <b>55-64</b>        | 491   | 0.41        | 0.01       | 33.80      |
|   | <b>65-74</b>        | 344   | 0.42        | 0.01       | 5.07       |
|   | <b>75-84</b>        | 96  | 0.41        | 0.00       | 5.69       |
|   | <b>85 and older</b> | 5   | 0.40        | 0.08       | 0.75       |
|   | <b>Total</b>        | 1910  | 0.36        | 0.00       | 33.80      |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 244   | 0.41        | 0.01       | 3.97       |
|   | <b>35-44</b>        | 988   | 0.48        | 0.00       | 10.00      |
|   | <b>45-54</b>        | 1277  | 0.51        | 0.00       | 7.13       |
|   | <b>55-64</b>        | 1408  | 0.54        | 0.00       | 33.80      |
|   | <b>65-74</b>        | 984   | 0.53        | 0.01       | 10.71      |
|   | <b>75-84</b>        | 285   | 0.49        | 0.00       | 7.39       |
|   | <b>85 and older</b> | 15  | 0.43        | 0.01       | 1.49       |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 23: Fasting LDL Cholesterol Level (mg/dL) BY AGE AND GENDER</b> |                     | <b>Fasting LDL Cholesterol Level (mg/dL)</b> |             |            |            |
|--|---------------------|--|-------------|------------|------------|
|  |                     | <b>N</b>                                     | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 143  | 110.64      | 29.00      | 251.00     |
|  | <b>35-44</b>        | 572  | 118.76      | 22.00      | 268.00     |
|  | <b>45-54</b>        | 741  | 125.68      | 31.00      | 318.00     |
|  | <b>55-64</b>        | 841  | 129.56      | 25.00      | 298.00     |
|  | <b>65-74</b>        | 578  | 130.20      | 30.00      | 262.00     |
|  | <b>75-84</b>        | 166  | 126.30      | 19.00      | 217.00     |
|  | <b>85 and older</b> | 10   | 128.70      | 94.00      | 186.00     |
|  | <b>Total</b>        | 3051   | 125.65      | 19.00      | 318.00     |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 96   | 122.39      | 53.00      | 216.00     |
|  | <b>35-44</b>        | 353  | 130.56      | 18.00      | 361.00     |
|  | <b>45-54</b>        | 440  | 132.13      | 32.00      | 262.00     |
|  | <b>55-64</b>        | 447  | 127.39      | 36.00      | 240.00     |
|  | <b>65-74</b>        | 297  | 125.47      | 47.00      | 272.00     |
|  | <b>75-84</b>        | 83   | 124.58      | 48.00      | 186.00     |
|  | <b>85 and older</b> | 5  | 98.40       | 47.00      | 142.00     |
|  | <b>Total</b>        | 1721   | 128.42      | 18.00      | 361.00     |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 239  | 115.36      | 29.00      | 251.00     |
|  | <b>35-44</b>        | 925  | 123.26      | 18.00      | 361.00     |
|  | <b>45-54</b>        | 1181   | 128.08      | 31.00      | 318.00     |
|  | <b>55-64</b>        | 1288   | 128.80      | 25.00      | 298.00     |
|  | <b>65-74</b>        | 875  | 128.60      | 30.00      | 272.00     |
|  | <b>75-84</b>        | 249  | 125.73      | 19.00      | 217.00     |
|  | <b>85 and older</b> | 15   | 118.60      | 47.00      | 186.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 24:<br/>Concentration of<br/>Leptin (Plasma<br/>ng/mL) BY AGE AND<br/>GENDER</b> |                     | <b>Concentration of Leptin<br/>(Plasma ng/mL)</b> |             |            |            |
|---|---------------------|---|-------------|------------|------------|
|   |                     | <b>N</b>  | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 144   | 39.23       | 4.90       | 145.60     |
|   | <b>35-44</b>        | 599   | 36.56       | 1.10       | 350.40     |
|   | <b>45-54</b>        | 785   | 38.93       | 2.00       | 233.10     |
|   | <b>55-64</b>        | 915   | 38.27       | 1.70       | 291.00     |
|   | <b>65-74</b>        | 632   | 36.54       | 1.90       | 141.30     |
|   | <b>75-84</b>        | 185   | 32.73       | 4.80       | 124.50     |
|   | <b>85 and older</b> | 10  | 22.98       | 6.50       | 51.20      |
|   | <b>Total</b>        | 3270  | 37.46       | 1.10       | 350.40     |
| <b>Male</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 100   | 12.86       | 1.00       | 78.50      |
|   | <b>35-44</b>        | 386   | 11.64       | 1.10       | 106.90     |
|   | <b>45-54</b>        | 485   | 10.77       | 0.90       | 77.10      |
|   | <b>55-64</b>        | 489   | 11.25       | 0.90       | 71.50      |
|   | <b>65-74</b>        | 341   | 10.99       | 0.80       | 68.80      |
|   | <b>75-84</b>        | 93  | 13.46       | 1.30       | 66.00      |
|   | <b>85 and older</b> | 5   | 3.82        | 1.40       | 5.60       |
|   | <b>Total</b>        | 1899  | 11.33       | 0.80       | 106.90     |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 244   | 28.43       | 1.00       | 145.60     |
|   | <b>35-44</b>        | 985   | 26.80       | 1.10       | 350.40     |
|   | <b>45-54</b>        | 1270  | 28.17       | 0.90       | 233.10     |
|   | <b>55-64</b>        | 1404  | 28.86       | 0.90       | 291.00     |
|   | <b>65-74</b>        | 973   | 27.58       | 0.80       | 141.30     |
|   | <b>75-84</b>        | 278   | 26.28       | 1.30       | 124.50     |
|   | <b>85 and older</b> | 15  | 16.59       | 1.40       | 51.20      |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 25: Left Ventricular Mass (g) from Echo BY AGE AND GENDER</b> |                     | <b>Left Ventricular Mass (g) from Echo</b> |             |            |            |
|--|---------------------|--|-------------|------------|------------|
|  |                     | <b>N</b>                                   | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 125  | 121.34      | 82.52      | 191.45     |
|  | <b>35-44</b>        | 474  | 128.64      | 66.40      | 290.30     |
|  | <b>45-54</b>        | 591  | 135.50      | 77.56      | 376.89     |
|  | <b>55-64</b>        | 549  | 144.97      | 70.62      | 379.94     |
|  | <b>65-74</b>        | 342  | 150.69      | 77.17      | 308.14     |
|  | <b>75-84</b>        | 76   | 155.10      | 78.17      | 294.68     |
|  | <b>85 and older</b> | 3  | 167.32      | 99.36      | 211.36     |
|  | <b>Total</b>        | 2160                                       | 138.72      | 66.40      | 379.94     |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 91   | 154.29      | 82.55      | 316.92     |
|  | <b>35-44</b>        | 312  | 160.68      | 79.96      | 384.23     |
|  | <b>45-54</b>        | 339  | 163.04      | 81.34      | 325.46     |
|  | <b>55-64</b>        | 282  | 170.81      | 79.83      | 341.28     |
|  | <b>65-74</b>        | 179  | 181.48      | 91.75      | 378.91     |
|  | <b>75-84</b>        | 42   | 182.37      | 88.53      | 296.02     |
|  | <b>85 and older</b> | 1  | 243.67      | 243.67     | 243.67     |
|  | <b>Total</b>        | 1246                                       | 166.93      | 79.83      | 384.23     |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 216  | 135.23      | 82.52      | 316.92     |
|  | <b>35-44</b>        | 786  | 141.36      | 66.40      | 384.23     |
|  | <b>45-54</b>        | 930  | 145.54      | 77.56      | 376.89     |
|  | <b>55-64</b>        | 831  | 153.74      | 70.62      | 379.94     |
|  | <b>65-74</b>        | 521  | 161.27      | 77.17      | 378.91     |
|  | <b>75-84</b>        | 118  | 164.81      | 78.17      | 296.02     |
|  | <b>85 and older</b> | 4  | 186.41      | 99.36      | 243.67     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 26: Neck Circumference (cm) BY AGE AND GENDER</b> |                     | <b>Neck Circumference (cm)</b> |             |            |            |
|--|---------------------|--------------------------------|-------------|------------|------------|
|  |                     | <b>N</b>                       | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |                                |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 147                            | 36.39       | 30.00      | 46.00      |
|  | <b>35-44</b>        | 613                            | 36.81       | 29.00      | 47.00      |
|  | <b>45-54</b>        | 812                            | 36.95       | 30.00      | 48.00      |
|  | <b>55-64</b>        | 936                            | 37.15       | 23.00      | 48.00      |
|  | <b>65-74</b>        | 651                            | 37.08       | 29.00      | 48.00      |
|  | <b>75-84</b>        | 195                            | 36.84       | 31.00      | 46.00      |
|  | <b>85 and older</b> | 10                             | 35.60       | 32.00      | 40.00      |
|  | <b>Total</b>        | 3364                           | 36.97       | 23.00      | 48.00      |
| <b>Male</b>  | <b>AGE</b>          |                                |             |            |            |
|  | <b>Under 35</b>     | 103                            | 41.17       | 31.00      | 51.00      |
|  | <b>35-44</b>        | 392                            | 41.52       | 32.00      | 55.00      |
|  | <b>45-54</b>        | 494                            | 41.41       | 31.00      | 53.00      |
|  | <b>55-64</b>        | 494                            | 41.34       | 33.00      | 51.00      |
|  | <b>65-74</b>        | 345                            | 41.14       | 33.00      | 52.00      |
|  | <b>75-84</b>        | 98                             | 39.97       | 33.00      | 48.00      |
|  | <b>85 and older</b> | 5                              | 36.00       | 34.00      | 38.00      |
|  | <b>Total</b>        | 1931                           | 41.27       | 31.00      | 55.00      |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |                                |             |            |            |
|  | <b>Under 35</b>     | 250                            | 38.36       | 30.00      | 51.00      |
|  | <b>35-44</b>        | 1005                           | 38.64       | 29.00      | 55.00      |
|  | <b>45-54</b>        | 1306                           | 38.64       | 30.00      | 53.00      |
|  | <b>55-64</b>        | 1430                           | 38.59       | 23.00      | 51.00      |
|  | <b>65-74</b>        | 996                            | 38.49       | 29.00      | 52.00      |
|  | <b>75-84</b>        | 293                            | 37.88       | 31.00      | 48.00      |
|  | <b>85 and older</b> | 15                             | 35.73       | 32.00      | 40.00      |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 27: Renin Activity RIA (Plasma ng/mL/hr) BY AGE AND GENDER</b> |                     | <b>Renin Activity RIA (Plasma ng/mL/hr)</b> |             |            |            |
|---|---------------------|---|-------------|------------|------------|
|   |                     | <b>N</b>                                    | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 42  | 0.93        | 0.19       | 5.10       |
|   | <b>35-44</b>        | 214   | 1.01        | 0.19       | 11.30      |
|   | <b>45-54</b>        | 321   | 1.41        | 0.19       | 31.60      |
|   | <b>55-64</b>        | 509   | 2.35        | 0.19       | 160.00     |
|   | <b>65-74</b>        | 379   | 1.70        | 0.19       | 55.00      |
|   | <b>75-84</b>        | 105   | 1.39        | 0.19       | 34.40      |
|   | <b>85 and older</b> | 5   | 0.35        | 0.19       | 0.70       |
|   | <b>Total</b>        | 1575  | 1.71        | 0.19       | 160.00     |
| <b>Male</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 13  | 0.78        | 0.19       | 1.90       |
|   | <b>35-44</b>        | 111   | 0.99        | 0.19       | 15.60      |
|   | <b>45-54</b>        | 169   | 1.25        | 0.19       | 52.00      |
|   | <b>55-64</b>        | 248   | 1.41        | 0.19       | 35.30      |
|   | <b>65-74</b>        | 205   | 2.06        | 0.19       | 70.50      |
|   | <b>75-84</b>        | 47  | 1.75        | 0.19       | 19.00      |
|   | <b>85 and older</b> | 2   | 0.80        | 0.19       | 1.40       |
|   | <b>Total</b>        | 795   | 1.49        | 0.19       | 70.50      |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 55  | 0.90        | 0.19       | 5.10       |
|   | <b>35-44</b>        | 325   | 1.00        | 0.19       | 15.60      |
|   | <b>45-54</b>        | 490   | 1.36        | 0.19       | 52.00      |
|   | <b>55-64</b>        | 757   | 2.04        | 0.19       | 160.00     |
|   | <b>65-74</b>        | 584   | 1.82        | 0.19       | 70.50      |
|   | <b>75-84</b>        | 152   | 1.50        | 0.19       | 34.40      |
|   | <b>85 and older</b> | 7   | 0.48        | 0.19       | 1.40       |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 28: Relative Wall Thickness BY AGE AND GENDER</b> |                     | <b>Relative Wall Thickness</b> |             |            |            |
|--|---------------------|--------------------------------|-------------|------------|------------|
|  |                     | <b>N</b>                       | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |                                |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 125                            | 0.32        | 0.21       | 0.41       |
|  | <b>35-44</b>        | 474                            | 0.33        | 0.22       | 0.60       |
|  | <b>45-54</b>        | 591                            | 0.34        | 0.23       | 0.59       |
|  | <b>55-64</b>        | 549                            | 0.36        | 0.21       | 0.65       |
|  | <b>65-74</b>        | 342                            | 0.36        | 0.24       | 0.60       |
|  | <b>75-84</b>        | 76                             | 0.38        | 0.25       | 0.56       |
|  | <b>85 and older</b> | 3                              | 0.40        | 0.37       | 0.43       |
|  | <b>Total</b>        | 2160                           | 0.35        | 0.21       | 0.65       |
| <b>Male</b>  | <b>AGE</b>          |                                |             |            |            |
|  | <b>Under 35</b>     | 91                             | 0.34        | 0.25       | 0.49       |
|  | <b>35-44</b>        | 312                            | 0.34        | 0.20       | 0.54       |
|  | <b>45-54</b>        | 339                            | 0.35        | 0.22       | 0.57       |
|  | <b>55-64</b>        | 282                            | 0.36        | 0.15       | 0.58       |
|  | <b>65-74</b>        | 179                            | 0.38        | 0.22       | 0.90       |
|  | <b>75-84</b>        | 42                             | 0.36        | 0.26       | 0.56       |
|  | <b>85 and older</b> | 1                              | 0.34        | 0.34       | 0.34       |
|  | <b>Total</b>        | 1246                           | 0.35        | 0.15       | 0.90       |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |                                |             |            |            |
|  | <b>Under 35</b>     | 216                            | 0.32        | 0.21       | 0.49       |
|  | <b>35-44</b>        | 786                            | 0.34        | 0.20       | 0.60       |
|  | <b>45-54</b>        | 930                            | 0.34        | 0.22       | 0.59       |
|  | <b>55-64</b>        | 831                            | 0.36        | 0.15       | 0.65       |
|  | <b>65-74</b>        | 521                            | 0.37        | 0.22       | 0.90       |
|  | <b>75-84</b>        | 118                            | 0.37        | 0.25       | 0.56       |
|  | <b>85 and older</b> | 4                              | 0.39        | 0.34       | 0.43       |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 29: Systolic Blood Pressure (mmHg) BY AGE AND GENDER</b> |                     | <b>Systolic Blood Pressure (mmHg)</b> |             |            |            |
|---|---------------------|---------------------------------------|-------------|------------|------------|
|   |                     | <b>N</b>                              | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |                                       |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 151                                   | 112.80      | 77.98      | 148.59     |
|   | <b>35-44</b>        | 611                                   | 118.44      | 78.90      | 186.18     |
|   | <b>45-54</b>        | 810                                   | 124.21      | 86.24      | 194.43     |
|   | <b>55-64</b>        | 930                                   | 130.10      | 93.57      | 228.36     |
|   | <b>65-74</b>        | 648                                   | 133.99      | 92.66      | 200.85     |
|   | <b>75-84</b>        | 195                                   | 136.57      | 90.82      | 214.60     |
|   | <b>85 and older</b> | 10                                    | 155.37      | 125.66     | 195.35     |
|   | <b>Total</b>        | 3355                                  | 126.98      | 77.98      | 228.36     |
| <b>Male</b>   | <b>AGE</b>          |                                       |             |            |            |
|   | <b>Under 35</b>     | 104                                   | 118.36      | 84.40      | 149.50     |
|   | <b>35-44</b>        | 391                                   | 123.23      | 94.49      | 172.43     |
|   | <b>45-54</b>        | 494                                   | 126.99      | 92.66      | 190.76     |
|   | <b>55-64</b>        | 493                                   | 130.51      | 86.24      | 203.60     |
|   | <b>65-74</b>        | 346                                   | 133.83      | 93.57      | 221.02     |
|   | <b>75-84</b>        | 97                                    | 135.33      | 103.66     | 202.68     |
|   | <b>85 and older</b> | 5                                     | 150.24      | 123.83     | 181.59     |
|   | <b>Total</b>        | 1930                                  | 128.37      | 84.40      | 221.02     |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |                                       |             |            |            |
|   | <b>Under 35</b>     | 255                                   | 115.07      | 77.98      | 149.50     |
|   | <b>35-44</b>        | 1002                                  | 120.31      | 78.90      | 186.18     |
|   | <b>45-54</b>        | 1304                                  | 125.26      | 86.24      | 194.43     |
|   | <b>55-64</b>        | 1423                                  | 130.24      | 86.24      | 228.36     |
|   | <b>65-74</b>        | 994                                   | 133.94      | 92.66      | 221.02     |
|   | <b>75-84</b>        | 292                                   | 136.16      | 90.82      | 214.60     |
|   | <b>85 and older</b> | 15                                    | 153.66      | 123.83     | 195.35     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 30:<br/>Concentration of<br/>Cortisol Levels<br/>(Plasma ug/dL) BY<br/>AGE AND GENDER</b> |                     | <b>Concentration of Cortisol<br/>Levels (Plasma ug/dL)</b> |             |            |            |
|--|---------------------|--|-------------|------------|------------|
|  |                     | <b>N</b>   | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 144  | 8.90        | 2.10       | 23.30      |
|  | <b>35-44</b>        | 600  | 8.29        | 0.40       | 35.10      |
|  | <b>45-54</b>        | 787  | 8.54        | 0.40       | 36.30      |
|  | <b>55-64</b>        | 917  | 9.53        | 0.40       | 32.30      |
|  | <b>65-74</b>        | 638  | 9.77        | 0.90       | 26.30      |
|  | <b>75-84</b>        | 188  | 10.67       | 4.30       | 21.80      |
|  | <b>85 and older</b> | 10   | 12.68       | 6.90       | 21.90      |
|  | <b>Total</b>        | 3284   | 9.16        | 0.40       | 36.30      |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 100  | 10.84       | 4.40       | 33.00      |
|  | <b>35-44</b>        | 386  | 10.46       | 1.00       | 24.30      |
|  | <b>45-54</b>        | 488  | 10.89       | 2.30       | 33.20      |
|  | <b>55-64</b>        | 490  | 11.60       | 0.80       | 35.30      |
|  | <b>65-74</b>        | 344  | 11.56       | 3.00       | 34.20      |
|  | <b>75-84</b>        | 96   | 11.38       | 2.10       | 20.50      |
|  | <b>85 and older</b> | 5  | 12.16       | 9.30       | 14.50      |
|  | <b>Total</b>        | 1909   | 11.13       | 0.80       | 35.30      |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 244  | 9.70        | 2.10       | 33.00      |
|  | <b>35-44</b>        | 986  | 9.14        | 0.40       | 35.10      |
|  | <b>45-54</b>        | 1275   | 9.44        | 0.40       | 36.30      |
|  | <b>55-64</b>        | 1407   | 10.25       | 0.40       | 35.30      |
|  | <b>65-74</b>        | 982  | 10.40       | 0.90       | 34.20      |
|  | <b>75-84</b>        | 284  | 10.91       | 2.10       | 21.80      |
|  | <b>85 and older</b> | 15   | 12.51       | 6.90       | 21.90      |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 31: Fasting Total Cholesterol (mg/dL) BY AGE AND GENDER</b> |                     | <b>Fasting Total Cholesterol (mg/dL)</b> |             |            |            |
|--|---------------------|--|-------------|------------|------------|
|  |                     | <b>N</b>                                 | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 143                                      | 176.03      | 76.00      | 337.00     |
|  | <b>35-44</b>        | 574                                      | 187.72      | 95.00      | 325.00     |
|  | <b>45-54</b>        | 744                                      | 199.74      | 89.00      | 385.00     |
|  | <b>55-64</b>        | 848                                      | 207.64      | 116.00     | 470.00     |
|  | <b>65-74</b>        | 581                                      | 209.14      | 96.00      | 356.00     |
|  | <b>75-84</b>        | 167                                      | 205.44      | 66.00      | 306.00     |
|  | <b>85 and older</b> | 10                                       | 210.30      | 172.00     | 266.00     |
|  | <b>Total</b>        | 3067                                     | 200.69      | 66.00      | 470.00     |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 97                                       | 185.44      | 110.00     | 303.00     |
|  | <b>35-44</b>        | 360                                      | 198.55      | 90.00      | 418.00     |
|  | <b>45-54</b>        | 448                                      | 199.45      | 101.00     | 360.00     |
|  | <b>55-64</b>        | 455                                      | 197.87      | 93.00      | 450.00     |
|  | <b>65-74</b>        | 298                                      | 194.34      | 105.00     | 349.00     |
|  | <b>75-84</b>        | 84                                       | 194.60      | 103.00     | 278.00     |
|  | <b>85 and older</b> | 5  | 175.80      | 131.00     | 226.00     |
|  | <b>Total</b>        | 1747                                     | 196.90      | 90.00      | 450.00     |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |            |
|  | <b>Under 35</b>     | 240                                      | 179.83      | 76.00      | 337.00     |
|  | <b>35-44</b>        | 934                                      | 191.89      | 90.00      | 418.00     |
|  | <b>45-54</b>        | 1192                                     | 199.63      | 89.00      | 385.00     |
|  | <b>55-64</b>        | 1303                                     | 204.23      | 93.00      | 470.00     |
|  | <b>65-74</b>        | 879                                      | 204.12      | 96.00      | 356.00     |
|  | <b>75-84</b>        | 251                                      | 201.81      | 66.00      | 306.00     |
|  | <b>85 and older</b> | 15                                       | 198.80      | 131.00     | 266.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 32: Fasting Triglyceride Level (mg/dL) BY AGE AND GENDER</b> |                     | <b>Fasting Triglyceride Level (mg/dL)</b> |             |            |            |
|---|---------------------|---|-------------|------------|------------|
|   |                     | <b>N</b>                                  | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 143                                       | 72.68       | 18.00      | 238.00     |
|   | <b>35-44</b>        | 574                                       | 80.96       | 16.00      | 587.00     |
|   | <b>45-54</b>        | 744                                       | 99.39       | 27.00      | 505.00     |
|   | <b>55-64</b>        | 848                                       | 112.58      | 18.00      | 1570.00    |
|   | <b>65-74</b>        | 581                                       | 110.29      | 30.00      | 553.00     |
|   | <b>75-84</b>        | 167                                       | 108.23      | 32.00      | 401.00     |
|   | <b>85 and older</b> | 10  | 104.90      | 53.00      | 174.00     |
|   | <b>Total</b>        | 3067                                      | 100.91      | 16.00      | 1570.00    |
| <b>Male</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 97  | 100.64      | 30.00      | 554.00     |
|   | <b>35-44</b>        | 360                                       | 121.33      | 20.00      | 1569.00    |
|   | <b>45-54</b>        | 448                                       | 120.57      | 28.00      | 2041.00    |
|   | <b>55-64</b>        | 455                                       | 120.09      | 23.00      | 747.00     |
|   | <b>65-74</b>        | 298                                       | 103.14      | 25.00      | 422.00     |
|   | <b>75-84</b>        | 84  | 112.52      | 36.00      | 538.00     |
|   | <b>85 and older</b> | 5   | 85.20       | 43.00      | 134.00     |
|   | <b>Total</b>        | 1747                                      | 116.04      | 20.00      | 2041.00    |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 240                                       | 83.98       | 18.00      | 554.00     |
|   | <b>35-44</b>        | 934                                       | 96.52       | 16.00      | 1569.00    |
|   | <b>45-54</b>        | 1192                                      | 107.35      | 27.00      | 2041.00    |
|   | <b>55-64</b>        | 1303                                      | 115.20      | 18.00      | 1570.00    |
|   | <b>65-74</b>        | 879                                       | 107.87      | 25.00      | 553.00     |
|   | <b>75-84</b>        | 251                                       | 109.67      | 32.00      | 538.00     |
|   | <b>85 and older</b> | 15  | 98.33       | 43.00      | 174.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 33: Waist Circumference (cm) BY AGE AND GENDER</b> |                     | <b>Waist Circumference (cm)</b> |             |            |            |
|---|---------------------|---------------------------------|-------------|------------|------------|
|   |                     | <b>N</b>                        | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |                                 |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 147                             | 98.63       | 67.00      | 172.00     |
|   | <b>35-44</b>        | 613                             | 97.65       | 62.00      | 175.00     |
|   | <b>45-54</b>        | 811                             | 99.90       | 60.00      | 167.00     |
|   | <b>55-64</b>        | 935                             | 101.71      | 56.00      | 162.00     |
|   | <b>65-74</b>        | 651                             | 102.37      | 60.00      | 157.00     |
|   | <b>75-84</b>        | 194                             | 99.43       | 67.00      | 167.00     |
|   | <b>85 and older</b> | 10                              | 98.10       | 75.00      | 123.00     |
|   | <b>Total</b>        | 3361                            | 100.38      | 56.00      | 175.00     |
| <b>Male</b>   | <b>AGE</b>          |                                 |             |            |            |
|   | <b>Under 35</b>     | 103                             | 97.84       | 32.00      | 169.00     |
|   | <b>35-44</b>        | 392                             | 101.30      | 63.00      | 169.00     |
|   | <b>45-54</b>        | 494                             | 101.05      | 67.00      | 244.00     |
|   | <b>55-64</b>        | 494                             | 101.90      | 70.00      | 165.00     |
|   | <b>65-74</b>        | 345                             | 101.88      | 58.00      | 152.00     |
|   | <b>75-84</b>        | 98                              | 101.28      | 73.00      | 137.00     |
|   | <b>85 and older</b> | 5                               | 86.40       | 80.00      | 97.00      |
|   | <b>Total</b>        | 1931                            | 101.27      | 32.00      | 244.00     |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |                                 |             |            |            |
|   | <b>Under 35</b>     | 250                             | 98.30       | 32.00      | 172.00     |
|   | <b>35-44</b>        | 1005                            | 99.07       | 62.00      | 175.00     |
|   | <b>45-54</b>        | 1305                            | 100.33      | 60.00      | 244.00     |
|   | <b>55-64</b>        | 1429                            | 101.78      | 56.00      | 165.00     |
|   | <b>65-74</b>        | 996                             | 102.20      | 58.00      | 157.00     |
|   | <b>75-84</b>        | 292                             | 100.05      | 67.00      | 167.00     |
|   | <b>85 and older</b> | 15                              | 94.20       | 75.00      | 123.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 34: Weekly Stress Inventory (WSI) impact score BY AGE AND GENDER</b> |                     | <b>Weekly Stress Inventory (WSI) impact score</b> |             |            |            |
|---|---------------------|---|-------------|------------|------------|
|   |                     | <b>N</b>  | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |            |            |
| <b>Female</b>   | <b>Under 35</b>     | 95  | 121.59      | 7.00       | 460.00     |
|   | <b>35-44</b>        | 407   | 104.71      | 0.00       | 493.00     |
|   | <b>45-54</b>        | 501   | 93.60       | 0.00       | 394.00     |
|   | <b>55-64</b>        | 503   | 71.60       | 0.00       | 482.00     |
|   | <b>65-74</b>        | 293   | 60.18       | 0.00       | 378.00     |
|   | <b>75-84</b>        | 72  | 73.07       | 0.00       | 436.00     |
|   | <b>85 and older</b> | 2   | 100.00      | 46.00      | 154.00     |
|   | <b>Total</b>        | 1873  | 85.52       | 0.00       | 493.00     |
| <b>Male</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 63  | 115.65      | 4.00       | 349.00     |
|   | <b>35-44</b>        | 248   | 98.31       | 0.00       | 538.00     |
|   | <b>45-54</b>        | 274   | 86.60       | 0.00       | 462.00     |
|   | <b>55-64</b>        | 268   | 66.69       | 0.00       | 326.00     |
|   | <b>65-74</b>        | 155   | 46.97       | 0.00       | 395.00     |
|   | <b>75-84</b>        | 36  | 42.03       | 0.00       | 224.00     |
|   | <b>85 and older</b> | 3   | 99.33       | 2.00       | 149.00     |
|   | <b>Total</b>        | 1047  | 78.66       | 0.00       | 538.00     |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |             |            |            |
|   | <b>Under 35</b>     | 158   | 119.22      | 4.00       | 460.00     |
|   | <b>35-44</b>        | 655   | 102.29      | 0.00       | 538.00     |
|   | <b>45-54</b>        | 775   | 91.13       | 0.00       | 462.00     |
|   | <b>55-64</b>        | 771   | 69.89       | 0.00       | 482.00     |
|   | <b>65-74</b>        | 448   | 55.61       | 0.00       | 395.00     |
|   | <b>75-84</b>        | 108   | 62.72       | 0.00       | 436.00     |
|   | <b>85 and older</b> | 5   | 99.60       | 2.00       | 154.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 35: Weight (kg)<br/>BY AGE AND<br/>GENDER</b> |                     | <b>Weight (kg)</b> |             |            |            |
|--|---------------------|--------------------|-------------|------------|------------|
|  |                     | <b>N</b>           | <b>Mean</b> | <b>Min</b> | <b>Max</b> |
| <b>Gender</b>  | <b>AGE</b>          |                    |             |            |            |
| <b>Female</b>  | <b>Under 35</b>     | 147                | 92.73       | 48.90      | 186.30     |
|  | <b>35-44</b>        | 613                | 89.92       | 46.00      | 194.00     |
|  | <b>45-54</b>        | 811                | 90.83       | 40.00      | 198.00     |
|  | <b>55-64</b>        | 936                | 88.58       | 44.90      | 183.00     |
|  | <b>65-74</b>        | 651                | 85.20       | 41.00      | 169.00     |
|  | <b>75-84</b>        | 195                | 79.87       | 45.10      | 149.00     |
|  | <b>85 and older</b> | 10                 | 71.66       | 48.00      | 112.00     |
|  | <b>Total</b>        | 3363               | 88.34       | 40.00      | 198.00     |
| <b>Male</b>  | <b>AGE</b>          |                    |             |            |            |
|  | <b>Under 35</b>     | 103                | 98.69       | 55.50      | 204.20     |
|  | <b>35-44</b>        | 392                | 98.02       | 44.00      | 210.00     |
|  | <b>45-54</b>        | 494                | 96.00       | 49.10      | 232.40     |
|  | <b>55-64</b>        | 494                | 93.08       | 50.00      | 209.40     |
|  | <b>65-74</b>        | 345                | 90.68       | 47.40      | 188.20     |
|  | <b>75-84</b>        | 98                 | 85.72       | 55.20      | 130.50     |
|  | <b>85 and older</b> | 5                  | 66.44       | 53.50      | 81.50      |
|  | <b>Total</b>        | 1931               | 94.26       | 44.00      | 232.40     |
| <b>TOTAL COHORT</b>                                    | <b>AGE</b>          |                    |             |            |            |
|  | <b>Under 35</b>     | 250                | 95.19       | 48.90      | 204.20     |
|  | <b>35-44</b>        | 1005               | 93.08       | 44.00      | 210.00     |
|  | <b>45-54</b>        | 1305               | 92.79       | 40.00      | 232.40     |
|  | <b>55-64</b>        | 1430               | 90.13       | 44.90      | 209.40     |
|  | <b>65-74</b>        | 996                | 87.10       | 41.00      | 188.20     |
|  | <b>75-84</b>        | 293                | 81.82       | 45.10      | 149.00     |
|  | <b>85 and older</b> | 15                 | 69.92       | 48.00      | 112.00     |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 36: Alcohol History (Y/N) BY AGE AND GENDER</b> |                     | <b>Alcohol drinking in the past 12 months (Y/N)</b> |             |            |             |
|--|---------------------|---|-------------|------------|-------------|
|  |                     | <b>No</b>   |             | <b>Yes</b> |             |
|  |                     | <b>N</b>  | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |   |             |            |             |
| <b>Female</b>  | <b>Under 35</b>     | 42  | 0.80        | 107        | 2.03        |
|  | <b>35-44</b>        | 272   | 5.16        | 335        | 6.35        |
|  | <b>45-54</b>        | 424   | 8.04        | 385        | 7.30        |
|  | <b>55-64</b>        | 635   | 12.04       | 297        | 5.63        |
|  | <b>65-74</b>        | 514   | 9.74        | 137        | 2.60        |
|  | <b>75-84</b>        | 161   | 3.05        | 31         | 0.59        |
|  | <b>85 and older</b> | 10  | 0.19        | .          | .           |
|  | <b>Total</b>        | 2058  | 39.01       | 1292       | 24.49       |
| <b>Male</b>  | <b>AGE</b>          |   |             |            |             |
|  | <b>Under 35</b>     | 29  | 0.55        | 74         | 1.40        |
|  | <b>35-44</b>        | 131   | 2.48        | 260        | 4.93        |
|  | <b>45-54</b>        | 172   | 3.26        | 321        | 6.08        |
|  | <b>55-64</b>        | 202   | 3.83        | 292        | 5.53        |
|  | <b>65-74</b>        | 194   | 3.68        | 149        | 2.82        |
|  | <b>75-84</b>        | 67  | 1.27        | 30         | 0.57        |
|  | <b>85 and older</b> | 4   | 0.08        | 1          | 0.02        |
|  | <b>Total</b>        | 799   | 15.14       | 1127       | 21.36       |
| <b>TOTAL COHORT</b>                                      | <b>AGE</b>          |   |             |            |             |
|  | <b>Under 35</b>     | 71  | 1.35        | 181        | 3.43        |
|  | <b>35-44</b>        | 403   | 7.64        | 595        | 11.28       |
|  | <b>45-54</b>        | 596   | 11.30       | 706        | 13.38       |
|  | <b>55-64</b>        | 837   | 15.86       | 589        | 11.16       |
|  | <b>65-74</b>        | 708   | 13.42       | 286        | 5.42        |
|  | <b>75-84</b>        | 228   | 4.32        | 61         | 1.16        |
|  | <b>85 and older</b> | 14  | 0.27        | 1          | 0.02        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 37:<br/>Physician-Diagnosed<br/>Asthma BY AGE AND<br/>GENDER</b> |                     | <b>Physician-Diagnosed Asthma</b> |             |               |             |                |             |
|---|---------------------|-----------------------------------|-------------|---------------|-------------|----------------|-------------|
|   |                     | <b>Never</b>                      |             | <b>Former</b> |             | <b>Current</b> |             |
|   |                     | <b>N</b>                          | <b>PctN</b> | <b>N</b>      | <b>PctN</b> | <b>N</b>       | <b>PctN</b> |
| <b>Gender</b>   | <b>AGE</b>          |                                   |             |               |             |                |             |
| <b>Female</b>   | <b>Under 35</b>     | 141                               | 2.68        | 2             | 0.04        | 7              | 0.13        |
|   | <b>35-44</b>        | 538                               | 10.21       | 28            | 0.53        | 37             | 0.70        |
|   | <b>45-54</b>        | 721                               | 13.68       | 36            | 0.68        | 47             | 0.89        |
|   | <b>55-64</b>        | 831                               | 15.77       | 27            | 0.51        | 76             | 1.44        |
|   | <b>65-74</b>        | 584                               | 11.08       | 16            | 0.30        | 51             | 0.97        |
|   | <b>75-84</b>        | 179                               | 3.40        | 2             | 0.04        | 14             | 0.27        |
|   | <b>85 and older</b> | 10                                | 0.19        | .             | .           | .              | .           |
|   | <b>Total</b>        | 3004                              | 57.01       | 111           | 2.11        | 232            | 4.40        |
| <b>Male</b>   | <b>AGE</b>          |                                   |             |               |             |                |             |
|   | <b>Under 35</b>     | 87                                | 1.65        | 11            | 0.21        | 5              | 0.09        |
|   | <b>35-44</b>        | 349                               | 6.62        | 26            | 0.49        | 15             | 0.28        |
|   | <b>45-54</b>        | 444                               | 8.43        | 28            | 0.53        | 18             | 0.34        |
|   | <b>55-64</b>        | 460                               | 8.73        | 21            | 0.40        | 12             | 0.23        |
|   | <b>65-74</b>        | 331                               | 6.28        | 5             | 0.09        | 7              | 0.13        |
|   | <b>75-84</b>        | 91                                | 1.73        | 3             | 0.06        | 4              | 0.08        |
|   | <b>85 and older</b> | 5                                 | 0.09        | .             | .           | .              | .           |
|   | <b>Total</b>        | 1767                              | 33.54       | 94            | 1.78        | 61             | 1.16        |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |                                   |             |               |             |                |             |
|   | <b>Under 35</b>     | 228                               | 4.33        | 13            | 0.25        | 12             | 0.23        |
|   | <b>35-44</b>        | 887                               | 16.83       | 54            | 1.02        | 52             | 0.99        |
|   | <b>45-54</b>        | 1165                              | 22.11       | 64            | 1.21        | 65             | 1.23        |
|   | <b>55-64</b>        | 1291                              | 24.50       | 48            | 0.91        | 88             | 1.67        |
|   | <b>65-74</b>        | 915                               | 17.37       | 21            | 0.40        | 58             | 1.10        |
|   | <b>75-84</b>        | 270                               | 5.12        | 5             | 0.09        | 18             | 0.34        |
|   | <b>85 and older</b> | 15                                | 0.28        | .             | .           | .              | .           |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 38: AHA BMI Categorization BY AGE AND GENDER</b> |                     | <b>AHA BMI Categorization</b> |             |                            |             |                     |             |
|---|---------------------|-------------------------------|-------------|----------------------------|-------------|---------------------|-------------|
|   |                     | <b>Poor Health</b>            |             | <b>Intermediate Health</b> |             | <b>Ideal Health</b> |             |
|   |                     | <b>N</b>                      | <b>PctN</b> | <b>N</b>                   | <b>PctN</b> | <b>N</b>            | <b>PctN</b> |
| <b>Gender</b>   | <b>AGE</b>          |                               |             |                            |             |                     |             |
| <b>Female</b>   | <b>Under 35</b>     | 88                            | 1.66        | 32                         | 0.60        | 27                  | 0.51        |
|   | <b>35-44</b>        | 369                           | 6.97        | 154                        | 2.91        | 90                  | 1.70        |
|   | <b>45-54</b>        | 520                           | 9.83        | 197                        | 3.72        | 94                  | 1.78        |
|   | <b>55-64</b>        | 576                           | 10.88       | 274                        | 5.18        | 86                  | 1.63        |
|   | <b>65-74</b>        | 385                           | 7.28        | 189                        | 3.57        | 77                  | 1.46        |
|   | <b>75-84</b>        | 84                            | 1.59        | 75                         | 1.42        | 35                  | 0.66        |
|   | <b>85 and older</b> | 3                             | 0.06        | 3                          | 0.06        | 4                   | 0.08        |
|   | <b>Total</b>        | 2025                          | 38.27       | 924                        | 17.46       | 413                 | 7.80        |
| <b>Male</b>   | <b>AGE</b>          |                               |             |                            |             |                     |             |
|   | <b>Under 35</b>     | 45                            | 0.85        | 28                         | 0.53        | 30                  | 0.57        |
|   | <b>35-44</b>        | 184                           | 3.48        | 145                        | 2.74        | 63                  | 1.19        |
|   | <b>45-54</b>        | 218                           | 4.12        | 199                        | 3.76        | 77                  | 1.46        |
|   | <b>55-64</b>        | 201                           | 3.80        | 210                        | 3.97        | 83                  | 1.57        |
|   | <b>65-74</b>        | 122                           | 2.31        | 148                        | 2.80        | 74                  | 1.40        |
|   | <b>75-84</b>        | 27                            | 0.51        | 46                         | 0.87        | 25                  | 0.47        |
|   | <b>85 and older</b> | .                             | .           | 1                          | 0.02        | 4                   | 0.08        |
|   | <b>Total</b>        | 797                           | 15.06       | 777                        | 14.68       | 356                 | 6.73        |
| <b>TOTAL COHORT</b>                                       | <b>AGE</b>          |                               |             |                            |             |                     |             |
|   | <b>Under 35</b>     | 133                           | 2.51        | 60                         | 1.13        | 57                  | 1.08        |
|   | <b>35-44</b>        | 553                           | 10.45       | 299                        | 5.65        | 153                 | 2.89        |
|   | <b>45-54</b>        | 738                           | 13.95       | 396                        | 7.48        | 171                 | 3.23        |
|   | <b>55-64</b>        | 777                           | 14.68       | 484                        | 9.15        | 169                 | 3.19        |
|   | <b>65-74</b>        | 507                           | 9.58        | 337                        | 6.37        | 151                 | 2.85        |
|   | <b>75-84</b>        | 111                           | 2.10        | 121                        | 2.29        | 60                  | 1.13        |
|   | <b>85 and older</b> | 3                             | 0.06        | 4                          | 0.08        | 8                   | 0.15        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 39:<br/>Self-Reported history of Carotid Angioplasty BY AGE AND GENDER</b> |                     | <b>Self-Reported history of Carotid Angioplasty</b> |             |            |             |
|---|---------------------|---|-------------|------------|-------------|
|   |                     | <b>No</b>   |             | <b>Yes</b> |             |
|   |                     | <b>N</b>  | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |            |             |
| <b>Female</b>   | <b>Under 35</b>     | 152   | 2.86        | .          | .           |
|   | <b>35-44</b>        | 613   | 11.55       | .          | .           |
|   | <b>45-54</b>        | 812   | 15.30       | .          | .           |
|   | <b>55-64</b>        | 936   | 17.64       | 1          | 0.02        |
|   | <b>65-74</b>        | 652   | 12.29       | .          | .           |
|   | <b>75-84</b>        | 195   | 3.68        | .          | .           |
|   | <b>85 and older</b> | 10  | 0.19        | .          | .           |
|   | <b>Total</b>        | 3370  | 63.51       | 1          | 0.02        |
| <b>Male</b>   | <b>AGE</b>          |   |             |            |             |
|   | <b>Under 35</b>     | 104   | 1.96        | .          | .           |
|   | <b>35-44</b>        | 392   | 7.39        | .          | .           |
|   | <b>45-54</b>        | 494   | 9.31        | .          | .           |
|   | <b>55-64</b>        | 494   | 9.31        | 1          | 0.02        |
|   | <b>65-74</b>        | 345   | 6.50        | 2          | 0.04        |
|   | <b>75-84</b>        | 98  | 1.85        | .          | .           |
|   | <b>85 and older</b> | 5   | 0.09        | .          | .           |
|   | <b>Total</b>        | 1932  | 36.41       | 3          | 0.06        |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |             |            |             |
|   | <b>Under 35</b>     | 256   | 4.82        | .          | .           |
|   | <b>35-44</b>        | 1005  | 18.94       | .          | .           |
|   | <b>45-54</b>        | 1306  | 24.61       | .          | .           |
|   | <b>55-64</b>        | 1430  | 26.95       | 2          | 0.04        |
|   | <b>65-74</b>        | 997   | 18.79       | 2          | 0.04        |
|   | <b>75-84</b>        | 293   | 5.52        | .          | .           |
|   | <b>85 and older</b> | 15  | 0.28        | .          | .           |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 40: Conduction Defect BY AGE AND GENDER</b> |                     | <b>Conduction Defect</b> |             |            |             |
|--|---------------------|--------------------------|-------------|------------|-------------|
|  |                     | <b>No</b>                |             | <b>Yes</b> |             |
|  |                     | <b>N</b>                 | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |                          |             |            |             |
| <b>Female</b>  | <b>Under 35</b>     | 152                      | 2.86        | .          | .           |
|  | <b>35-44</b>        | 612                      | 11.53       | 1          | 0.02        |
|  | <b>45-54</b>        | 809                      | 15.25       | 3          | 0.06        |
|  | <b>55-64</b>        | 925                      | 17.43       | 12         | 0.23        |
|  | <b>65-74</b>        | 632                      | 11.91       | 20         | 0.38        |
|  | <b>75-84</b>        | 186                      | 3.51        | 9          | 0.17        |
|  | <b>85 and older</b> | 9                        | 0.17        | 1          | 0.02        |
|  | <b>Total</b>        | 3325                     | 62.66       | 46         | 0.87        |
| <b>Male</b>  | <b>AGE</b>          |                          |             |            |             |
|  | <b>Under 35</b>     | 104                      | 1.96        | .          | .           |
|  | <b>35-44</b>        | 391                      | 7.37        | 1          | 0.02        |
|  | <b>45-54</b>        | 493                      | 9.29        | 1          | 0.02        |
|  | <b>55-64</b>        | 486                      | 9.16        | 9          | 0.17        |
|  | <b>65-74</b>        | 331                      | 6.24        | 16         | 0.30        |
|  | <b>75-84</b>        | 95                       | 1.79        | 3          | 0.06        |
|  | <b>85 and older</b> | 4                        | 0.08        | 1          | 0.02        |
|  | <b>Total</b>        | 1904                     | 35.88       | 31         | 0.58        |
| <b>TOTAL COHORT</b>                                  | <b>AGE</b>          |                          |             |            |             |
|  | <b>Under 35</b>     | 256                      | 4.82        | .          | .           |
|  | <b>35-44</b>        | 1003                     | 18.90       | 2          | 0.04        |
|  | <b>45-54</b>        | 1302                     | 24.54       | 4          | 0.08        |
|  | <b>55-64</b>        | 1411                     | 26.59       | 21         | 0.40        |
|  | <b>65-74</b>        | 963                      | 18.15       | 36         | 0.68        |
|  | <b>75-84</b>        | 281                      | 5.30        | 12         | 0.23        |
|  | <b>85 and older</b> | 13                       | 0.25        | 2          | 0.04        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 41: Diabetes Status (ADA 2010) BY AGE AND GENDER</b> |                     | <b>Diabetes Status (ADA 2010)</b> |             |            |             |
|---|---------------------|-----------------------------------|-------------|------------|-------------|
|   |                     | <b>No</b>                         |             | <b>Yes</b> |             |
|   |                     | <b>N</b>                          | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>   | <b>AGE</b>          |                                   |             |            |             |
| <b>Female</b>   | <b>Under 35</b>     | 140                               | 2.67        | 5          | 0.10        |
|   | <b>35-44</b>        | 558                               | 10.65       | 48         | 0.92        |
|   | <b>45-54</b>        | 649                               | 12.39       | 151        | 2.88        |
|   | <b>55-64</b>        | 648                               | 12.37       | 277        | 5.29        |
|   | <b>65-74</b>        | 436                               | 8.32        | 210        | 4.01        |
|   | <b>75-84</b>        | 128                               | 2.44        | 64         | 1.22        |
|   | <b>85 and older</b> | 9                                 | 0.17        | 1          | 0.02        |
|   | <b>Total</b>        | 2568                              | 49.01       | 756        | 14.43       |
| <b>Male</b>   | <b>AGE</b>          |                                   |             |            |             |
|   | <b>Under 35</b>     | 93                                | 1.77        | 7          | 0.13        |
|   | <b>35-44</b>        | 346                               | 6.60        | 41         | 0.78        |
|   | <b>45-54</b>        | 416                               | 7.94        | 73         | 1.39        |
|   | <b>55-64</b>        | 359                               | 6.85        | 135        | 2.58        |
|   | <b>65-74</b>        | 238                               | 4.54        | 106        | 2.02        |
|   | <b>75-84</b>        | 70                                | 1.34        | 27         | 0.52        |
|   | <b>85 and older</b> | 5                                 | 0.10        | .          | .           |
|   | <b>Total</b>        | 1527                              | 29.14       | 389        | 7.42        |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |                                   |             |            |             |
|   | <b>Under 35</b>     | 233                               | 4.45        | 12         | 0.23        |
|   | <b>35-44</b>        | 904                               | 17.25       | 89         | 1.70        |
|   | <b>45-54</b>        | 1065                              | 20.32       | 224        | 4.27        |
|   | <b>55-64</b>        | 1007                              | 19.22       | 412        | 7.86        |
|   | <b>65-74</b>        | 674                               | 12.86       | 316        | 6.03        |
|   | <b>75-84</b>        | 198                               | 3.78        | 91         | 1.74        |
|   | <b>85 and older</b> | 14                                | 0.27        | 1          | 0.02        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 42:<br/>Self-reported dialysis<br/>BY AGE AND<br/>GENDER</b> |                     | <b>Self-reported dialysis</b> |             |            |             |
|---|---------------------|-------------------------------|-------------|------------|-------------|
|   |                     | <b>No</b>                     |             | <b>Yes</b> |             |
|   |                     | <b>N</b>                      | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>   | <b>AGE</b>          |                               |             |            |             |
| <b>Female</b>   | <b>Under 35</b>     | 148                           | 2.83        | 1          | 0.02        |
|   | <b>35-44</b>        | 604                           | 11.54       | .          | .           |
|   | <b>45-54</b>        | 795                           | 15.18       | 4          | 0.08        |
|   | <b>55-64</b>        | 918                           | 17.53       | 6          | 0.11        |
|   | <b>65-74</b>        | 644                           | 12.30       | 4          | 0.08        |
|   | <b>75-84</b>        | 192                           | 3.67        | .          | .           |
|   | <b>85 and older</b> | 10                            | 0.19        | .          | .           |
|   | <b>Total</b>        | 3311                          | 63.24       | 15         | 0.29        |
| <b>Male</b>   | <b>AGE</b>          |                               |             |            |             |
|   | <b>Under 35</b>     | 102                           | 1.95        | 2          | 0.04        |
|   | <b>35-44</b>        | 385                           | 7.35        | 1          | 0.02        |
|   | <b>45-54</b>        | 486                           | 9.28        | 4          | 0.08        |
|   | <b>55-64</b>        | 489                           | 9.34        | 3          | 0.06        |
|   | <b>65-74</b>        | 338                           | 6.46        | 2          | 0.04        |
|   | <b>75-84</b>        | 93                            | 1.78        | .          | .           |
|   | <b>85 and older</b> | 5                             | 0.10        | .          | .           |
|   | <b>Total</b>        | 1898                          | 36.25       | 12         | 0.23        |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |                               |             |            |             |
|   | <b>Under 35</b>     | 250                           | 4.77        | 3          | 0.06        |
|   | <b>35-44</b>        | 989                           | 18.89       | 1          | 0.02        |
|   | <b>45-54</b>        | 1281                          | 24.47       | 8          | 0.15        |
|   | <b>55-64</b>        | 1407                          | 26.87       | 9          | 0.17        |
|   | <b>65-74</b>        | 982                           | 18.75       | 6          | 0.11        |
|   | <b>75-84</b>        | 285                           | 5.44        | .          | .           |
|   | <b>85 and older</b> | 15                            | 0.29        | .          | .           |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 43: Diuretic Medication Status (Y/N) BY AGE AND GENDER</b> |                     | <b>Diuretic Medication Status (Y/N)</b> |             |            |             |
|---|---------------------|---|-------------|------------|-------------|
|   |                     | <b>No</b>                               |             | <b>Yes</b> |             |
|   |                     | <b>N</b>                                | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |            |             |
| <b>Female</b>   | <b>Under 35</b>     | 139                                     | 2.84        | 7          | 0.14        |
|   | <b>35-44</b>        | 478                                     | 9.76        | 98         | 2.00        |
|   | <b>45-54</b>        | 500                                     | 10.21       | 266        | 5.43        |
|   | <b>55-64</b>        | 457                                     | 9.33        | 412        | 8.41        |
|   | <b>65-74</b>        | 285                                     | 5.82        | 312        | 6.37        |
|   | <b>75-84</b>        | 86                                      | 1.76        | 96         | 1.96        |
|   | <b>85 and older</b> | 4                                       | 0.08        | 6          | 0.12        |
|   | <b>Total</b>        | 1949                                    | 39.79       | 1197       | 24.44       |
| <b>Male</b>   | <b>AGE</b>          |   |             |            |             |
|   | <b>Under 35</b>     | 92                                      | 1.88        | 2          | 0.04        |
|   | <b>35-44</b>        | 314                                     | 6.41        | 46         | 0.94        |
|   | <b>45-54</b>        | 374                                     | 7.64        | 80         | 1.63        |
|   | <b>55-64</b>        | 309                                     | 6.31        | 142        | 2.90        |
|   | <b>65-74</b>        | 186                                     | 3.80        | 118        | 2.41        |
|   | <b>75-84</b>        | 47                                      | 0.96        | 37         | 0.76        |
|   | <b>85 and older</b> | 5                                       | 0.10        | .          | .           |
|   | <b>Total</b>        | 1327                                    | 27.09       | 425        | 8.68        |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |             |            |             |
|   | <b>Under 35</b>     | 231                                     | 4.72        | 9          | 0.18        |
|   | <b>35-44</b>        | 792                                     | 16.17       | 144        | 2.94        |
|   | <b>45-54</b>        | 874                                     | 17.84       | 346        | 7.06        |
|   | <b>55-64</b>        | 766                                     | 15.64       | 554        | 11.31       |
|   | <b>65-74</b>        | 471                                     | 9.62        | 430        | 8.78        |
|   | <b>75-84</b>        | 133                                     | 2.72        | 133        | 2.72        |
|   | <b>85 and older</b> | 9                                       | 0.18        | 6          | 0.12        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 44: Education Attainment Categorization BY AGE AND GENDER</b> |                     | <b>Education Attainment Categorization</b> |             |                                 |             |   |             |
|--|---------------------|--|-------------|---------------------------------|-------------|---|-------------|
|  |                     | <b>Less than high school</b>               |             | <b>High school graduate/GED</b> |             | <b>Attended vocational school, trade school, or college</b> |             |
|  |                     | <b>N</b>                                   | <b>PctN</b> | <b>N</b>                        | <b>PctN</b> | <b>N</b>  | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |                                 |             |   |             |
| <b>Female</b>  | <b>Under 35</b>     | 7  | 0.13        | 29                              | 0.55        | 116   | 2.19        |
|  | <b>35-44</b>        | 38   | 0.72        | 92                              | 1.74        | 480   | 9.08        |
|  | <b>45-54</b>        | 60   | 1.14        | 119                             | 2.25        | 631   | 11.94       |
|  | <b>55-64</b>        | 200  | 3.78        | 212                             | 4.01        | 522   | 9.88        |
|  | <b>65-74</b>        | 257  | 4.86        | 144                             | 2.72        | 247   | 4.67        |
|  | <b>75-84</b>        | 100  | 1.89        | 35                              | 0.66        | 60  | 1.14        |
|  | <b>85 and older</b> | 8  | 0.15        | 1                               | 0.02        | 1   | 0.02        |
|  | <b>Total</b>        | 670  | 12.67       | 632                             | 11.96       | 2057  | 38.91       |
| <b>Male</b>  | <b>AGE</b>          |  |             |                                 |             |   |             |
|  | <b>Under 35</b>     | 10   | 0.19        | 22                              | 0.42        | 72  | 1.36        |
|  | <b>35-44</b>        | 19   | 0.36        | 56                              | 1.06        | 316   | 5.98        |
|  | <b>45-54</b>        | 49   | 0.93        | 104                             | 1.97        | 341   | 6.45        |
|  | <b>55-64</b>        | 107  | 2.02        | 101                             | 1.91        | 284   | 5.37        |
|  | <b>65-74</b>        | 152  | 2.88        | 47                              | 0.89        | 145   | 2.74        |
|  | <b>75-84</b>        | 64   | 1.21        | 12                              | 0.23        | 21  | 0.40        |
|  | <b>85 and older</b> | 5  | 0.09        | .                               | .           | .   | .           |
|  | <b>Total</b>        | 406  | 7.68        | 342                             | 6.47        | 1179  | 22.30       |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |                                 |             |   |             |
|  | <b>Under 35</b>     | 17   | 0.32        | 51                              | 0.96        | 188   | 3.56        |
|  | <b>35-44</b>        | 57   | 1.08        | 148                             | 2.80        | 796   | 15.06       |
|  | <b>45-54</b>        | 109  | 2.06        | 223                             | 4.22        | 972   | 18.39       |
|  | <b>55-64</b>        | 307  | 5.81        | 313                             | 5.92        | 806   | 15.25       |
|  | <b>65-74</b>        | 409  | 7.74        | 191                             | 3.61        | 392   | 7.42        |
|  | <b>75-84</b>        | 164  | 3.10        | 47                              | 0.89        | 81  | 1.53        |
|  | <b>85 and older</b> | 13   | 0.25        | 1                               | 0.02        | 1   | 0.02        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 45: History of Smoking BY AGE AND GENDER</b> |                     | <b>Indication of whether the participant has ever smoked cigarettes</b> |             |            |             |
|---|---------------------|---|-------------|------------|-------------|
|   |                     | <b>No</b>   |             | <b>Yes</b> |             |
|   |                     | <b>N</b>  | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |            |             |
| <b>Female</b>   | <b>Under 35</b>     | 129   | 2.44        | 22         | 0.42        |
|   | <b>35-44</b>        | 489   | 9.24        | 123        | 2.32        |
|   | <b>45-54</b>        | 601   | 11.35       | 209        | 3.95        |
|   | <b>55-64</b>        | 654   | 12.35       | 282        | 5.33        |
|   | <b>65-74</b>        | 464   | 8.76        | 186        | 3.51        |
|   | <b>75-84</b>        | 148   | 2.80        | 47         | 0.89        |
|   | <b>85 and older</b> | 10  | 0.19        | .          | .           |
|   | <b>Total</b>        | 2495  | 47.12       | 869        | 16.41       |
| <b>Male</b>   | <b>AGE</b>          |   |             |            |             |
|   | <b>Under 35</b>     | 81  | 1.53        | 22         | 0.42        |
|   | <b>35-44</b>        | 282   | 5.33        | 110        | 2.08        |
|   | <b>45-54</b>        | 275   | 5.19        | 218        | 4.12        |
|   | <b>55-64</b>        | 240   | 4.53        | 254        | 4.80        |
|   | <b>65-74</b>        | 161   | 3.04        | 185        | 3.49        |
|   | <b>75-84</b>        | 44  | 0.83        | 54         | 1.02        |
|   | <b>85 and older</b> | 1   | 0.02        | 4          | 0.08        |
|   | <b>Total</b>        | 1084  | 20.47       | 847        | 16.00       |
| <b>TOTAL COHORT</b>                                   | <b>AGE</b>          |   |             |            |             |
|   | <b>Under 35</b>     | 210   | 3.97        | 44         | 0.83        |
|   | <b>35-44</b>        | 771   | 14.56       | 233        | 4.40        |
|   | <b>45-54</b>        | 876   | 16.54       | 427        | 8.06        |
|   | <b>55-64</b>        | 894   | 16.88       | 536        | 10.12       |
|   | <b>65-74</b>        | 625   | 11.80       | 371        | 7.01        |
|   | <b>75-84</b>        | 192   | 3.63        | 101        | 1.91        |
|   | <b>85 and older</b> | 11  | 0.21        | 4          | 0.08        |

### Jackson Heart Study Analysis Data Descriptive Statistics of Major Exam 1 Variables

| Table 46: Family Income Classification BY AGE AND GENDER |              | Family Income Classification |      |                 |      |                  |      |                   |      |                   |      |                   |      |
|--|--------------|------------------------------|------|-----------------|------|------------------|------|-------------------|------|-------------------|------|-------------------|------|
|  |              | Less than \$5,000            |      | \$5,000 - 7,999 |      | \$8,000 - 11,999 |      | \$12,000 - 15,999 |      | \$16,000 - 19,999 |      | \$20,000 - 24,999 |      |
|  |              | N                            | PctN | N               | PctN | N                | PctN | N                 | PctN | N                 | PctN | N                 | PctN |
| Gender   | AGE          |                              |      |                 |      |                  |      |                   |      |                   |      |                   |      |
| Female   | Under 35     | 13                           | 0.29 | 11              | 0.24 | 13               | 0.29 | 13                | 0.29 | 10                | 0.22 | 9                 | 0.20 |
|  | 35-44        | 28                           | 0.62 | 21              | 0.47 | 15               | 0.33 | 30                | 0.67 | 33                | 0.73 | 36                | 0.80 |
|  | 45-54        | 30                           | 0.67 | 15              | 0.33 | 27               | 0.60 | 39                | 0.87 | 36                | 0.80 | 59                | 1.31 |
|  | 55-64        | 26                           | 0.58 | 50              | 1.11 | 51               | 1.13 | 59                | 1.31 | 67                | 1.49 | 85                | 1.89 |
|  | 65-74        | 28                           | 0.62 | 61              | 1.35 | 69               | 1.53 | 81                | 1.80 | 48                | 1.06 | 78                | 1.73 |
|  | 75-84        | 7                            | 0.16 | 31              | 0.69 | 21               | 0.47 | 25                | 0.55 | 11                | 0.24 | 13                | 0.29 |
|  | 85 and older | 2                            | 0.04 | 2               | 0.04 | 2                | 0.04 | .                 | .    | 2                 | 0.04 | 1                 | 0.02 |
|  | Total        | 134                          | 2.97 | 191             | 4.24 | 198              | 4.39 | 247               | 5.48 | 207               | 4.59 | 281               | 6.23 |
| Male   | AGE          |                              |      |                 |      |                  |      |                   |      |                   |      |                   |      |
|  | Under 35     | 8                            | 0.18 | 3               | 0.07 | 3                | 0.07 | 4                 | 0.09 | 7                 | 0.16 | 9                 | 0.20 |
|  | 35-44        | 14                           | 0.31 | 3               | 0.07 | 13               | 0.29 | 8                 | 0.18 | 9                 | 0.20 | 24                | 0.53 |
|  | 45-54        | 22                           | 0.49 | 5               | 0.11 | 16               | 0.35 | 14                | 0.31 | 12                | 0.27 | 26                | 0.58 |
|  | 55-64        | 4                            | 0.09 | 14              | 0.31 | 16               | 0.35 | 22                | 0.49 | 16                | 0.35 | 29                | 0.64 |
|  | 65-74        | 5                            | 0.11 | 16              | 0.35 | 16               | 0.35 | 25                | 0.55 | 24                | 0.53 | 34                | 0.75 |
|  | 75-84        | .                            | .    | 9               | 0.20 | 9                | 0.20 | 17                | 0.38 | 11                | 0.24 | 9                 | 0.20 |
|  | 85 and older | 1                            | 0.02 | 1               | 0.02 | 1                | 0.02 | .                 | .    | .                 | .    | 2                 | 0.04 |
|  | Total        | 54                           | 1.20 | 51              | 1.13 | 74               | 1.64 | 90                | 2.00 | 79                | 1.75 | 133               | 2.95 |
| TOTAL COHORT   | AGE          |                              |      |                 |      |                  |      |                   |      |                   |      |                   |      |
|  | Under 35     | 21                           | 0.47 | 14              | 0.31 | 16               | 0.35 | 17                | 0.38 | 17                | 0.38 | 18                | 0.40 |
|  | 35-44        | 42                           | 0.93 | 24              | 0.53 | 28               | 0.62 | 38                | 0.84 | 42                | 0.93 | 60                | 1.33 |
|  | 45-54        | 52                           | 1.15 | 20              | 0.44 | 43               | 0.95 | 53                | 1.18 | 48                | 1.06 | 85                | 1.89 |
|  | 55-64        | 30                           | 0.67 | 64              | 1.42 | 67               | 1.49 | 81                | 1.80 | 83                | 1.84 | 114               | 2.53 |
|  | 65-74        | 33                           | 0.73 | 77              | 1.71 | 85               | 1.89 | 106               | 2.35 | 72                | 1.60 | 112               | 2.48 |
|  | 75-84        | 7                            | 0.16 | 40              | 0.89 | 30               | 0.67 | 42                | 0.93 | 22                | 0.49 | 22                | 0.49 |
|  | 85 and older | 3                            | 0.07 | 3               | 0.07 | 3                | 0.07 | .                 | .    | 2                 | 0.04 | 3                 | 0.07 |



**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 47:<br/>Self-Reported HRT<br/>Medication Status<br/>(Y/N) BY AGE AND<br/>GENDER</b> |                     | <b>Self Reported HRT<br/>Medication Status (Y/N)</b> |             |            |             |
|--|---------------------|--|-------------|------------|-------------|
|  |                     | <b>No</b>  |             | <b>Yes</b> |             |
|  |                     | <b>N</b>   | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |             |
| <b>Female</b>  | <b>Under 35</b>     | 125  | 3.76        | 21         | 0.63        |
|  | <b>35-44</b>        | 489  | 14.69       | 116        | 3.49        |
|  | <b>45-54</b>        | 460  | 13.82       | 341        | 10.25       |
|  | <b>55-64</b>        | 446  | 13.40       | 477        | 14.33       |
|  | <b>65-74</b>        | 401  | 12.05       | 248        | 7.45        |
|  | <b>75-84</b>        | 133  | 4.00        | 60         | 1.80        |
|  | <b>85 and older</b> | 9  | 0.27        | 1          | 0.03        |
|  | <b>Total</b>        | 2063   | 61.99       | 1264       | 37.98       |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |             |
|  | <b>55-64</b>        | 1  | 0.03        | .          | .           |
|  | <b>Total</b>        | 1  | 0.03        | .          | .           |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |             |
|  | <b>Under 35</b>     | 125  | 3.76        | 21         | 0.63        |
|  | <b>35-44</b>        | 489  | 14.69       | 116        | 3.49        |
|  | <b>45-54</b>        | 460  | 13.82       | 341        | 10.25       |
|  | <b>55-64</b>        | 447  | 13.43       | 477        | 14.33       |
|  | <b>65-74</b>        | 401  | 12.05       | 248        | 7.45        |
|  | <b>75-84</b>        | 133  | 4.00        | 60         | 1.80        |
|  | <b>85 and older</b> | 9  | 0.27        | 1          | 0.03        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 48:<br/>Hypertension Status<br/>BY AGE AND<br/>GENDER</b> |                     | <b>Hypertension Status</b> |             |            |             |
|--|---------------------|----------------------------|-------------|------------|-------------|
|  |                     | <b>No</b>                  |             | <b>Yes</b> |             |
|  |                     | <b>N</b>                   | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |                            |             |            |             |
| <b>Female</b>  | <b>Under 35</b>     | 137                        | 2.58        | 14         | 0.26        |
|  | <b>35-44</b>        | 454                        | 8.56        | 158        | 2.98        |
|  | <b>45-54</b>        | 382                        | 7.20        | 430        | 8.11        |
|  | <b>55-64</b>        | 252                        | 4.75        | 685        | 12.91       |
|  | <b>65-74</b>        | 125                        | 2.36        | 527        | 9.94        |
|  | <b>75-84</b>        | 34                         | 0.64        | 161        | 3.04        |
|  | <b>85 and older</b> | 1                          | 0.02        | 9          | 0.17        |
|  | <b>Total</b>        | 1385                       | 26.11       | 1984       | 37.41       |
| <b>Male</b>  | <b>AGE</b>          |                            |             |            |             |
|  | <b>Under 35</b>     | 93                         | 1.75        | 11         | 0.21        |
|  | <b>35-44</b>        | 268                        | 5.05        | 124        | 2.34        |
|  | <b>45-54</b>        | 264                        | 4.98        | 230        | 4.34        |
|  | <b>55-64</b>        | 188                        | 3.54        | 307        | 5.79        |
|  | <b>65-74</b>        | 89                         | 1.68        | 258        | 4.86        |
|  | <b>75-84</b>        | 21                         | 0.40        | 77         | 1.45        |
|  | <b>85 and older</b> | .                          | .           | 5          | 0.09        |
|  | <b>Total</b>        | 923                        | 17.40       | 1012       | 19.08       |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |                            |             |            |             |
|  | <b>Under 35</b>     | 230                        | 4.34        | 25         | 0.47        |
|  | <b>35-44</b>        | 722                        | 13.61       | 282        | 5.32        |
|  | <b>45-54</b>        | 646                        | 12.18       | 660        | 12.44       |
|  | <b>55-64</b>        | 440                        | 8.30        | 992        | 18.70       |
|  | <b>65-74</b>        | 214                        | 4.03        | 785        | 14.80       |
|  | <b>75-84</b>        | 55                         | 1.04        | 238        | 4.49        |
|  | <b>85 and older</b> | 1                          | 0.02        | 14         | 0.26        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 49: Indicator for Ideal Health via BMI Status BY AGE AND GENDER</b> |                     | <b>Indicator for Ideal Health via BMI Status</b> |             |            |             |
|--|---------------------|--|-------------|------------|-------------|
|  |                     | <b>No</b>  |             | <b>Yes</b> |             |
|  |                     | <b>N</b>   | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |             |
| <b>Female</b>  | <b>Under 35</b>     | 120  | 2.27        | 27         | 0.51        |
|  | <b>35-44</b>        | 523  | 9.88        | 90         | 1.70        |
|  | <b>45-54</b>        | 717  | 13.55       | 94         | 1.78        |
|  | <b>55-64</b>        | 850  | 16.06       | 86         | 1.63        |
|  | <b>65-74</b>        | 574  | 10.85       | 77         | 1.46        |
|  | <b>75-84</b>        | 159  | 3.00        | 35         | 0.66        |
|  | <b>85 and older</b> | 6  | 0.11        | 4          | 0.08        |
|  | <b>Total</b>        | 2949   | 55.73       | 413        | 7.80        |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |             |
|  | <b>Under 35</b>     | 73   | 1.38        | 30         | 0.57        |
|  | <b>35-44</b>        | 329  | 6.22        | 63         | 1.19        |
|  | <b>45-54</b>        | 417  | 7.88        | 77         | 1.46        |
|  | <b>55-64</b>        | 411  | 7.77        | 83         | 1.57        |
|  | <b>65-74</b>        | 270  | 5.10        | 74         | 1.40        |
|  | <b>75-84</b>        | 73   | 1.38        | 25         | 0.47        |
|  | <b>85 and older</b> | 1  | 0.02        | 4          | 0.08        |
|  | <b>Total</b>        | 1574   | 29.74       | 356        | 6.73        |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |             |
|  | <b>Under 35</b>     | 193  | 3.65        | 57         | 1.08        |
|  | <b>35-44</b>        | 852  | 16.10       | 153        | 2.89        |
|  | <b>45-54</b>        | 1134   | 21.43       | 171        | 3.23        |
|  | <b>55-64</b>        | 1261   | 23.83       | 169        | 3.19        |
|  | <b>65-74</b>        | 844  | 15.95       | 151        | 2.85        |
|  | <b>75-84</b>        | 232  | 4.38        | 60         | 1.13        |
|  | <b>85 and older</b> | 7  | 0.13        | 8          | 0.15        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 50: Indicator for Ideal Health via Glucose Status BY AGE AND GENDER</b> |                     | <b>Indicator for Ideal Health via Glucose Status</b> |             |            |             |
|--|---------------------|--|-------------|------------|-------------|
|  |                     | <b>No</b>  |             | <b>Yes</b> |             |
|  |                     | <b>N</b>   | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |             |
| <b>Female</b>  | <b>Under 35</b>     | 20   | 0.41        | 116        | 2.37        |
|  | <b>35-44</b>        | 187  | 3.82        | 373        | 7.63        |
|  | <b>45-54</b>        | 389  | 7.96        | 356        | 7.28        |
|  | <b>55-64</b>        | 621  | 12.70       | 263        | 5.38        |
|  | <b>65-74</b>        | 476  | 9.73        | 135        | 2.76        |
|  | <b>75-84</b>        | 127  | 2.60        | 49         | 1.00        |
|  | <b>85 and older</b> | 6  | 0.12        | 4          | 0.08        |
|  | <b>Total</b>        | 1826   | 37.34       | 1296       | 26.50       |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |             |
|  | <b>Under 35</b>     | 27   | 0.55        | 67         | 1.37        |
|  | <b>35-44</b>        | 170  | 3.48        | 179        | 3.66        |
|  | <b>45-54</b>        | 245  | 5.01        | 207        | 4.23        |
|  | <b>55-64</b>        | 342  | 6.99        | 126        | 2.58        |
|  | <b>65-74</b>        | 239  | 4.89        | 82         | 1.68        |
|  | <b>75-84</b>        | 60   | 1.23        | 20         | 0.41        |
|  | <b>85 and older</b> | 2  | 0.04        | 2          | 0.04        |
|  | <b>Total</b>        | 1085   | 22.19       | 683        | 13.97       |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |             |
|  | <b>Under 35</b>     | 47   | 0.96        | 183        | 3.74        |
|  | <b>35-44</b>        | 357  | 7.30        | 552        | 11.29       |
|  | <b>45-54</b>        | 634  | 12.97       | 563        | 11.51       |
|  | <b>55-64</b>        | 963  | 19.69       | 389        | 7.96        |
|  | <b>65-74</b>        | 715  | 14.62       | 217        | 4.44        |
|  | <b>75-84</b>        | 187  | 3.82        | 69         | 1.41        |
|  | <b>85 and older</b> | 8  | 0.16        | 6          | 0.12        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 51: Menopause Status BY AGE AND GENDER</b> |                     | <b>Menopause Status</b> |             |            |             |
|---|---------------------|-------------------------|-------------|------------|-------------|
|   |                     | <b>No</b>               |             | <b>Yes</b> |             |
|   |                     | <b>N</b>                | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>                                       | <b>AGE</b>          |                         |             |            |             |
| <b>Female</b>                                       | <b>Under 35</b>     | 62                      | 2.35        | 3          | 0.11        |
|   | <b>35-44</b>        | 178                     | 6.74        | 97         | 3.67        |
|   | <b>45-54</b>        | 131                     | 4.96        | 475        | 17.99       |
|   | <b>55-64</b>        | 14                      | 0.53        | 864        | 32.71       |
|   | <b>65-74</b>        | 4                       | 0.15        | 618        | 23.40       |
|   | <b>75-84</b>        | .                       | .           | 184        | 6.97        |
|   | <b>85 and older</b> | .                       | .           | 10         | 0.38        |
|   | <b>Total</b>        |                         | 389         | 14.73      | 2251        |
| <b>Male</b>   | <b>AGE</b>          |                         |             |            |             |
|   | <b>55-64</b>        | .                       | .           | 1          | 0.04        |
|   | <b>Total</b>        | .                       | .           | 1          | 0.04        |
| <b>TOTAL COHORT</b>                                 | <b>AGE</b>          |                         |             |            |             |
|   | <b>Under 35</b>     | 62                      | 2.35        | 3          | 0.11        |
|   | <b>35-44</b>        | 178                     | 6.74        | 97         | 3.67        |
|   | <b>45-54</b>        | 131                     | 4.96        | 475        | 17.99       |
|   | <b>55-64</b>        | 14                      | 0.53        | 865        | 32.75       |
|   | <b>65-74</b>        | 4                       | 0.15        | 618        | 23.40       |
|   | <b>75-84</b>        | .                       | .           | 184        | 6.97        |
|   | <b>85 and older</b> | .                       | .           | 10         | 0.38        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 52:<br/>Self-Reported<br/>History of MI BY AGE<br/>AND GENDER</b> |                     | <b>Self-Reported History of<br/>MI</b> |             |            |             |
|--|---------------------|--|-------------|------------|-------------|
|  |                     | <b>No</b>                              |             | <b>Yes</b> |             |
|  |                     | <b>N</b>                               | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |  |             |            |             |
| <b>Female</b>  | <b>Under 35</b>     | 152                                    | 2.86        | .          | .           |
|  | <b>35-44</b>        | 609                                    | 11.48       | 4          | 0.08        |
|  | <b>45-54</b>        | 789                                    | 14.87       | 23         | 0.43        |
|  | <b>55-64</b>        | 894                                    | 16.85       | 43         | 0.81        |
|  | <b>65-74</b>        | 592                                    | 11.16       | 60         | 1.13        |
|  | <b>75-84</b>        | 172                                    | 3.24        | 23         | 0.43        |
|  | <b>85 and older</b> | 10                                     | 0.19        | .          | .           |
|  | <b>Total</b>        | 3218                                   | 60.65       | 153        | 2.88        |
| <b>Male</b>  | <b>AGE</b>          |  |             |            |             |
|  | <b>Under 35</b>     | 104                                    | 1.96        | .          | .           |
|  | <b>35-44</b>        | 386                                    | 7.27        | 6          | 0.11        |
|  | <b>45-54</b>        | 464                                    | 8.74        | 30         | 0.57        |
|  | <b>55-64</b>        | 443                                    | 8.35        | 52         | 0.98        |
|  | <b>65-74</b>        | 308                                    | 5.80        | 39         | 0.74        |
|  | <b>75-84</b>        | 89                                     | 1.68        | 9          | 0.17        |
|  | <b>85 and older</b> | 4                                      | 0.08        | 1          | 0.02        |
|  | <b>Total</b>        | 1798                                   | 33.89       | 137        | 2.58        |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |  |             |            |             |
|  | <b>Under 35</b>     | 256                                    | 4.82        | .          | .           |
|  | <b>35-44</b>        | 995                                    | 18.75       | 10         | 0.19        |
|  | <b>45-54</b>        | 1253                                   | 23.61       | 53         | 1.00        |
|  | <b>55-64</b>        | 1337                                   | 25.20       | 95         | 1.79        |
|  | <b>65-74</b>        | 900                                    | 16.96       | 99         | 1.87        |
|  | <b>75-84</b>        | 261                                    | 4.92        | 32         | 0.60        |
|  | <b>85 and older</b> | 14                                     | 0.26        | 1          | 0.02        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 53:<br/>Occupational Status<br/>BY AGE AND<br/>GENDER</b> |                     | <b>Occupational Status</b>     |             |                |             |              |             |                |             |                     |             |
|--|---------------------|--------------------------------|-------------|----------------|-------------|--------------|-------------|----------------|-------------|---------------------|-------------|
|  |                     | <b>Management/Professional</b> |             | <b>Service</b> |             | <b>Sales</b> |             | <b>Farming</b> |             | <b>Construction</b> |             |
|  |                     | <b>N</b>                       | <b>PctN</b> | <b>N</b>       | <b>PctN</b> | <b>N</b>     | <b>PctN</b> | <b>N</b>       | <b>PctN</b> | <b>N</b>            | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |                                |             |                |             |              |             |                |             |                     |             |
| <b>Female</b>  | <b>Under 35</b>     | 54                             | 1.02        | 25             | 0.47        | 57           | 1.08        | .              | .           | 3                   | 0.06        |
|  | <b>35-44</b>        | 259                            | 4.89        | 132            | 2.49        | 170          | 3.21        | 1              | 0.02        | 2                   | 0.04        |
|  | <b>45-54</b>        | 369                            | 6.97        | 154            | 2.91        | 204          | 3.85        | 1              | 0.02        | 13                  | 0.25        |
|  | <b>55-64</b>        | 364                            | 6.87        | 311            | 5.87        | 136          | 2.57        | 1              | 0.02        | 5                   | 0.09        |
|  | <b>65-74</b>        | 186                            | 3.51        | 297            | 5.61        | 79           | 1.49        | 1              | 0.02        | 2                   | 0.04        |
|  | <b>75-84</b>        | 48                             | 0.91        | 101            | 1.91        | 25           | 0.47        | .              | .           | .                   | .           |
|  | <b>85 and older</b> | 1                              | 0.02        | 8              | 0.15        | .            | .           | .              | .           | .                   | .           |
|  | <b>Total</b>        |                                | 1281        | 24.19          | 1028        | 19.41        | 671         | 12.67          | 4           | 0.08                | 25          |
| <b>Male</b>  | <b>AGE</b>          |                                |             |                |             |              |             |                |             |                     |             |
|  | <b>Under 35</b>     | 25                             | 0.47        | 19             | 0.36        | 12           | 0.23        | 1              | 0.02        | 18                  | 0.34        |
|  | <b>35-44</b>        | 136                            | 2.57        | 70             | 1.32        | 63           | 1.19        | 2              | 0.04        | 43                  | 0.81        |
|  | <b>45-54</b>        | 152                            | 2.87        | 69             | 1.30        | 73           | 1.38        | .              | .           | 85                  | 1.61        |
|  | <b>55-64</b>        | 160                            | 3.02        | 74             | 1.40        | 57           | 1.08        | .              | .           | 70                  | 1.32        |
|  | <b>65-74</b>        | 108                            | 2.04        | 58             | 1.10        | 29           | 0.55        | .              | .           | 64                  | 1.21        |
|  | <b>75-84</b>        | 15                             | 0.28        | 19             | 0.36        | 11           | 0.21        | 2              | 0.04        | 18                  | 0.34        |
|  | <b>85 and older</b> | 1                              | 0.02        | 1              | 0.02        | .            | .           | .              | .           | 3                   | 0.06        |
|  | <b>Total</b>        |                                | 597         | 11.27          | 310         | 5.85         | 245         | 4.63           | 5           | 0.09                | 301         |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |                                |             |                |             |              |             |                |             |                     |             |
|  | <b>Under 35</b>     | 79                             | 1.49        | 44             | 0.83        | 69           | 1.30        | 1              | 0.02        | 21                  | 0.40        |
|  | <b>35-44</b>        | 395                            | 7.46        | 202            | 3.81        | 233          | 4.40        | 3              | 0.06        | 45                  | 0.85        |
|  | <b>45-54</b>        | 521                            | 9.84        | 223            | 4.21        | 277          | 5.23        | 1              | 0.02        | 98                  | 1.85        |
|  | <b>55-64</b>        | 524                            | 9.90        | 385            | 7.27        | 193          | 3.64        | 1              | 0.02        | 75                  | 1.42        |
|  | <b>65-74</b>        | 294                            | 5.55        | 355            | 6.70        | 108          | 2.04        | 1              | 0.02        | 66                  | 1.25        |
|  | <b>75-84</b>        | 63                             | 1.19        | 120            | 2.27        | 36           | 0.68        | 2              | 0.04        | 18                  | 0.34        |
|  | <b>85 and older</b> | 2                              | 0.04        | 9              | 0.17        | .            | .           | .              | .           | 3                   | 0.06        |



**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 54: AHA Physical Activity Categorization BY AGE AND GENDER</b> |                     | <b>AHA Physical Activity Categorization</b> |             |                            |             |                     |             |
|---|---------------------|---|-------------|----------------------------|-------------|---------------------|-------------|
|   |                     | <b>Poor Health</b>                          |             | <b>Intermediate Health</b> |             | <b>Ideal Health</b> |             |
|   |                     | <b>N</b>                                    | <b>PctN</b> | <b>N</b>                   | <b>PctN</b> | <b>N</b>            | <b>PctN</b> |
| <b>Gender</b>   | <b>AGE</b>          |   |             |                            |             |                     |             |
| <b>Female</b>   | <b>Under 35</b>     | 47  | 0.89        | 57                         | 1.08        | 44                  | 0.83        |
|   | <b>35-44</b>        | 257   | 4.85        | 236                        | 4.46        | 120                 | 2.27        |
|   | <b>45-54</b>        | 362   | 6.84        | 284                        | 5.36        | 164                 | 3.10        |
|   | <b>55-64</b>        | 502   | 9.48        | 296                        | 5.59        | 139                 | 2.62        |
|   | <b>65-74</b>        | 381   | 7.19        | 186                        | 3.51        | 84                  | 1.59        |
|   | <b>75-84</b>        | 133   | 2.51        | 43                         | 0.81        | 19                  | 0.36        |
|   | <b>85 and older</b> | 9   | 0.17        | 1                          | 0.02        | .                   | .           |
|   | <b>Total</b>        | 1691  | 31.93       | 1103                       | 20.83       | 570                 | 10.76       |
| <b>Male</b>   | <b>AGE</b>          |   |             |                            |             |                     |             |
|   | <b>Under 35</b>     | 22  | 0.42        | 38                         | 0.72        | 43                  | 0.81        |
|   | <b>35-44</b>        | 141   | 2.66        | 137                        | 2.59        | 114                 | 2.15        |
|   | <b>45-54</b>        | 211   | 3.98        | 160                        | 3.02        | 123                 | 2.32        |
|   | <b>55-64</b>        | 275   | 5.19        | 125                        | 2.36        | 94                  | 1.77        |
|   | <b>65-74</b>        | 205   | 3.87        | 88                         | 1.66        | 53                  | 1.00        |
|   | <b>75-84</b>        | 62  | 1.17        | 22                         | 0.42        | 14                  | 0.26        |
|   | <b>85 and older</b> | 5   | 0.09        | .                          | .           | .                   | .           |
|   | <b>Total</b>        | 921   | 17.39       | 570                        | 10.76       | 441                 | 8.33        |
| <b>TOTAL COHORT</b>   | <b>AGE</b>          |   |             |                            |             |                     |             |
|   | <b>Under 35</b>     | 69  | 1.30        | 95                         | 1.79        | 87                  | 1.64        |
|   | <b>35-44</b>        | 398   | 7.52        | 373                        | 7.04        | 234                 | 4.42        |
|   | <b>45-54</b>        | 573   | 10.82       | 444                        | 8.38        | 287                 | 5.42        |
|   | <b>55-64</b>        | 777   | 14.67       | 421                        | 7.95        | 233                 | 4.40        |
|   | <b>65-74</b>        | 586   | 11.06       | 274                        | 5.17        | 137                 | 2.59        |
|   | <b>75-84</b>        | 195   | 3.68        | 65                         | 1.23        | 33                  | 0.62        |
|   | <b>85 and older</b> | 14  | 0.26        | 1                          | 0.02        | .                   | .           |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 55: History of Paralysis BY AGE AND GENDER</b> |                     | <b>History of Paralysis</b> |             |            |             |
|---|---------------------|-----------------------------|-------------|------------|-------------|
|   |                     | <b>No</b>                   |             | <b>Yes</b> |             |
|   |                     | <b>N</b>                    | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>   | <b>AGE</b>          |                             |             |            |             |
| <b>Female</b>   | <b>Under 35</b>     | 146                         | 2.77        | 3          | 0.06        |
|   | <b>35-44</b>        | 584                         | 11.09       | 20         | 0.38        |
|   | <b>45-54</b>        | 775                         | 14.71       | 29         | 0.55        |
|   | <b>55-64</b>        | 893                         | 16.95       | 39         | 0.74        |
|   | <b>65-74</b>        | 627                         | 11.90       | 23         | 0.44        |
|   | <b>75-84</b>        | 189                         | 3.59        | 6          | 0.11        |
|   | <b>85 and older</b> | 10                          | 0.19        | .          | .           |
|   | <b>Total</b>        | 3224                        | 61.20       | 120        | 2.28        |
| <b>Male</b>   | <b>AGE</b>          |                             |             |            |             |
|   | <b>Under 35</b>     | 101                         | 1.92        | 2          | 0.04        |
|   | <b>35-44</b>        | 381                         | 7.23        | 7          | 0.13        |
|   | <b>45-54</b>        | 475                         | 9.02        | 16         | 0.30        |
|   | <b>55-64</b>        | 474                         | 9.00        | 21         | 0.40        |
|   | <b>65-74</b>        | 338                         | 6.42        | 7          | 0.13        |
|   | <b>75-84</b>        | 93                          | 1.77        | 4          | 0.08        |
|   | <b>85 and older</b> | 4                           | 0.08        | 1          | 0.02        |
|   | <b>Total</b>        | 1866                        | 35.42       | 58         | 1.10        |
| <b>TOTAL COHORT</b>                                     | <b>AGE</b>          |                             |             |            |             |
|   | <b>Under 35</b>     | 247                         | 4.69        | 5          | 0.09        |
|   | <b>35-44</b>        | 965                         | 18.32       | 27         | 0.51        |
|   | <b>45-54</b>        | 1250                        | 23.73       | 45         | 0.85        |
|   | <b>55-64</b>        | 1367                        | 25.95       | 60         | 1.14        |
|   | <b>65-74</b>        | 965                         | 18.32       | 30         | 0.57        |
|   | <b>75-84</b>        | 282                         | 5.35        | 10         | 0.19        |
|   | <b>85 and older</b> | 14                          | 0.27        | 1          | 0.02        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 56: Public or Private Insurance BY AGE AND GENDER</b> |                     | <b>Public or Private Insurance</b> |             |                     |             |                    |             |                             |             |
|--|---------------------|------------------------------------|-------------|---------------------|-------------|--------------------|-------------|-----------------------------|-------------|
|  |                     | <b>Uninsured</b>                   |             | <b>Private Only</b> |             | <b>Public Only</b> |             | <b>Private &amp; Public</b> |             |
|  |                     | <b>N</b>                           | <b>PctN</b> | <b>N</b>            | <b>PctN</b> | <b>N</b>           | <b>PctN</b> | <b>N</b>                    | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |                                    |             |                     |             |                    |             |                             |             |
| <b>Female</b>  | <b>Under 35</b>     | 37                                 | 0.70        | 94                  | 1.78        | 16                 | 0.30        | 3                           | 0.06        |
|  | <b>35-44</b>        | 97                                 | 1.84        | 469                 | 8.88        | 37                 | 0.70        | 8                           | 0.15        |
|  | <b>45-54</b>        | 136                                | 2.58        | 606                 | 11.48       | 53                 | 1.00        | 13                          | 0.25        |
|  | <b>55-64</b>        | 157                                | 2.97        | 590                 | 11.17       | 129                | 2.44        | 57                          | 1.08        |
|  | <b>65-74</b>        | 13                                 | 0.25        | 19                  | 0.36        | 362                | 6.85        | 253                         | 4.79        |
|  | <b>75-84</b>        | 5                                  | 0.09        | 3                   | 0.06        | 116                | 2.20        | 70                          | 1.33        |
|  | <b>85 and older</b> | .                                  | .           | .                   | .           | 7                  | 0.13        | 3                           | 0.06        |
|  | <b>Total</b>        |                                    | 445         | 8.43                | 1781        | 33.72              | 720         | 13.63                       | 407         |
| <b>Male</b>  | <b>AGE</b>          |                                    |             |                     |             |                    |             |                             |             |
|  | <b>Under 35</b>     | 26                                 | 0.49        | 68                  | 1.29        | 5                  | 0.09        | 3                           | 0.06        |
|  | <b>35-44</b>        | 79                                 | 1.50        | 298                 | 5.64        | 14                 | 0.27        | 1                           | 0.02        |
|  | <b>45-54</b>        | 93                                 | 1.76        | 361                 | 6.84        | 26                 | 0.49        | 12                          | 0.23        |
|  | <b>55-64</b>        | 57                                 | 1.08        | 346                 | 6.55        | 56                 | 1.06        | 35                          | 0.66        |
|  | <b>65-74</b>        | 7                                  | 0.13        | 39                  | 0.74        | 141                | 2.67        | 159                         | 3.01        |
|  | <b>75-84</b>        | 2                                  | 0.04        | 6                   | 0.11        | 41                 | 0.78        | 48                          | 0.91        |
|  | <b>85 and older</b> | .                                  | .           | .                   | .           | 4                  | 0.08        | 1                           | 0.02        |
|  | <b>Total</b>        |                                    | 264         | 5.00                | 1118        | 21.17              | 287         | 5.43                        | 259         |
| <b>TOTAL COHORT</b>  | <b>AGE</b>          |                                    |             |                     |             |                    |             |                             |             |
|  | <b>Under 35</b>     | 63                                 | 1.19        | 162                 | 3.07        | 21                 | 0.40        | 6                           | 0.11        |
|  | <b>35-44</b>        | 176                                | 3.33        | 767                 | 14.52       | 51                 | 0.97        | 9                           | 0.17        |
|  | <b>45-54</b>        | 229                                | 4.34        | 967                 | 18.31       | 79                 | 1.50        | 25                          | 0.47        |
|  | <b>55-64</b>        | 214                                | 4.05        | 936                 | 17.72       | 185                | 3.50        | 92                          | 1.74        |
|  | <b>65-74</b>        | 20                                 | 0.38        | 58                  | 1.10        | 503                | 9.52        | 412                         | 7.80        |
|  | <b>75-84</b>        | 7                                  | 0.13        | 9                   | 0.17        | 157                | 2.97        | 118                         | 2.23        |
|  | <b>85 and older</b> | .                                  | .           | .                   | .           | 11                 | 0.21        | 4                           | 0.08        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 57: Participant Sex BY AGE AND GENDER</b> |                     | <b>Participant Sex</b> |             |             |             |
|--|---------------------|------------------------|-------------|-------------|-------------|
|  |                     | <b>Female</b>          |             | <b>Male</b> |             |
|  |                     | <b>N</b>               | <b>PctN</b> | <b>N</b>    | <b>PctN</b> |
| <b>Gender</b>                                      | <b>AGE</b>          |                        |             |             |             |
| <b>Female</b>                                      | <b>Under 35</b>     | 152                    | 2.86        | .           | .           |
|  | <b>35-44</b>        | 613                    | 11.55       | .           | .           |
|  | <b>45-54</b>        | 812                    | 15.30       | .           | .           |
|  | <b>55-64</b>        | 937                    | 17.66       | .           | .           |
|  | <b>65-74</b>        | 652                    | 12.29       | .           | .           |
|  | <b>75-84</b>        | 195                    | 3.68        | .           | .           |
|  | <b>85 and older</b> | 10                     | 0.19        | .           | .           |
|  | <b>Total</b>        | 3371                   | 63.53       | .           | .           |
| <b>Male</b>  | <b>AGE</b>          |                        |             |             |             |
|  | <b>Under 35</b>     | .                      | .           | 104         | 1.96        |
|  | <b>35-44</b>        | .                      | .           | 392         | 7.39        |
|  | <b>45-54</b>        | .                      | .           | 494         | 9.31        |
|  | <b>55-64</b>        | .                      | .           | 495         | 9.33        |
|  | <b>65-74</b>        | .                      | .           | 347         | 6.54        |
|  | <b>75-84</b>        | .                      | .           | 98          | 1.85        |
|  | <b>85 and older</b> | .                      | .           | 5           | 0.09        |
|  | <b>Total</b>        | .                      | .           | 1935        | 36.47       |
| <b>TOTAL COHORT</b>                                | <b>AGE</b>          |                        |             |             |             |
|  | <b>Under 35</b>     | 152                    | 2.86        | 104         | 1.96        |
|  | <b>35-44</b>        | 613                    | 11.55       | 392         | 7.39        |
|  | <b>45-54</b>        | 812                    | 15.30       | 494         | 9.31        |
|  | <b>55-64</b>        | 937                    | 17.66       | 495         | 9.33        |
|  | <b>65-74</b>        | 652                    | 12.29       | 347         | 6.54        |
|  | <b>75-84</b>        | 195                    | 3.68        | 98          | 1.85        |
|  | <b>85 and older</b> | 10                     | 0.19        | 5           | 0.09        |

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 1 Variables**

| <b>Table 58: History of Stroke BY AGE AND GENDER</b> |                     | <b>History of Stroke</b> |             |            |             |
|--|---------------------|--------------------------|-------------|------------|-------------|
|  |                     | <b>No</b>                |             | <b>Yes</b> |             |
|  |                     | <b>N</b>                 | <b>PctN</b> | <b>N</b>   | <b>PctN</b> |
| <b>Gender</b>  | <b>AGE</b>          |                          |             |            |             |
| <b>Female</b>  | <b>Under 35</b>     | 152                      | 2.86        | .          | .           |
|  | <b>35-44</b>        | 605                      | 11.40       | 8          | 0.15        |
|  | <b>45-54</b>        | 795                      | 14.98       | 17         | 0.32        |
|  | <b>55-64</b>        | 897                      | 16.91       | 40         | 0.75        |
|  | <b>65-74</b>        | 595                      | 11.21       | 57         | 1.07        |
|  | <b>75-84</b>        | 181                      | 3.41        | 14         | 0.26        |
|  | <b>85 and older</b> | 9                        | 0.17        | 1          | 0.02        |
|  | <b>Total</b>        | 3234                     | 60.95       | 137        | 2.58        |
| <b>Male</b>  | <b>AGE</b>          |                          |             |            |             |
|  | <b>Under 35</b>     | 103                      | 1.94        | 1          | 0.02        |
|  | <b>35-44</b>        | 390                      | 7.35        | 2          | 0.04        |
|  | <b>45-54</b>        | 483                      | 9.10        | 11         | 0.21        |
|  | <b>55-64</b>        | 455                      | 8.58        | 40         | 0.75        |
|  | <b>65-74</b>        | 315                      | 5.94        | 32         | 0.60        |
|  | <b>75-84</b>        | 89                       | 1.68        | 9          | 0.17        |
|  | <b>85 and older</b> | 3                        | 0.06        | 2          | 0.04        |
|  | <b>Total</b>        | 1838                     | 34.64       | 97         | 1.83        |
| <b>TOTAL COHORT</b>                                  | <b>AGE</b>          |                          |             |            |             |
|  | <b>Under 35</b>     | 255                      | 4.81        | 1          | 0.02        |
|  | <b>35-44</b>        | 995                      | 18.75       | 10         | 0.19        |
|  | <b>45-54</b>        | 1278                     | 24.09       | 28         | 0.53        |
|  | <b>55-64</b>        | 1352                     | 25.48       | 80         | 1.51        |
|  | <b>65-74</b>        | 910                      | 17.15       | 89         | 1.68        |
|  | <b>75-84</b>        | 270                      | 5.09        | 23         | 0.43        |
|  | <b>85 and older</b> | 12                       | 0.23        | 3          | 0.06        |