

## Table Of Contents

Table 1: Body Mass Index (kg/m) BY AGE AND GENDER .....	1
Table 2: Diastolic Blood Pressure (mmHg) BY AGE AND GENDER .....	2
Table 3: Fasting Insulin (Plasma IU/mL) BY AGE AND GENDER .....	3
Table 4: Fasting Plasma Glucose Level (mg/dL) BY AGE AND GENDER .....	4
Table 5: NGSP Hemoglobin A1c (%) BY AGE AND GENDER .....	5
Table 6: Fasting HDL Cholesterol Level (mg/dL) BY AGE AND GENDER .....	6
Table 7: Height (cm) BY AGE AND GENDER .....	7
Table 8: High Sensitivity C-Reactive Protein (mg/dL) BY AGE AND GENDER .....	8
Table 9: Fasting LDL Cholesterol Level (mg/dL) BY AGE AND GENDER.....	9
Table 10: Systolic Blood Pressure (mmHg) BY AGE AND GENDER .....	10
Table 11: Fasting Total Cholesterol (mg/dL) BY AGE AND GENDER.....	11
Table 12: Fasting Triglyceride Level (mg/dL) BY AGE AND GENDER.....	12
Table 13: Waist Circumference (cm) BY AGE AND GENDER.....	13
Table 14: Weight (kg) BY AGE AND GENDER.....	14
Table 15: Alcohol History BY AGE AND GENDER .....	15
Table 16: AHA BMI Categorization BY AGE AND GENDER .....	16
Table 17: 1. Self-reported Serious ongoing health problem BY AGE AND GENDER.....	17
Table 18: Diabetes Status (ADA 2010) BY AGE AND GENDER.....	18
Table 19: Family Income Classification BY AGE AND GENDER.....	19
Table 19: Family Income Classification BY AGE AND GENDER.....	20
Table 20: Hypertension Status BY AGE AND GENDER.....	21
Table 21: 1. Feelings of Depression BY AGE AND GENDER .....	22
Table 22: Menopause Status BY AGE AND GENDER .....	23
Table 23: ECG determined MI BY AGE AND GENDER .....	24
Table 24: AHA Physical Activity Categorization BY AGE AND GENDER.....	25
Table 25: Daily Active Living BY AGE AND GENDER.....	26
Table 26: Relative Recreational Activity BY AGE AND GENDER.....	27
Table 27: 1. Relative Overall Health BY AGE AND GENDER .....	28
Table 28: Self-reported weight status BY AGE AND GENDER .....	29
Table 29: History of Autoimmune Disease BY AGE AND GENDER.....	30
Table 30: Self-Reported Dialysis History BY AGE AND GENDER .....	31
Table 31: Kidney Disease History BY AGE AND GENDER .....	32
Table 32: Participant Sex BY AGE AND GENDER.....	33
Table 33: History of Stroke BY AGE AND GENDER .....	34

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 1: Body Mass Index (kg/m) BY AGE AND GENDER</b>		<b>Body Mass Index (kg/m)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	108	36.71	18.51	64.98
	<b>35-44</b>	456	34.60	18.82	92.44
	<b>45-54</b>	622	33.88	15.06	66.02
	<b>55-64</b>	703	32.70	15.48	63.82
	<b>65-74</b>	410	31.09	15.68	63.53
	<b>75-84</b>	82	28.84	17.37	40.77
	<b>85 and older</b>	1	24.73	24.73	24.73
	<b>Total</b>	2382	33.14	15.06	92.44
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	70	33.91	20.16	70.01
	<b>35-44</b>	298	31.82	16.25	59.17
	<b>45-54</b>	385	30.53	17.64	59.55
	<b>55-64</b>	366	29.58	16.84	53.77
	<b>65-74</b>	201	28.61	17.32	48.66
	<b>75-84</b>	31	27.21	20.46	37.01
	<b>85 and older</b>	2	22.22	22.11	22.33
	<b>Total</b>	1353	30.36	16.25	70.01
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	178	35.61	18.51	70.01
	<b>35-44</b>	754	33.50	16.25	92.44
	<b>45-54</b>	1007	32.60	15.06	66.02
	<b>55-64</b>	1069	31.63	15.48	63.82
	<b>65-74</b>	611	30.28	15.68	63.53
	<b>75-84</b>	113	28.39	17.37	40.77
	<b>85 and older</b>	3	23.05	22.11	24.73

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 2: Diastolic Blood Pressure (mmHg) BY AGE AND GENDER</b>		<b>Diastolic Blood Pressure (mmHg)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	109	77.12	52.00	104.00
	<b>35-44</b>	456	78.79	47.00	114.00
	<b>45-54</b>	629	76.78	48.00	118.00
	<b>55-64</b>	710	72.63	41.00	108.00
	<b>65-74</b>	432	69.72	45.00	108.00
	<b>75-84</b>	98	68.30	38.00	101.00
	<b>85 and older</b>	4	80.00	72.00	90.00
	<b>Total</b>	2438	74.38	38.00	118.00
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	71	76.86	58.00	108.00
	<b>35-44</b>	298	80.40	46.00	123.00
	<b>45-54</b>	387	78.65	51.00	128.00
	<b>55-64</b>	374	73.88	50.00	108.00
	<b>65-74</b>	209	70.36	49.00	109.00
	<b>75-84</b>	35	67.37	44.00	100.00
	<b>85 and older</b>	2	67.00	65.00	69.00
	<b>Total</b>	1376	76.08	44.00	128.00
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	180	77.02	52.00	108.00
	<b>35-44</b>	754	79.42	46.00	123.00
	<b>45-54</b>	1016	77.50	48.00	128.00
	<b>55-64</b>	1084	73.06	41.00	108.00
	<b>65-74</b>	641	69.93	45.00	109.00
	<b>75-84</b>	133	68.05	38.00	101.00
	<b>85 and older</b>	6	75.67	65.00	90.00

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 3: Fasting Insulin (Plasma IU/mL) BY AGE AND GENDER</b>		<b>Fasting Insulin (Plasma IU/mL)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	105	14.81	2.17	43.17
	<b>35-44</b>	425	14.50	1.00	152.00
	<b>45-54</b>	576	15.22	0.90	119.17
	<b>55-64</b>	644	15.32	1.00	216.00
	<b>65-74</b>	385	13.15	1.00	161.33
	<b>75-84</b>	81	13.54	1.67	186.00
	<b>85 and older</b>	2	9.33	9.00	9.67
	<b>Total</b>	2218	14.66	0.90	216.00
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	62	15.85	1.83	60.67
	<b>35-44</b>	265	14.41	1.00	96.00
	<b>45-54</b>	353	13.29	1.00	83.00
	<b>55-64</b>	344	12.92	1.00	187.00
	<b>65-74</b>	193	11.46	1.00	72.00
	<b>75-84</b>	29	7.34	1.17	15.33
	<b>85 and older</b>	0	.	.	.
	<b>Total</b>	1246	13.13	1.00	187.00
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	167	15.19	1.83	60.67
	<b>35-44</b>	690	14.46	1.00	152.00
	<b>45-54</b>	929	14.49	0.90	119.17
	<b>55-64</b>	988	14.48	1.00	216.00
	<b>65-74</b>	578	12.58	1.00	161.33
	<b>75-84</b>	110	11.91	1.17	186.00
	<b>85 and older</b>	2	9.33	9.00	9.67

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 4: Fasting Plasma Glucose Level (mg/dL) BY AGE AND GENDER</b>		<b>Fasting Plasma Glucose Level (mg/dL)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	105	92.31	71.00	183.00
	<b>35-44</b>	426	97.55	70.00	344.00
	<b>45-54</b>	577	107.37	52.00	407.00
	<b>55-64</b>	645	105.94	31.00	377.00
	<b>65-74</b>	386	104.81	45.00	291.00
	<b>75-84</b>	81	100.72	67.00	185.00
	<b>85 and older</b>	2	96.00	87.00	105.00
	<b>Total</b>	2222	103.66	31.00	407.00
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	62	102.06	77.00	275.00
	<b>35-44</b>	266	106.89	66.00	340.00
	<b>45-54</b>	354	109.06	64.00	391.00
	<b>55-64</b>	344	109.55	37.00	289.00
	<b>65-74</b>	193	105.70	63.00	214.00
	<b>75-84</b>	29	95.48	72.00	122.00
	<b>85 and older</b>	0	.	.	.
	<b>Total</b>	1248	107.55	37.00	391.00
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	167	95.93	71.00	275.00
	<b>35-44</b>	692	101.14	66.00	344.00
	<b>45-54</b>	931	108.01	52.00	407.00
	<b>55-64</b>	989	107.19	31.00	377.00
	<b>65-74</b>	579	105.11	45.00	291.00
	<b>75-84</b>	110	99.34	67.00	185.00
	<b>85 and older</b>	2	96.00	87.00	105.00

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

Table 5: NGSP Hemoglobin A1c (%) BY AGE AND GENDER		NGSP Hemoglobin A1c (%)			
		N	Mean	Min	Max
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	105	5.65	4.60	10.50
	<b>35-44</b>	449	5.97	4.40	14.50
	<b>45-54</b>	614	6.35	3.90	17.40
	<b>55-64</b>	694	6.33	4.40	16.70
	<b>65-74</b>	421	6.19	3.60	10.50
	<b>75-84</b>	91	6.19	5.00	10.40
	<b>85 and older</b>	4	6.10	5.80	6.50
	<b>Total</b>	2378	6.20	3.60	17.40
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	69	6.06	4.30	13.40
	<b>35-44</b>	297	6.16	4.30	14.70
	<b>45-54</b>	381	6.20	4.10	15.30
	<b>55-64</b>	368	6.17	4.60	13.50
	<b>65-74</b>	208	6.18	4.60	11.10
	<b>75-84</b>	35	5.76	4.70	7.70
	<b>85 and older</b>	2	6.05	5.50	6.60
	<b>Total</b>	1360	6.16	4.10	15.30
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	174	5.81	4.30	13.40
	<b>35-44</b>	746	6.04	4.30	14.70
	<b>45-54</b>	995	6.29	3.90	17.40
	<b>55-64</b>	1062	6.27	4.40	16.70
	<b>65-74</b>	629	6.18	3.60	11.10
	<b>75-84</b>	126	6.07	4.70	10.40
	<b>85 and older</b>	6	6.08	5.50	6.60

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 6: Fasting HDL Cholesterol Level (mg/dL) BY AGE AND GENDER</b>		<b>Fasting HDL Cholesterol Level (mg/dL)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	105	54.98	31.00	107.00
	<b>35-44</b>	426	58.89	28.00	128.00
	<b>45-54</b>	577	60.93	32.00	127.00
	<b>55-64</b>	645	61.39	27.00	131.00
	<b>65-74</b>	386	64.15	33.00	117.00
	<b>75-84</b>	81	65.78	31.00	103.00
	<b>85 and older</b>	2	54.00	37.00	71.00
	<b>Total</b>	2222	61.12	27.00	131.00
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	62	49.27	25.00	88.00
	<b>35-44</b>	266	50.72	22.00	128.00
	<b>45-54</b>	354	51.44	26.00	107.00
	<b>55-64</b>	343	53.52	28.00	146.00
	<b>65-74</b>	193	55.55	25.00	140.00
	<b>75-84</b>	29	56.00	36.00	95.00
	<b>85 and older</b>	0	.	.	.
	<b>Total</b>	1247	52.50	22.00	146.00
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	167	52.86	25.00	107.00
	<b>35-44</b>	692	55.75	22.00	128.00
	<b>45-54</b>	931	57.33	26.00	127.00
	<b>55-64</b>	988	58.66	27.00	146.00
	<b>65-74</b>	579	61.28	25.00	140.00
	<b>75-84</b>	110	63.20	31.00	103.00
	<b>85 and older</b>	2	54.00	37.00	71.00

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 7: Height (cm) BY AGE AND GENDER</b>		<b>Height (cm)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	108	164.52	148.00	182.00
	<b>35-44</b>	456	164.27	141.70	188.40
	<b>45-54</b>	626	164.30	143.00	180.34
	<b>55-64</b>	703	163.28	147.32	187.96
	<b>65-74</b>	411	162.07	142.24	177.80
	<b>75-84</b>	82	160.49	142.24	179.20
	<b>85 and older</b>	1	163.00	163.00	163.00
	<b>Total</b>	2387	163.49	141.70	188.40
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	70	179.50	164.40	193.04
	<b>35-44</b>	298	177.66	156.00	195.58
	<b>45-54</b>	386	178.39	137.16	200.66
	<b>55-64</b>	366	176.64	157.48	198.12
	<b>65-74</b>	201	175.86	157.48	195.58
	<b>75-84</b>	31	173.98	157.00	186.00
	<b>85 and older</b>	2	180.21	175.00	185.42
	<b>Total</b>	1354	177.34	137.16	200.66
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	178	170.41	148.00	193.04
	<b>35-44</b>	754	169.56	141.70	195.58
	<b>45-54</b>	1012	169.68	137.16	200.66
	<b>55-64</b>	1069	167.85	147.32	198.12
	<b>65-74</b>	612	166.60	142.24	195.58
	<b>75-84</b>	113	164.19	142.24	186.00
	<b>85 and older</b>	3	174.47	163.00	185.42



**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 8: High Sensitivity C-Reactive Protein (mg/dL) BY AGE AND GENDER</b>		<b>High Sensitivity C-Reactive Protein (mg/dL)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	106	0.82	0.02	8.67
	<b>35-44</b>	450	0.75	0.02	14.15
	<b>45-54</b>	617	0.70	0.02	8.90
	<b>55-64</b>	697	0.64	0.02	23.87
	<b>65-74</b>	423	0.50	0.01	9.15
	<b>75-84</b>	92	0.57	0.03	4.06
	<b>85 and older</b>	4	1.05	0.02	3.65
	<b>Total</b>	2389	0.66	0.01	23.87
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	69	0.40	0.02	4.22
	<b>35-44</b>	297	0.40	0.02	10.53
	<b>45-54</b>	384	0.43	0.02	6.82
	<b>55-64</b>	371	0.42	0.02	7.74
	<b>65-74</b>	210	0.43	0.02	4.87
	<b>75-84</b>	35	0.44	0.02	2.21
	<b>85 and older</b>	2	0.37	0.20	0.55
	<b>Total</b>	1368	0.42	0.02	10.53
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	175	0.65	0.02	8.67
	<b>35-44</b>	747	0.61	0.02	14.15
	<b>45-54</b>	1001	0.60	0.02	8.90
	<b>55-64</b>	1068	0.56	0.02	23.87
	<b>65-74</b>	633	0.48	0.01	9.15
	<b>75-84</b>	127	0.54	0.02	4.06
	<b>85 and older</b>	6	0.82	0.02	3.65

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 9: Fasting LDL Cholesterol Level (mg/dL) BY AGE AND GENDER</b>		<b>Fasting LDL Cholesterol Level (mg/dL)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	105	111.66	39.00	200.00
	<b>35-44</b>	425	119.90	29.00	231.00
	<b>45-54</b>	575	124.38	39.00	260.00
	<b>55-64</b>	645	118.54	34.00	310.00
	<b>65-74</b>	386	119.03	38.00	224.00
	<b>75-84</b>	81	124.42	54.00	238.00
	<b>85 and older</b>	2	144.50	124.00	165.00
	<b>Total</b>	2219	120.31	29.00	310.00
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	62	122.60	50.00	181.00
	<b>35-44</b>	262	125.49	14.00	274.00
	<b>45-54</b>	350	121.89	44.00	246.00
	<b>55-64</b>	340	115.06	32.00	259.00
	<b>65-74</b>	193	110.62	45.00	257.00
	<b>75-84</b>	29	121.45	60.00	187.00
	<b>85 and older</b>	0	.	.	.
	<b>Total</b>	1236	119.04	14.00	274.00
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	167	115.72	39.00	200.00
	<b>35-44</b>	687	122.03	14.00	274.00
	<b>45-54</b>	925	123.44	39.00	260.00
	<b>55-64</b>	985	117.34	32.00	310.00
	<b>65-74</b>	579	116.23	38.00	257.00
	<b>75-84</b>	110	123.64	54.00	238.00
	<b>85 and older</b>	2	144.50	124.00	165.00

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 10: Systolic Blood Pressure (mmHg) BY AGE AND GENDER</b>		<b>Systolic Blood Pressure (mmHg)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	109	114.71	91.00	156.00
	<b>35-44</b>	456	121.51	86.00	188.00
	<b>45-54</b>	629	124.92	81.00	207.00
	<b>55-64</b>	710	128.86	88.00	206.00
	<b>65-74</b>	432	136.12	86.00	233.00
	<b>75-84</b>	98	139.64	96.00	207.00
	<b>85 and older</b>	4	153.25	145.00	170.00
	<b>Total</b>	2438	127.59	81.00	233.00
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	71	121.34	95.00	157.00
	<b>35-44</b>	298	126.37	69.00	191.00
	<b>45-54</b>	387	128.15	88.00	195.00
	<b>55-64</b>	374	129.66	80.00	235.00
	<b>65-74</b>	209	131.09	88.00	190.00
	<b>75-84</b>	35	130.86	95.00	174.00
	<b>85 and older</b>	2	127.00	122.00	132.00
	<b>Total</b>	1376	128.34	69.00	235.00
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	180	117.32	91.00	157.00
	<b>35-44</b>	754	123.43	69.00	191.00
	<b>45-54</b>	1016	126.15	81.00	207.00
	<b>55-64</b>	1084	129.13	80.00	235.00
	<b>65-74</b>	641	134.48	86.00	233.00
	<b>75-84</b>	133	137.33	95.00	207.00
	<b>85 and older</b>	6	144.50	122.00	170.00

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 11: Fasting Total Cholesterol (mg/dL) BY AGE AND GENDER</b>		<b>Fasting Total Cholesterol (mg/dL)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	105	181.89	106.00	274.00
	<b>35-44</b>	426	195.42	92.00	323.00
	<b>45-54</b>	577	204.51	105.00	350.00
	<b>55-64</b>	645	199.78	92.00	388.00
	<b>65-74</b>	386	202.05	115.00	328.00
	<b>75-84</b>	81	209.19	126.00	332.00
	<b>85 and older</b>	2	216.00	171.00	261.00
	<b>Total</b>	2222	200.08	92.00	388.00
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	62	193.18	104.00	260.00
	<b>35-44</b>	266	198.56	84.00	372.00
	<b>45-54</b>	354	194.46	100.00	339.00
	<b>55-64</b>	344	188.59	87.00	330.00
	<b>65-74</b>	193	185.24	97.00	332.00
	<b>75-84</b>	29	195.17	127.00	263.00
	<b>85 and older</b>	0	.	.	.
	<b>Total</b>	1248	192.24	84.00	372.00
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	167	186.08	104.00	274.00
	<b>35-44</b>	692	196.62	84.00	372.00
	<b>45-54</b>	931	200.69	100.00	350.00
	<b>55-64</b>	989	195.89	87.00	388.00
	<b>65-74</b>	579	196.45	97.00	332.00
	<b>75-84</b>	110	205.49	126.00	332.00
	<b>85 and older</b>	2	216.00	171.00	261.00

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 12: Fasting Triglyceride Level (mg/dL) BY AGE AND GENDER</b>		<b>Fasting Triglyceride Level (mg/dL)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	105	76.26	24.00	206.00
	<b>35-44</b>	426	83.83	23.00	648.00
	<b>45-54</b>	577	96.51	23.00	484.00
	<b>55-64</b>	645	99.20	30.00	352.00
	<b>65-74</b>	386	94.23	29.00	251.00
	<b>75-84</b>	81	94.88	39.00	235.00
	<b>85 and older</b>	2	89.50	52.00	127.00
	<b>Total</b>	2222	93.44	23.00	648.00
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	62	106.56	44.00	289.00
	<b>35-44</b>	266	116.01	34.00	498.00
	<b>45-54</b>	354	107.74	29.00	816.00
	<b>55-64</b>	344	103.64	37.00	646.00
	<b>65-74</b>	193	95.34	29.00	317.00
	<b>75-84</b>	29	88.00	38.00	178.00
	<b>85 and older</b>	0	.	.	.
	<b>Total</b>	1248	105.94	29.00	816.00
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	167	87.51	24.00	289.00
	<b>35-44</b>	692	96.20	23.00	648.00
	<b>45-54</b>	931	100.78	23.00	816.00
	<b>55-64</b>	989	100.74	30.00	646.00
	<b>65-74</b>	579	94.60	29.00	317.00
	<b>75-84</b>	110	93.06	38.00	235.00
	<b>85 and older</b>	2	89.50	52.00	127.00

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 13: Waist Circumference (cm) BY AGE AND GENDER</b>		<b>Waist Circumference (cm)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	107	106.31	69.00	165.00
	<b>35-44</b>	452	102.77	66.04	172.00
	<b>45-54</b>	618	103.61	63.50	170.00
	<b>55-64</b>	696	103.23	65.00	170.20
	<b>65-74</b>	421	101.43	64.00	147.32
	<b>75-84</b>	95	97.92	68.50	130.81
	<b>85 and older</b>	4	95.25	75.00	114.30
	<b>Total</b>	2393	102.84	63.50	172.00
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	71	108.35	71.12	184.10
	<b>35-44</b>	293	105.59	63.50	167.00
	<b>45-54</b>	384	104.35	67.31	186.69
	<b>55-64</b>	366	103.74	75.00	176.00
	<b>65-74</b>	207	102.35	69.85	149.86
	<b>75-84</b>	33	98.69	78.74	124.46
	<b>85 and older</b>	2	87.09	84.00	90.17
	<b>Total</b>	1356	104.20	63.50	186.69
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	178	107.13	69.00	184.10
	<b>35-44</b>	745	103.88	63.50	172.00
	<b>45-54</b>	1002	103.90	63.50	186.69
	<b>55-64</b>	1062	103.41	65.00	176.00
	<b>65-74</b>	628	101.74	64.00	149.86
	<b>75-84</b>	128	98.12	68.50	130.81
	<b>85 and older</b>	6	92.53	75.00	114.30

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 14: Weight (kg) BY AGE AND GENDER</b>		<b>Weight (kg)</b>			
		<b>N</b>	<b>Mean</b>	<b>Min</b>	<b>Max</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	108	99.50	50.40	176.90
	<b>35-44</b>	456	93.39	46.67	188.86
	<b>45-54</b>	622	91.57	41.04	176.88
	<b>55-64</b>	703	87.22	40.81	167.50
	<b>65-74</b>	410	81.65	39.95	147.55
	<b>75-84</b>	82	74.24	45.40	104.06
	<b>85 and older</b>	1	65.70	65.70	65.70
	<b>Total</b>	2382	88.68	39.95	188.86
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	70	109.41	61.93	217.20
	<b>35-44</b>	298	100.65	42.95	185.90
	<b>45-54</b>	385	97.41	49.58	216.10
	<b>55-64</b>	366	92.40	55.10	184.87
	<b>65-74</b>	201	88.66	45.22	167.30
	<b>75-84</b>	31	82.34	61.29	122.60
	<b>85 and older</b>	2	72.24	67.70	76.77
	<b>Total</b>	1353	95.71	42.95	217.20
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	178	103.40	50.40	217.20
	<b>35-44</b>	754	96.26	42.95	188.86
	<b>45-54</b>	1007	93.80	41.04	216.10
	<b>55-64</b>	1069	89.00	40.81	184.87
	<b>65-74</b>	611	83.96	39.95	167.30
	<b>75-84</b>	113	76.46	45.40	122.60
	<b>85 and older</b>	3	70.06	65.70	76.77

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 15: Alcohol History BY AGE AND GENDER</b>		<b>Alcohol drinking in the past 12 months (Y/N)</b>			
		<b>No</b>		<b>Yes</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	32	0.84	76	2.00
	<b>35-44</b>	204	5.36	251	6.60
	<b>45-54</b>	343	9.02	285	7.49
	<b>55-64</b>	499	13.12	211	5.55
	<b>65-74</b>	354	9.31	77	2.02
	<b>75-84</b>	87	2.29	9	0.24
	<b>85 and older</b>	4	0.11	.	.
	<b>Total</b>	1523	40.05	909	23.90
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	19	0.50	52	1.37
	<b>35-44</b>	97	2.55	199	5.23
	<b>45-54</b>	139	3.66	245	6.44
	<b>55-64</b>	178	4.68	194	5.10
	<b>65-74</b>	141	3.71	69	1.81
	<b>75-84</b>	28	0.74	8	0.21
	<b>85 and older</b>	1	0.03	1	0.03
	<b>Total</b>	603	15.86	768	20.19
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	51	1.34	128	3.37
	<b>35-44</b>	301	7.91	450	11.83
	<b>45-54</b>	482	12.67	530	13.94
	<b>55-64</b>	677	17.80	405	10.65
	<b>65-74</b>	495	13.02	146	3.84
	<b>75-84</b>	115	3.02	17	0.45
	<b>85 and older</b>	5	0.13	1	0.03



**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 16: AHA BMI Categorization BY AGE AND GENDER</b>		<b>AHA BMI Categorization</b>					
		<b>Poor Health</b>		<b>Intermediate Health</b>		<b>Ideal Health</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>						
<b>Female</b>	<b>Under 35</b>	76	2.03	23	0.62	9	0.24
	<b>35-44</b>	314	8.41	101	2.70	41	1.10
	<b>45-54</b>	416	11.14	149	3.99	57	1.53
	<b>55-64</b>	433	11.59	209	5.60	61	1.63
	<b>65-74</b>	215	5.76	129	3.45	66	1.77
	<b>75-84</b>	36	0.96	25	0.67	21	0.56
	<b>85 and older</b>	.	.	.	.	1	0.03
	<b>Total</b>	1490	39.89	636	17.03	256	6.85
<b>Male</b>	<b>AGE</b>						
	<b>Under 35</b>	38	1.02	26	0.70	6	0.16
	<b>35-44</b>	167	4.47	96	2.57	35	0.94
	<b>45-54</b>	178	4.77	158	4.23	49	1.31
	<b>55-64</b>	152	4.07	147	3.94	67	1.79
	<b>65-74</b>	69	1.85	88	2.36	44	1.18
	<b>75-84</b>	7	0.19	14	0.37	10	0.27
	<b>85 and older</b>	.	.	.	.	2	0.05
<b>Total</b>	611	16.36	529	14.16	213	5.70	
<b>TOTAL COHORT</b>	<b>AGE</b>						
	<b>Under 35</b>	114	3.05	49	1.31	15	0.40
	<b>35-44</b>	481	12.88	197	5.27	76	2.03
	<b>45-54</b>	594	15.90	307	8.22	106	2.84
	<b>55-64</b>	585	15.66	356	9.53	128	3.43
	<b>65-74</b>	284	7.60	217	5.81	110	2.95
	<b>75-84</b>	43	1.15	39	1.04	31	0.83
	<b>85 and older</b>	.	.	.	.	3	0.08

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 17: 1. Self-reported Serious ongoing health problem BY AGE AND GENDER</b>		<b>1. Serious ongoing health problem(yourself)</b>							
		<b>Yes</b>		<b>No</b>		<b>Don't Know</b>		<b>Missing</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>								
<b>Female</b>	<b>Under 35</b>	10	0.27	97	2.66	.	.	.	.
	<b>35-44</b>	81	2.22	367	10.06	.	.	.	.
	<b>45-54</b>	155	4.25	455	12.47	.	.	.	.
	<b>55-64</b>	158	4.33	506	13.87	.	.	.	.
	<b>65-74</b>	99	2.71	307	8.41	1	0.03	.	.
	<b>75-84</b>	25	0.69	64	1.75	.	.	.	.
	<b>85 and older</b>	1	0.03	3	0.08	.	.	.	.
	<b>Total</b>		529	14.50	1799	49.30	1	0.03	.
<b>Male</b>	<b>AGE</b>								
	<b>Under 35</b>	4	0.11	67	1.84	.	.	.	.
	<b>35-44</b>	46	1.26	245	6.71	.	.	.	.
	<b>45-54</b>	65	1.78	305	8.36	.	.	.	.
	<b>55-64</b>	61	1.67	298	8.17	.	.	.	.
	<b>65-74</b>	34	0.93	158	4.33	.	.	1	0.03
	<b>75-84</b>	6	0.16	28	0.77	.	.	.	.
	<b>85 and older</b>	.	.	2	0.05	.	.	.	.
	<b>Total</b>		216	5.92	1103	30.23	.	.	1
<b>TOTAL COHORT</b>	<b>AGE</b>								
	<b>Under 35</b>	14	0.38	164	4.49	.	.	.	.
	<b>35-44</b>	127	3.48	612	16.77	.	.	.	.
	<b>45-54</b>	220	6.03	760	20.83	.	.	.	.
	<b>55-64</b>	219	6.00	804	22.03	.	.	.	.
	<b>65-74</b>	133	3.64	465	12.74	1	0.03	1	0.03
	<b>75-84</b>	31	0.85	92	2.52	.	.	.	.
	<b>85 and older</b>	1	0.03	5	0.14	.	.	.	.

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 18: Diabetes Status (ADA 2010) BY AGE AND GENDER</b>		<b>Diabetes Status (ADA 2010)</b>			
		<b>No</b>		<b>Yes</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	96	2.54	10	0.26
	<b>35-44</b>	376	9.94	76	2.01
	<b>45-54</b>	425	11.24	197	5.21
	<b>55-64</b>	427	11.29	277	7.32
	<b>65-74</b>	265	7.01	162	4.28
	<b>75-84</b>	61	1.61	34	0.90
	<b>85 and older</b>	3	0.08	1	0.03
	<b>Total</b>	1653	43.71	757	20.02
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	57	1.51	12	0.32
	<b>35-44</b>	237	6.27	60	1.59
	<b>45-54</b>	276	7.30	109	2.88
	<b>55-64</b>	243	6.43	130	3.44
	<b>65-74</b>	126	3.33	84	2.22
	<b>75-84</b>	27	0.71	9	0.24
	<b>85 and older</b>	1	0.03	1	0.03
	<b>Total</b>	967	25.57	405	10.71
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	153	4.05	22	0.58
	<b>35-44</b>	613	16.21	136	3.60
	<b>45-54</b>	701	18.54	306	8.09
	<b>55-64</b>	670	17.72	407	10.76
	<b>65-74</b>	391	10.34	246	6.50
	<b>75-84</b>	88	2.33	43	1.14
	<b>85 and older</b>	4	0.11	2	0.05

### Jackson Heart Study Analysis Data Descriptive Statistics of Major Exam 3 Variables

Table 19: Family Income Classification BY AGE AND GENDER		Family Income Classification											
				Less than \$5,000		\$5,000 - 7,999		\$8,000 - 11,999		\$12,000 - 15,999		\$16,000 - 19,999	
		N	PctN	N	PctN	N	PctN	N	PctN	N	PctN	N	PctN
<b>Gender</b>	<b>AGE</b>												
<b>Female</b>	<b>Under 35</b>	20	0.52	8	0.21	2	0.05	5	0.13	1	0.03	4	0.10
	<b>35-44</b>	47	1.23	30	0.79	11	0.29	13	0.34	19	0.50	11	0.29
	<b>45-54</b>	71	1.86	26	0.68	17	0.45	22	0.58	31	0.81	21	0.55
	<b>55-64</b>	133	3.48	24	0.63	26	0.68	54	1.41	57	1.49	47	1.23
	<b>65-74</b>	100	2.62	27	0.71	29	0.76	59	1.54	58	1.52	25	0.65
	<b>75-84</b>	33	0.86	4	0.10	8	0.21	15	0.39	17	0.45	4	0.10
	<b>85 and older</b>	1	0.03	.	.	1	0.03	2	0.05	.	.	.	.
	<b>Total</b>	405	10.60	119	3.12	94	2.46	170	4.45	183	4.79	112	2.93
<b>Male</b>	<b>AGE</b>												
	<b>Under 35</b>	6	0.16	2	0.05	2	0.05	1	0.03	.	.	3	0.08
	<b>35-44</b>	31	0.81	6	0.16	5	0.13	4	0.10	7	0.18	8	0.21
	<b>45-54</b>	50	1.31	17	0.45	8	0.21	3	0.08	11	0.29	14	0.37
	<b>55-64</b>	67	1.75	20	0.52	6	0.16	9	0.24	14	0.37	9	0.24
	<b>65-74</b>	55	1.44	7	0.18	4	0.10	9	0.24	9	0.24	10	0.26
	<b>75-84</b>	6	0.16	1	0.03	1	0.03	4	0.10	3	0.08	3	0.08
	<b>85 and older</b>	1	0.03	.	.	.	.	1	0.03	.	.	.	.
	<b>Total</b>	216	5.66	53	1.39	26	0.68	31	0.81	44	1.15	47	1.23
<b>TOTAL COHORT</b>	<b>AGE</b>												
	<b>Under 35</b>	26	0.68	10	0.26	4	0.10	6	0.16	1	0.03	7	0.18
	<b>35-44</b>	78	2.04	36	0.94	16	0.42	17	0.45	26	0.68	19	0.50
	<b>45-54</b>	121	3.17	43	1.13	25	0.65	25	0.65	42	1.10	35	0.92
	<b>55-64</b>	200	5.24	44	1.15	32	0.84	63	1.65	71	1.86	56	1.47
	<b>65-74</b>	155	4.06	34	0.89	33	0.86	68	1.78	67	1.75	35	0.92
	<b>75-84</b>	39	1.02	5	0.13	9	0.24	19	0.50	20	0.52	7	0.18
	<b>85 and older</b>	2	0.05	.	.	1	0.03	3	0.08	.	.	.	.



**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 20: Hypertension Status BY AGE AND GENDER</b>		<b>Hypertension Status</b>			
		<b>No</b>		<b>Yes</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	70	1.83	39	1.02
	<b>35-44</b>	206	5.39	252	6.60
	<b>45-54</b>	158	4.14	471	12.33
	<b>55-64</b>	102	2.67	609	15.95
	<b>65-74</b>	38	1.00	394	10.32
	<b>75-84</b>	10	0.26	88	2.30
	<b>85 and older</b>	.	.	4	0.10
	<b>Total</b>		584	15.29	1857
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	47	1.23	24	0.63
	<b>35-44</b>	145	3.80	153	4.01
	<b>45-54</b>	106	2.78	281	7.36
	<b>55-64</b>	84	2.20	290	7.59
	<b>65-74</b>	30	0.79	180	4.71
	<b>75-84</b>	8	0.21	28	0.73
	<b>85 and older</b>	1	0.03	1	0.03
	<b>Total</b>		421	11.02	957
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	117	3.06	63	1.65
	<b>35-44</b>	351	9.19	405	10.60
	<b>45-54</b>	264	6.91	752	19.69
	<b>55-64</b>	186	4.87	899	23.54
	<b>65-74</b>	68	1.78	574	15.03
	<b>75-84</b>	18	0.47	116	3.04
	<b>85 and older</b>	1	0.03	5	0.13

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 21: 1. Feelings of Depression BY AGE AND GENDER</b>		<b>1. Have you been consistently depressed or down , most of the day, nearly everyday, for the past 2 weeks?</b>					
		<b>Yes</b>		<b>No</b>		<b>Don't Know</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>						
<b>Female</b>	<b>Under 35</b>	13	0.36	93	2.55	.	.
	<b>35-44</b>	50	1.37	398	10.91	.	.
	<b>45-54</b>	70	1.92	539	14.78	1	0.03
	<b>55-64</b>	46	1.26	617	16.91	.	.
	<b>65-74</b>	24	0.66	383	10.50	1	0.03
	<b>75-84</b>	9	0.25	80	2.19	.	.
	<b>85 and older</b>	.	.	4	0.11	.	.
	<b>Total</b>		212	5.81	2114	57.95	2
<b>Male</b>	<b>AGE</b>						
	<b>Under 35</b>	4	0.11	67	1.84	.	.
	<b>35-44</b>	13	0.36	277	7.59	1	0.03
	<b>45-54</b>	18	0.49	352	9.65	.	.
	<b>55-64</b>	14	0.38	345	9.46	.	.
	<b>65-74</b>	7	0.19	186	5.10	.	.
	<b>75-84</b>	.	.	34	0.93	.	.
	<b>85 and older</b>	.	.	2	0.05	.	.
	<b>Total</b>		56	1.54	1263	34.62	1
<b>TOTAL COHORT</b>	<b>AGE</b>						
	<b>Under 35</b>	17	0.47	160	4.39	.	.
	<b>35-44</b>	63	1.73	675	18.50	1	0.03
	<b>45-54</b>	88	2.41	891	24.42	1	0.03
	<b>55-64</b>	60	1.64	962	26.37	.	.
	<b>65-74</b>	31	0.85	569	15.60	1	0.03
	<b>75-84</b>	9	0.25	114	3.13	.	.
	<b>85 and older</b>	.	.	6	0.16	.	.

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 22: Menopause Status BY AGE AND GENDER</b>		<b>Menopause Status</b>			
		<b>No</b>		<b>Yes</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	38	1.07	16	0.45
	<b>35-44</b>	115	3.23	213	5.99
	<b>45-54</b>	25	0.70	570	16.02
	<b>55-64</b>	2	0.06	687	19.31
	<b>65-74</b>	.	.	413	11.61
	<b>75-84</b>	.	.	96	2.70
	<b>85 and older</b>	.	.	4	0.11
	<b>Total</b>		180	5.06	1999
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	71	2.00	.	.
	<b>35-44</b>	298	8.38	.	.
	<b>45-54</b>	387	10.88	.	.
	<b>55-64</b>	374	10.51	.	.
	<b>65-74</b>	210	5.90	.	.
	<b>75-84</b>	36	1.01	.	.
	<b>85 and older</b>	2	0.06	.	.
	<b>Total</b>		1378	38.74	.
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	109	3.06	16	0.45
	<b>35-44</b>	413	11.61	213	5.99
	<b>45-54</b>	412	11.58	570	16.02
	<b>55-64</b>	376	10.57	687	19.31
	<b>65-74</b>	210	5.90	413	11.61
	<b>75-84</b>	36	1.01	96	2.70
	<b>85 and older</b>	2	0.06	4	0.11



**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 23: ECG determined MI BY AGE AND GENDER</b>		<b>ECG determined MI</b>			
		<b>No</b>		<b>Yes</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	108	2.83	1	0.03
	<b>35-44</b>	457	11.97	1	0.03
	<b>45-54</b>	616	16.13	13	0.34
	<b>55-64</b>	695	18.20	16	0.42
	<b>65-74</b>	421	11.02	11	0.29
	<b>75-84</b>	96	2.51	2	0.05
	<b>85 and older</b>	4	0.10	.	.
	<b>Total</b>	2397	62.77	44	1.15
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	71	1.86	.	.
	<b>35-44</b>	289	7.57	9	0.24
	<b>45-54</b>	372	9.74	15	0.39
	<b>55-64</b>	357	9.35	17	0.45
	<b>65-74</b>	200	5.24	10	0.26
	<b>75-84</b>	35	0.92	1	0.03
	<b>85 and older</b>	2	0.05	.	.
	<b>Total</b>	1326	34.72	52	1.36
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	179	4.69	1	0.03
	<b>35-44</b>	746	19.53	10	0.26
	<b>45-54</b>	988	25.87	28	0.73
	<b>55-64</b>	1052	27.55	33	0.86
	<b>65-74</b>	621	16.26	21	0.55
	<b>75-84</b>	131	3.43	3	0.08
	<b>85 and older</b>	6	0.16	.	.

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 24: AHA Physical Activity Categorization BY AGE AND GENDER</b>		<b>AHA Physical Activity Categorization</b>					
		<b>Poor Health</b>		<b>Intermediate Health</b>		<b>Ideal Health</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>						
<b>Female</b>	<b>Under 35</b>	44	1.17	34	0.90	24	0.64
	<b>35-44</b>	145	3.84	198	5.25	109	2.89
	<b>45-54</b>	267	7.08	211	5.59	146	3.87
	<b>55-64</b>	330	8.75	209	5.54	167	4.43
	<b>65-74</b>	262	6.95	99	2.62	68	1.80
	<b>75-84</b>	67	1.78	19	0.50	10	0.27
	<b>85 and older</b>	3	0.08	1	0.03	.	.
	<b>Total</b>	1118	29.64	771	20.44	524	13.89
<b>Male</b>	<b>AGE</b>						
	<b>Under 35</b>	25	0.66	19	0.50	25	0.66
	<b>35-44</b>	99	2.62	96	2.55	102	2.70
	<b>45-54</b>	165	4.37	107	2.84	106	2.81
	<b>55-64</b>	170	4.51	88	2.33	112	2.97
	<b>65-74</b>	110	2.92	42	1.11	55	1.46
	<b>75-84</b>	27	0.72	4	0.11	5	0.13
	<b>85 and older</b>	1	0.03	.	.	1	0.03
	<b>Total</b>	597	15.83	356	9.44	406	10.76
<b>TOTAL COHORT</b>	<b>AGE</b>						
	<b>Under 35</b>	69	1.83	53	1.41	49	1.30
	<b>35-44</b>	244	6.47	294	7.79	211	5.59
	<b>45-54</b>	432	11.45	318	8.43	252	6.68
	<b>55-64</b>	500	13.26	297	7.87	279	7.40
	<b>65-74</b>	372	9.86	141	3.74	123	3.26
	<b>75-84</b>	94	2.49	23	0.61	15	0.40
	<b>85 and older</b>	4	0.11	1	0.03	1	0.03

### Jackson Heart Study Analysis Data Descriptive Statistics of Major Exam 3 Variables

Table 25: Daily Active Living BY AGE AND GENDER		1. How many minutes a day do you usually walk and/or bicycle to and from work, school or errands?													
		1. Less than 5 minutes		2. At least 5 but less than 15 minutes		3. At least 15 but less than 30 minutes		4. At least 30 but less than 45 minutes		5. At least 45 minutes		7. Don't Know		9. Missing	
		N	PctN	N	PctN	N	PctN	N	PctN	N	PctN	N	PctN	N	PctN
<b>Gender</b>	<b>AGE</b>														
<b>Female</b>	<b>Under 35</b>	29	0.77	27	0.72	14	0.37	14	0.37	21	0.56	.	.	.	.
	<b>35-44</b>	136	3.60	73	1.93	76	2.01	67	1.77	100	2.65	.	.	.	.
	<b>45-54</b>	226	5.99	104	2.75	100	2.65	74	1.96	118	3.13	1	0.03	1	0.03
	<b>55-64</b>	281	7.44	79	2.09	80	2.12	105	2.78	161	4.26	.	.	.	.
	<b>65-74</b>	183	4.85	54	1.43	50	1.32	53	1.40	86	2.28	3	0.08	.	.
	<b>75-84</b>	45	1.19	9	0.24	8	0.21	17	0.45	15	0.40	.	.	2	0.05
	<b>85 and older</b>	2	0.05	.	.	.	.	1	0.03	1	0.03	.	.	.	.
	<b>Total</b>	902	23.89	346	9.16	328	8.69	331	8.77	502	13.29	4	0.11	3	0.08
<b>Male</b>	<b>AGE</b>														
	<b>Under 35</b>	23	0.61	13	0.34	13	0.34	7	0.19	14	0.37	.	.	.	.
	<b>35-44</b>	98	2.60	50	1.32	52	1.38	29	0.77	67	1.77	1	0.03	.	.
	<b>45-54</b>	118	3.13	56	1.48	62	1.64	48	1.27	94	2.49	.	.	.	.
	<b>55-64</b>	122	3.23	53	1.40	55	1.46	54	1.43	86	2.28	.	.	.	.
	<b>65-74</b>	75	1.99	32	0.85	22	0.58	30	0.79	48	1.27	.	.	.	.
	<b>75-84</b>	15	0.40	3	0.08	5	0.13	6	0.16	6	0.16	.	.	1	0.03
	<b>85 and older</b>	2	0.05	.	.	.	.	.	.	.	.	.	.	.	.
	<b>Total</b>	453	12.00	207	5.48	209	5.53	174	4.61	315	8.34	1	0.03	1	0.03
<b>TOTAL COHORT</b>	<b>AGE</b>														
	<b>Under 35</b>	52	1.38	40	1.06	27	0.72	21	0.56	35	0.93	.	.	.	.
	<b>35-44</b>	234	6.20	123	3.26	128	3.39	96	2.54	167	4.42	1	0.03	.	.
	<b>45-54</b>	344	9.11	160	4.24	162	4.29	122	3.23	212	5.61	1	0.03	1	0.03
	<b>55-64</b>	403	10.67	132	3.50	135	3.58	159	4.21	247	6.54	.	.	.	.
	<b>65-74</b>	258	6.83	86	2.28	72	1.91	83	2.20	134	3.55	3	0.08	.	.
	<b>75-84</b>	60	1.59	12	0.32	13	0.34	23	0.61	21	0.56	.	.	3	0.08
	<b>85 and older</b>	4	0.11	.	.	.	.	1	0.03	1	0.03	.	.	.	.

### Jackson Heart Study Analysis Data Descriptive Statistics of Major Exam 3 Variables

Table 26: Relative Recreational Activity BY AGE AND GENDER		28. In comparison with others of your own age, do you think your recreational activity is much less, less, the same as, more, or much more?													
		1. Much Less		2. Less		3. Same as		4. More		5. Much more		7. Don't Know		9. Missing	
		N	PctN	N	PctN	N	PctN	N	PctN	N	PctN	N	PctN	N	PctN
<b>Gender</b>	<b>AGE</b>														
<b>Female</b>	<b>Under 35</b>	1	0.09	13	1.13	8	0.69	5	0.43	6	0.52	.	.	.	.
	<b>35-44</b>	19	1.65	53	4.60	43	3.73	39	3.38	16	1.39	8	0.69	.	.
	<b>45-54</b>	13	1.13	42	3.64	53	4.60	54	4.68	17	1.47	6	0.52	.	.
	<b>55-64</b>	9	0.78	32	2.78	69	5.98	67	5.81	21	1.82	8	0.69	.	.
	<b>65-74</b>	2	0.17	8	0.69	24	2.08	35	3.04	16	1.39	4	0.35	.	.
	<b>75-84</b>	.	.	.	.	5	0.43	7	0.61	1	0.09	2	0.17	.	.
	<b>85 and older</b>	.	.	.	.	.	.	.	.	.	.	1	0.09	.	.
	<b>Total</b>	44	3.82	148	12.84	202	17.52	207	17.95	77	6.68	29	2.52	.	.
<b>Male</b>	<b>AGE</b>														
	<b>Under 35</b>	.	.	5	0.43	18	1.56	8	0.69	3	0.26	.	.	.	.
	<b>35-44</b>	6	0.52	17	1.47	36	3.12	33	2.86	24	2.08	3	0.26	.	.
	<b>45-54</b>	2	0.17	22	1.91	39	3.38	41	3.56	15	1.30	4	0.35	1	0.09
	<b>55-64</b>	2	0.17	15	1.30	26	2.25	39	3.38	25	2.17	2	0.17	.	.
	<b>65-74</b>	1	0.09	7	0.61	11	0.95	27	2.34	7	0.61	1	0.09	.	.
	<b>75-84</b>	.	.	.	.	.	.	5	0.43	1	0.09	.	.	.	.
	<b>Total</b>	11	0.95	66	5.72	130	11.27	153	13.27	75	6.50	10	0.87	1	0.09
<b>TOTAL COHORT</b>	<b>AGE</b>														
	<b>Under 35</b>	1	0.09	18	1.56	26	2.25	13	1.13	9	0.78	.	.	.	.
	<b>35-44</b>	25	2.17	70	6.07	79	6.85	72	6.24	40	3.47	11	0.95	.	.
	<b>45-54</b>	15	1.30	64	5.55	92	7.98	95	8.24	32	2.78	10	0.87	1	0.09
	<b>55-64</b>	11	0.95	47	4.08	95	8.24	106	9.19	46	3.99	10	0.87	.	.
	<b>65-74</b>	3	0.26	15	1.30	35	3.04	62	5.38	23	1.99	5	0.43	.	.
	<b>75-84</b>	.	.	.	.	5	0.43	12	1.04	2	0.17	2	0.17	.	.
	<b>85 and older</b>	.	.	.	.	.	.	.	.	.	.	1	0.09	.	.

### Jackson Heart Study Analysis Data Descriptive Statistics of Major Exam 3 Variables

Table 27: 1. Relative Overall Health BY AGE AND GENDER		1. Compared to other people your age, would you say that your health is excellent, good, fair, or poor?											
		Excellent		Good		Fair		Poor		Don't Know		Missing	
		N	PctN	N	PctN	N	PctN	N	PctN	N	PctN	N	PctN
<b>Gender</b>	<b>AGE</b>												
<b>Female</b>	<b>Under 35</b>	21	0.55	54	1.42	27	0.71	5	0.13	.	.	.	.
	<b>35-44</b>	61	1.61	284	7.49	89	2.35	19	0.50	2	0.05	.	.
	<b>45-54</b>	80	2.11	372	9.81	150	3.95	18	0.47	5	0.13	.	.
	<b>55-64</b>	106	2.79	418	11.02	170	4.48	9	0.24	5	0.13	.	.
	<b>65-74</b>	70	1.85	206	5.43	142	3.74	10	0.26	2	0.05	.	.
	<b>75-84</b>	17	0.45	46	1.21	29	0.76	4	0.11	1	0.03	.	.
	<b>85 and older</b>	1	0.03	1	0.03	1	0.03	1	0.03	.	.	.	.
	<b>Total</b>	356	9.39	1381	36.41	608	16.03	66	1.74	15	0.40	.	.
<b>Male</b>	<b>AGE</b>												
	<b>Under 35</b>	17	0.45	34	0.90	19	0.50	1	0.03	.	.	.	.
	<b>35-44</b>	74	1.95	163	4.30	49	1.29	8	0.21	1	0.03	.	.
	<b>45-54</b>	75	1.98	224	5.91	79	2.08	3	0.08	.	.	.	.
	<b>55-64</b>	89	2.35	195	5.14	81	2.14	6	0.16	1	0.03	.	.
	<b>65-74</b>	50	1.32	101	2.66	55	1.45	3	0.08	.	.	1	0.03
	<b>75-84</b>	13	0.34	17	0.45	6	0.16	.	.	.	.	.	.
	<b>85 and older</b>	1	0.03	1	0.03	.	.	.	.	.	.	.	.
	<b>Total</b>	319	8.41	735	19.38	289	7.62	21	0.55	2	0.05	1	0.03
<b>TOTAL COHORT</b>	<b>AGE</b>												
	<b>Under 35</b>	38	1.00	88	2.32	46	1.21	6	0.16	.	.	.	.
	<b>35-44</b>	135	3.56	447	11.78	138	3.64	27	0.71	3	0.08	.	.
	<b>45-54</b>	155	4.09	596	15.71	229	6.04	21	0.55	5	0.13	.	.
	<b>55-64</b>	195	5.14	613	16.16	251	6.62	15	0.40	6	0.16	.	.
	<b>65-74</b>	120	3.16	307	8.09	197	5.19	13	0.34	2	0.05	1	0.03
	<b>75-84</b>	30	0.79	63	1.66	35	0.92	4	0.11	1	0.03	.	.
	<b>85 and older</b>	2	0.05	2	0.05	1	0.03	1	0.03	.	.	.	.

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 28: Self-reported weight status BY AGE AND GENDER</b>		<b>17. Do you consider yourself now to be overweight, underweight, or about the right weight?</b>							
		<b>Overweight</b>		<b>Underweight</b>		<b>About right weight</b>		<b>Don't Know</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>								
<b>Female</b>	<b>Under 35</b>	83	2.19	2	0.05	22	0.58	.	.
	<b>35-44</b>	387	10.20	9	0.24	58	1.53	1	0.03
	<b>45-54</b>	516	13.60	13	0.34	95	2.50	1	0.03
	<b>55-64</b>	535	14.10	24	0.63	141	3.72	8	0.21
	<b>65-74</b>	239	6.30	33	0.87	145	3.82	13	0.34
	<b>75-84</b>	37	0.98	10	0.26	48	1.27	2	0.05
	<b>85 and older</b>	1	0.03	1	0.03	1	0.03	1	0.03
	<b>Total</b>	1798	47.40	92	2.43	510	13.45	26	0.69
<b>Male</b>	<b>AGE</b>								
	<b>Under 35</b>	43	1.13	.	.	28	0.74	.	.
	<b>35-44</b>	200	5.27	16	0.42	79	2.08	.	.
	<b>45-54</b>	222	5.85	19	0.50	137	3.61	3	0.08
	<b>55-64</b>	207	5.46	17	0.45	147	3.88	1	0.03
	<b>65-74</b>	80	2.11	20	0.53	107	2.82	3	0.08
	<b>75-84</b>	4	0.11	1	0.03	29	0.76	2	0.05
	<b>85 and older</b>	.	.	.	.	2	0.05	.	.
	<b>Total</b>	756	19.93	73	1.92	529	13.95	9	0.24
<b>TOTAL COHORT</b>	<b>AGE</b>								
	<b>Under 35</b>	126	3.32	2	0.05	50	1.32	.	.
	<b>35-44</b>	587	15.48	25	0.66	137	3.61	1	0.03
	<b>45-54</b>	738	19.46	32	0.84	232	6.12	4	0.11
	<b>55-64</b>	742	19.56	41	1.08	288	7.59	9	0.24
	<b>65-74</b>	319	8.41	53	1.40	252	6.64	16	0.42
	<b>75-84</b>	41	1.08	11	0.29	77	2.03	4	0.11
	<b>85 and older</b>	1	0.03	1	0.03	3	0.08	1	0.03

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 29: History of Autoimmune Disease BY AGE AND GENDER</b>		<b>2d. Autoimmune disease, such as lupus?</b>					
		<b>Yes</b>		<b>No</b>		<b>Don't Know</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>						
<b>Female</b>	<b>Under 35</b>	3	0.08	104	2.85	.	.
	<b>35-44</b>	27	0.74	419	11.47	1	0.03
	<b>45-54</b>	39	1.07	570	15.60	1	0.03
	<b>55-64</b>	26	0.71	636	17.41	3	0.08
	<b>65-74</b>	18	0.49	388	10.62	2	0.05
	<b>75-84</b>	3	0.08	86	2.35	2	0.05
	<b>85 and older</b>	.	.	4	0.11	.	.
	<b>Total</b>		116	3.18	2207	60.42	9
<b>Male</b>	<b>AGE</b>						
	<b>Under 35</b>	1	0.03	70	1.92	.	.
	<b>35-44</b>	1	0.03	291	7.97	.	.
	<b>45-54</b>	2	0.05	368	10.07	.	.
	<b>55-64</b>	7	0.19	349	9.55	3	0.08
	<b>65-74</b>	1	0.03	191	5.23	1	0.03
	<b>75-84</b>	.	.	34	0.93	.	.
	<b>85 and older</b>	.	.	2	0.05	.	.
	<b>Total</b>		12	0.33	1305	35.72	4
<b>TOTAL COHORT</b>	<b>AGE</b>						
	<b>Under 35</b>	4	0.11	174	4.76	.	.
	<b>35-44</b>	28	0.77	710	19.44	1	0.03
	<b>45-54</b>	41	1.12	938	25.68	1	0.03
	<b>55-64</b>	33	0.90	985	26.96	6	0.16
	<b>65-74</b>	19	0.52	579	15.85	3	0.08
	<b>75-84</b>	3	0.08	120	3.28	2	0.05
	<b>85 and older</b>	.	.	6	0.16	.	.

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 30: Self-Reported Dialysis History BY AGE AND GENDER</b>		<b>3. Are you now, or have you ever been on kidney dialysis or a kidney machine</b>			
		<b>Yes</b>		<b>No</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	1	0.03	106	2.90
	<b>35-44</b>	2	0.05	445	12.18
	<b>45-54</b>	2	0.05	608	16.64
	<b>55-64</b>	3	0.08	662	18.12
	<b>65-74</b>	8	0.22	400	10.95
	<b>75-84</b>	.	.	91	2.49
	<b>85 and older</b>	.	.	4	0.11
	<b>Total</b>		16	0.44	2316
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	1	0.03	70	1.92
	<b>35-44</b>	3	0.08	289	7.91
	<b>45-54</b>	4	0.11	366	10.02
	<b>55-64</b>	8	0.22	351	9.61
	<b>65-74</b>	1	0.03	192	5.26
	<b>75-84</b>	.	.	34	0.93
	<b>85 and older</b>	.	.	2	0.05
	<b>Total</b>		17	0.47	1304
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	2	0.05	176	4.82
	<b>35-44</b>	5	0.14	734	20.09
	<b>45-54</b>	6	0.16	974	26.66
	<b>55-64</b>	11	0.30	1013	27.73
	<b>65-74</b>	9	0.25	592	16.21
	<b>75-84</b>	.	.	125	3.42
	<b>85 and older</b>	.	.	6	0.16



**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 31: Kidney Disease History BY AGE AND GENDER</b>		<b>6. Since your last JHS exam, that is in , have you been told that you have kidney disease?</b>					
		<b>Yes</b>		<b>No</b>		<b>Don't Know</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>						
<b>Female</b>	<b>Under 35</b>	1	0.03	106	2.90	.	.
	<b>35-44</b>	5	0.14	442	12.10	.	.
	<b>45-54</b>	9	0.25	601	16.45	.	.
	<b>55-64</b>	10	0.27	654	17.90	1	0.03
	<b>65-74</b>	10	0.27	396	10.84	2	0.05
	<b>75-84</b>	2	0.05	89	2.44	.	.
	<b>85 and older</b>	.	.	4	0.11	.	.
	<b>Total</b>		37	1.01	2292	62.74	3
<b>Male</b>	<b>AGE</b>						
	<b>Under 35</b>	1	0.03	69	1.89	1	0.03
	<b>35-44</b>	3	0.08	288	7.88	1	0.03
	<b>45-54</b>	5	0.14	365	9.99	.	.
	<b>55-64</b>	7	0.19	352	9.64	.	.
	<b>65-74</b>	3	0.08	190	5.20	.	.
	<b>75-84</b>	.	.	34	0.93	.	.
	<b>85 and older</b>	.	.	2	0.05	.	.
<b>Total</b>		19	0.52	1300	35.59	2	0.05
<b>TOTAL COHORT</b>	<b>AGE</b>						
	<b>Under 35</b>	2	0.05	175	4.79	1	0.03
	<b>35-44</b>	8	0.22	730	19.98	1	0.03
	<b>45-54</b>	14	0.38	966	26.44	.	.
	<b>55-64</b>	17	0.47	1006	27.54	1	0.03
	<b>65-74</b>	13	0.36	586	16.04	2	0.05
	<b>75-84</b>	2	0.05	123	3.37	.	.
	<b>85 and older</b>	.	.	6	0.16	.	.

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 32: Participant Sex BY AGE AND GENDER</b>		<b>Participant Sex</b>			
		<b>Female</b>		<b>Male</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	109	2.85	.	.
	<b>35-44</b>	458	11.99	.	.
	<b>45-54</b>	629	16.47	.	.
	<b>55-64</b>	711	18.62	.	.
	<b>65-74</b>	432	11.31	.	.
	<b>75-84</b>	98	2.57	.	.
	<b>85 and older</b>	4	0.10	.	.
	<b>Total</b>	2441	63.92	.	.
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	.	.	71	1.86
	<b>35-44</b>	.	.	298	7.80
	<b>45-54</b>	.	.	387	10.13
	<b>55-64</b>	.	.	374	9.79
	<b>65-74</b>	.	.	210	5.50
	<b>75-84</b>	.	.	36	0.94
	<b>85 and older</b>	.	.	2	0.05
	<b>Total</b>	.	.	1378	36.08
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	109	2.85	71	1.86
	<b>35-44</b>	458	11.99	298	7.80
	<b>45-54</b>	629	16.47	387	10.13
	<b>55-64</b>	711	18.62	374	9.79
	<b>65-74</b>	432	11.31	210	5.50
	<b>75-84</b>	98	2.57	36	0.94
	<b>85 and older</b>	4	0.10	2	0.05

**Jackson Heart Study Analysis Data**  
**Descriptive Statistics of Major Exam 3 Variables**

<b>Table 33: History of Stroke BY AGE AND GENDER</b>		<b>History of Stroke</b>			
		<b>No</b>		<b>Yes</b>	
		<b>N</b>	<b>PctN</b>	<b>N</b>	<b>PctN</b>
<b>Gender</b>	<b>AGE</b>				
<b>Female</b>	<b>Under 35</b>	107	2.80	1	0.03
	<b>35-44</b>	451	11.81	7	0.18
	<b>45-54</b>	599	15.69	30	0.79
	<b>55-64</b>	663	17.37	48	1.26
	<b>65-74</b>	377	9.87	55	1.44
	<b>75-84</b>	81	2.12	17	0.45
	<b>85 and older</b>	3	0.08	1	0.03
	<b>Total</b>	2281	59.74	159	4.16
<b>Male</b>	<b>AGE</b>				
	<b>Under 35</b>	71	1.86	.	.
	<b>35-44</b>	293	7.67	5	0.13
	<b>45-54</b>	377	9.87	10	0.26
	<b>55-64</b>	344	9.01	30	0.79
	<b>65-74</b>	180	4.71	30	0.79
	<b>75-84</b>	33	0.86	3	0.08
	<b>85 and older</b>	2	0.05	.	.
	<b>Total</b>	1300	34.05	78	2.04
<b>TOTAL COHORT</b>	<b>AGE</b>				
	<b>Under 35</b>	178	4.66	1	0.03
	<b>35-44</b>	744	19.49	12	0.31
	<b>45-54</b>	976	25.56	40	1.05
	<b>55-64</b>	1007	26.38	78	2.04
	<b>65-74</b>	557	14.59	85	2.23
	<b>75-84</b>	114	2.99	20	0.52
	<b>85 and older</b>	5	0.13	1	0.03